

ARGON

MSDS Number

BHCYV

National Stock Number

6830-00-167-0778

Product Name

ARGON

Manufacturer

UNION CARBIDE CORP

Product Identification

Product ID:ARGON MSDS Date:12/01/1986 FSC:6830 NIIN:00-167-0778 MSDS Number: BHCYV

Responsible Party

UNION CARBIDE CORPORATION 39 OLD RIDGEBURY ROAD

DANBURY, CT 06817-0001

F....

US

Emergency Phone: 1-800-822-4357 CANADA 514-640-6400

Cage: 36346

Contractor

UNION CARBIDE CORP LINDE DIV

DANBURY, CT 06817-0001

US

800-822-4357; 304-744-3487

Cage: 36346

Ingredients

ARGON

CAS: 7440-37-1

Fraction By Weight: 100%

Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:FUMES AND GASES CAN BE DANGEROUS TO
YOUR HEALTH AND MAY CAUSE LUNG DISEASE.SHORTTERM OVEREXPOSURE TO
FUMES MAY RESULT IN DISCOMFORT SUCH AS DIZZINESS, NAUSEA,ORDRYNESS
OR IRRITATION OF NOSE, THROAT, O R EYES. SOME TOXIC GASES
ASSOCIATED WITHWELDING & RELATED PROCESSES MAY CAUSE PULMONARY
EDEMA, ASPHYXIATION, AND DEATH.
Effects of Overexposure:ASPHYXIANT. MODERATE CONCENTRATIONS MAY CAUSE
HEADACH, DROWSINESS, DIZZINESS, EXCITATION, EXCESS SALIVATINO,
VOMITING, AND UNCONSCIOUSNESS. ARGON IS AN ASPHY-XIANT. LACK OF
OXYGEN CAN CAUSE DEATH. F UMES AND GASES CAN BE DANGEROUS TO

YOURHEALTH AND MAY CAUSE SERIOUS LUNG DISEASE.

First Aid



First Aid:SKIN/EYE CONTACT: FLUSH WITH WATER. INHILATION: REMOVE TO FRESH AIR. GIVE CPR IF NOT BREATHING AND OXYGEN IF BREATHING IS DIFFICULT. CALL A PHYSICIAN.

Fire Fighting

Extinguishing Media:STOP FLW OF GAS W/O RISK WHILE CONT WTR SPRAY.ALLOW FIRE TO BRN OUT.ON SITE FIRE BRIGADES MUST COMPLY W/OSHA29CFR1910 Fire Fighting Procedures:EVACUATE ALL PERSONNEL FROM DANGER AREA. IMMED. COOL CYL. WITH WATER SPRAY FROMMAX DISTANCE, THEN MOVE CONTAINERS AWAY FROM FIRE AREA IF W/O RISK.SHUT LEAK OFF Unusual Fire/Explosion Hazard:ARGON CANNOT CATCH FIRE. CONTAINER MAY RUPTURE DUE TO HEAT OF FIRE. NO PART OF CONTAINER SHOULD BE SUBJECTED TO A TEMP HIGHER THAN 125F/52C.

Accidental Release

Spill Release Procedures: EVACUATE ALL PERSONNEL FROM DANGER AREA. USE SELF CONTAINED BREATHING APPARATUS WHERE NEEDED. SHUT OFF CYLINDER IF W/O RISK. VENT AREA OF LEAK OR MOVCYL TO WELL VENTILATED AREA. TEST AREA FOR SUFFICI OXY CONTENT PRIOR TO PERMITTING RE-ENTRY.

Handling

Handling and Storage Precautions: PREVENT FIRES. STORE/USE WITH ADEQUATE VENTILATIONTHE DEFECT PRODUCED BY AN ARC BURN COULD LEAD TO CYLINDER RUPTURE. DO NOT GROUND CYLINDER.

Other Precautions: SEE NFPA 51B

Exposure Controls

Respiratory Protection: USE RESPIRABLE FUME RESPIRATOR OR AIR SUPPLIED RESPIRATOR WHEN WORKING IN CON- FINED SPACE OR WHERE LOCAL EXHAUST OR VENTILATION DOES NOT KEEP EXPOSURE BELOW TLV.

Ventilation: USE ENOUGH VENTILATION, LOCAL EXHAUST OR BOTH, TO KEEP FUMES& GASES BELOW TLV'S IN THE WORKERS BREATHING ZONE & AREA.

Protective Gloves: WELDING GLOVES

Eye Protection: WEAR HELMET OR USE FACE SHIELD

Other Protective Equipment:AS NEEDED, WEAR HAND, HEAD,AND BODY PROTECTION WHICH HELP TOPREVENT INJURY FROM RADIATION, SPARKS, & ELECTRICAL SHOCK.

Supplemental Safety and Health

WHEN TWO OR MORE GASES, OR LIQUEFIED GASES ARE MIXED, THEIR HAZARDOUS PROPERTIESMAY COMBINE TO CREATE ADDITIONAL, UNEXPECTED HAZARDS.

Chemical Properties

Boiling Pt:B.P. Text:-185C/-302F Vapor Pres:GAS Vapor Density:*SEE BELOW Spec Gravity:GAS

Solubility in Water: NEGLIBLE

Appearance and Odor: COLORLESS, ODORLESS GAS AT NORMAL TEMPERATURE AND

PRESSURE.

Percent Volatiles by Volume: 100

Stability

Stability Indicator/Materials to Avoid:YES NK *VAP DENS: 1.378 @ 21.2C/70F

Stability Condition to Avoid:HIGH PRESSURE GAS. CLOSE VALVE WHEN NOT IN USE & WHEN EMPTY.USE WITH EQUIP RATED TO WITHSTAND PRESSURE.DON'T GROUND CYL.

Hazardous Decomposition Products: OZONE & NITROGEN OXIDES MAY BE FORMED BY THE RADIATION FROM ARC.

Disposal

Waste Disposal Methods: SLOWLY RELEASE INTO ATMOSPHERE. DISCARD ANY PRODUCRESIDUE, DISPOSABLE CONTAINER OR LINER IN AN ENVIRONMENTALLY ACCEPTABLE MANNER IN FULL COMPLIANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):



This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.