

WAX, SPRAY, REFINISH, GLOSSY

MSDS Number

BHDBZ

National Stock Number

7930-00-185-6758

Product Name

WAX, SPRAY, REFINISH, GLOSSY

Manufacturer

HYSAN CORP

Product Identification

Product ID:WAX, SPRAY, REFINISH, GLOSSY

MSDS Date:06/01/1988

FSC:7930

NIIN:00-185-6758

MSDS Number: BHDBZ

Responsible Party

HYSAN CORPORATION

4309 S. MORGAN STREET

CHICAGO , IL 60609

US

Emergency Phone: 312-523-1010

Cage: HYSAN

Contractor

HYSAN CORPORATION

HOUSTON, TX 77019

US

713-620-7740

Cage: HYSAN

Ingredients

PETROLEUM DISTILLATES

CAS: 8002-05-9

RTECS: SE7449000

Fraction By Weight: 20-30%

ACGIH TLV: 300 PPM

METHYL CHLOROFORM (1,1,1-TRICHLOROETHANE) (SARA III)

CAS: 71-55-6

RTECS: KJ2975000

Fraction By Weight: 20-50%

OSHA PEL350 PPM/450 STEL

ACGIH TLV: 350 PPM/450STEL;9192

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

C3-C2 ALKANE BLEND

CAS: 68475-59-2

Fraction By Weight: 20-50%

ACGIH TLV: 800 PPM

Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:HARMFUL OR FATAL IF SWALLOWED.
ASPIRATION OF LIQUID MAY CAUSE CHEMICAL PNEUMONITIS. EYES: MAY CAUSE IRRITATION. SKIN: MAY CAUSE IRRITATION: VAPORS HARMFUL.
MASSIVE DOSES MAY INCREASE MYOCARDIAL IR RITABILITY. CHRONIC: NONE EXPECTED
Effects of Overexposure:HARMFUL OR FATAL IF SWALLOWED. ASPIRATION OF LIQUID MAY CAUSE CHEMICAL PNEUMONITIS. EYES: MAY CAUSE IRRITATION.
SKIN: MAY CAUSE IRRITATION: VAPORS HARMFUL. MASSIVE DOSES MAY INCREASE MYOCARDIAL IR RITABILITY. CHRONIC: NONE EXPECTED.

First Aid

First Aid:INGESTION: DO NOT INDUCE VOMITING. CALL PHYSICIAN IMMEDIATELY. EYES: FLUSH WITH WATER. CALL PHYSICIAN IF IRRITATION PERSISTS. SKIN: WASH OFF WITH SOAP AND WATERAND INHALATION: REMOVE TO FRESH AIR

Fire Fighting

Flash Point Method:TCC
Flash Point:50 F 10.00 C
Lower Limits:17
Upper Limits:1.0
Extinguishing Media:FOAM, CO2, AND DRY CHEMICAL
Fire Fighting Procedures:KEEP CONTAINERS COOL. USE SHIELDING TO PROTECT PERSONNEL AGAINST BURSTING, RU- PTURING OR VENTING CONTAINERS
Unusual Fire/Explosion Hazard:AT ELEVATED TEMPERATURES (OVER 130 F) CONTAINERS MAY VENT, RUPTURE OR BURST

Accidental Release

Spill Release Procedures:REMOVE SOURCES OF FLAME, SPARK OR HEAT. PROVIDE ADEQUATE VENTILATION. WIPE UP SPILLED MATERIAL. USE A CLEANER TO REMOVE ANY FILM LEFT BEHIND. FLOORS MAY BE SLIPPERY; USE CAUTION TO AVOID FALLS

Handling

Handling and Storage Precautions:DANGER: FLAMMABLE. CONTENTS UNDER PRESSURE. DO NOTSTORE WHERE TEMP. MAY EXCEED 120 F. KEEP OUT OF REACH OF CHILDREN
Other Precautions:READ ENTIRE LABEL BEFORE USING

Exposure Controls

Respiratory Protection:NONE REQUIRED
Ventilation:HOOD OR FAN FOR LOCAL EXHAUST. MAINTAIN ADEQUATE VENTILATIONFOR MECHANICAL
Protective Gloves:NONE REQUIRED
Eye Protection:SAFETY GLASSES
Other Protective Equipment:NONE REQUIRED
Work Hygienic Practices:GOOD GENERAL PRACTICES
Supplemental Safety and Health
NK

Chemical Properties

NRC/State Lic Num:NKK
Boiling Pt:B.P. Text:IBP 165 F
Vapor Pres:49MMHG@20C

Vapor Density:> AIR
Spec Gravity:0.80
Evaporation Rate & Reference:FASTER THAN ETHER
Solubility in Water:NEGLIGIBLE
Appearance and Odor:THIN, OPAQUE TAN EMULSION HAVING A CHLORINATED
HYDROCARBON ODOR
Percent Volatiles by Volume:>80%

Stability

Stability Indicator/Materials to Avoid:NO
NONE
Stability Condition to Avoid:HEAT
Hazardous Decomposition Products:HYDROGEN CHLORIDE, OXIDES OF CARBON
AND MINUTE TRACES OF PHOSGENE AND CHLORINE FORMED UPON COMBUSTION

Disposal

Waste Disposal Methods:DO NOT PUNCTURE OR INCINERATE CONTAINERS. GIVE
TO A DISPOSAL SERVICE EQUIPPED TO SAFELY HANDLE AND DISPOSE OF
PRESSURIZED CONTAINERS

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.