
BLACK PHENOLIC COATING C37038

MSDS Number

BHDCB

National Stock Number

8010-00-200-3495

Product Name

BLACK PHENOLIC COATING C37038

Manufacturer

EVERSEAL MANUFACTURING CO INC

Product Identification

Product ID:BLACK PHENOLIC COATING C37038

MSDS Date:06/10/1986

FSC:8010

NIIN:00-200-3495

MSDS Number: BHDCB

Responsible Party

EVERSEAL MANUFACTURING CO., INC.

475 BROAD AVENUE

RIDGEFIELD , NJ 07657

US

Emergency Phone: 201-943-4986

Cage: EO432

Contractor

EVERSEAL MFG CO INC

RIDGEFIELD, NJ 07657-2329

US

201-943-4986

Cage: 72988

Ingredients

RESIN

Fraction By Weight: 20%

CARBON BLACK

CAS: 1333-86-4

RTECS: FF5800000

Fraction By Weight: 3 - 5%

OSHA PEL3.5 MG/M3

ACGIH TLV: 3.5 MG/M3; 9192

MINERAL SPIRITS

CAS: 64741-65-7

Fraction By Weight: 38%

OSHA PEL120 PPM

TALC (CONTAINING NO ASBESTOS)

CAS: 14807-96-6

RTECS: WW2710000

Fraction By Weight: 37%

OSHA PEL2 MG/M3 RDUST

ACGIH TLV: 2 MG/M3 RDUST; 9192

Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Effects of Overexposure:SKIN: DRYING EYES: IRRITATION
INHALATION: MAY CAUSE ANESTHESIA,
HEADACHE, DIZZINESS, NAUSEA, UPPER RESPIRATORYIRRITATION.

First Aid

First Aid:SKIN: WASH WITH MILD SOAP AND WATER. APPLY A MILD CREAM. IF
SEVERE CONTACT A PHYSICIAN.
INHALATION: REMOVE TO FRESH AIR.
APPLY A RTIFICAL RESPIRATION IF NECESSARY. CALLA PHYSICIAN.

Fire Fighting

Flash Point:105F/40.56C
Lower Limits:0.7
Extinguishing Media:FOAM, CO2, DRY CHEMICAL
Unusual Fire/Explosion Hazard:WATER NOT A SUITABLE EXTINGUISHING MEDIUM

Accidental Release

Spill Release Procedures:FLUSH WITH WATER INTO RETAINING AREA OR
CONTAINER.AVOID SPARKS,FIRE OR HOT METAL SURFACES. SMALL
QUANTITIES MAY BE ABSORBED ONTO AN APPROPRIATE ABSORBANT.

Handling

Handling and Storage Precautions:KEEP COOL, AWAY FROM SOURCE OF
IGNITION, ADEQUATE VENTILATION. AVOID PROLONGED/REPEATED PERSONAL
CONTACT.
Other Precautions:NPCA/HMIS RATING 3,2,0,H

Exposure Controls

Respiratory Protection:CARTRIDGE RESPRIATOR OR MASK
Ventilation:LOCAL EXHAUST IF SUFFICIENT TO KEEP WORKING ROOM CONCENTRA-
TION BELOW TLV
Protective Gloves:IMPERMEABLE
Eye Protection:CHEMICAL GOGGLES
Other Protective Equipment:APRON, BARRIER CREAM
Supplemental Safety and Health
NK

Chemical Properties

Boiling Pt:B.P. Text:326-387F
Vapor Density:> AIR
Evaporation Rate & Reference:SLOWER THAN ETHER
Percent Volatiles by Volume:58

Stability

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS
Stability Condition to Avoid:HEAT, SPARKS, OPEN FLAME, FIRE
Hazardous Decomposition Products:CARBON MONOXIDE/DIOXIDE

Disposal

Waste Disposal Methods:INCINERATE UNDER SAFE CONDITIONS OR DISPOSE OF
IN ACCORDANCE WITH FEDERAL, STATE, & LOCAL REGULATION

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.