

SPAR VARNISH PHENOLIC

MSDS Number

BHDCJ

National Stock Number

8010-00-234-5176

Product Name

SPAR VARNISH PHENOLIC

Manufacturer

EVERSEAL MANUFACTURING CO INC

Product Identification

Product ID: SPAR VARNISH PHENOLIC

MSDS Date: 03/19/1986

FSC: 8010

NIIN: 00-234-5176

MSDS Number: BHDCJ

Responsible Party

EVERSEAL MANUFACTURING CO., INC.

475 BROAD AVENUE

RIDGEFIELD , NJ 07657

US

Emergency Phone: 201-943-4986

Cage: EO432

Contractor

EVERSEAL MFG CO INC

RIDGEFIELD, NJ 07657-2329

US

201-943-4986

Cage: 72988

Ingredients

RESIN

Fraction By Weight: 52%

OSHA PELNA

ACGIH TLV: NA

LINSEED OIL

Fraction By Weight: 5%

OSHA PELNA

ACGIH TLV: NA

MINERAL SPIRITS

CAS: 64742-88-7

Fraction By Weight: 42%

ACGIH TLV: 120 PPM

Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Effects of Overexposure:SKIN: DRYING EYES: IRRITATION
INHALATION: MAY CAUSE ANESTHESIA,
HEADACHE, DIZZINESS, NAUSEA, UPPER RESPIRATORYIRRITATION.

First Aid

First Aid:INHALATION: REMOVE TO FRESH AIR. APPLY ARTIFICIAL RESPIRATION
IF NECESSARY. CALL A PHYSICIAN.
SKIN: WASH WITH MILD SOAP & WATER.
APPLY A MILD CREAM. IN SEVERE CASES CONTACTA PHYSICIAN.
INGESTION:
CALL A PHYSICIAN

Fire Fighting

Flash Point:105F/40.56C
Upper Limits:0.7
Extinguishing Media:FOAM, CO2, DRY CHEMICAL
Unusual Fire/Explosion Hazard:WATER NOT A SUITABLE EXTINGUISHING MEDIUM

Accidental Release

Spill Release Procedures:FLUSH WITH WATER INTO RETAINING AREA OF
CONTAINER.AVOID SPARKS, FIRE OR HOT METAL SURFACES. SMALL
QUANTITIES MAY BE ABSORBED ONTO AN APPROPRIATE ABSORBANT.

Handling

Handling and Storage Precautions:KEEP COOL, AWAY FROM SOURCES OF
IGNITION, ADEQUATEVENTILATION. AVOID PROLONGED/REPEATED PERSONAL
CONTACT.

Other Precautions:NPCA/HMIS RATING 3,2,O,H

Exposure Controls

Respiratory Protection:CARTRIDGE RESPIRATOR OR MASK
Ventilation:LOCAL EXHAUST IS SUFFICIENT TO KEEP WORKING ROOM CONCENTRA-
TION BELOW THE TLV
Protective Gloves:IMPERMEABLE
Eye Protection:CHEMICAL GOGGLES
Other Protective Equipment:APRON, BARRIER CREAM
Supplemental Safety and Health
NK

Chemical Properties

Boiling Pt:B.P. Text:326-387F
Vapor Density:> AIR
Evaporation Rate & Reference:SLOWER THAN ETHER
Percent Volatiles by Volume:56

Stability

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS
Stability Condition to Avoid:HEAT, SPARKS, OPEN FLAME, FIRE
Hazardous Decomposition Products:THERMAL DECOMPOSITION MAY YIELD CARBON
MONOXIDE

Disposal

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH FEDERAL,STATE, AND
LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their

particular situation.