

SPIRITS OF TURPENTINE

MSDS Number

BHDDN

National Stock Number

8010-00-261-1180

Product Name

SPIRITS OF TURPENTINE

Manufacturer

CSD INC

Product Identification

Product ID:SPIRITS OF TURPENTINE

MSDS Date:10/14/1986

FSC:8010

NIIN:00-261-1180

MSDS Number: BHDDN

Responsible Party

CSD, INC.

#5 HACKBERRY

CUT & SHOOT , TX 77303

US

Emergency Phone: 704-821-9822

Preparer: ROBERT G. SCHORY

Cage: KO005

Contractor

CSD, INC.

687

CONROE, TX 77305

US

409-756-1065

Cage: KO005

Ingredients

TERPENE HYDROCARBONS

CAS: 8006-64-2

Fraction By Weight: 100%

ACGIH TLV: 100

Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Effects of Overexposure:EYES:MAY CAUSE IRRITATION

SKIN:MAY CAUSE DERMATITIS

Medical Cond Aggravated by Exposure:MAY CAUSE KIDNEY INFECTIONS

First Aid

First Aid:EYES:FLUSH W/WATER,CALL A PHYSICIAN

SKIN:WASH W/SOAP & WATER

INHALATION:REMOVE TO FRESH

AIRINGESTION: DO NOT INDUCE VOMITING,CALL A PHYSICIAN

Fire Fighting

Flash Point Method:TCC
Flash Point:105 F 40.56 C
Extinguishing Media:FOAM, DRY CHEMICAL AND CO2
Fire Fighting Procedures:NONE
Unusual Fire/Explosion Hazard:NONE

Accidental Release

Spill Release Procedures:ELIMINATE IGNITION SOURCE,STOP SPILL AT ONCE,
CONTAIN SPILL BY DIKE,ETC.PUMP INTO SALVAGE TANK.AVOID CONTACT
W/VAPOR OR SPRAY MIST.

Handling

Handling and Storage Precautions:NORMAL,KEEP AWAY FROM FLAMES OR HIGH
HEAT.USE ONLY WITH ADEQUATE VENTILATION.AVOID PROLONGED CONTACT
W/SKIN.
Other Precautions:AVOID CONTACT WITH OXIDIZING MATERIALS

Exposure Controls

Respiratory Protection:AS NEEDED TO MAINTAIN CONCENTRATIONS BELOW TLV
LEVEL.
Ventilation:LOCAL EXHAUST
Protective Gloves:RECOMMENDED
Eye Protection:RECOMMENDED
Supplemental Safety and Health
NK

Chemical Properties

Boiling Pt:B.P. Text:307F
Vapor Pres:760
Spec Gravity:.864
Evaporation Rate & Reference:1
Solubility in Water:NEGLIGIBLE
Appearance and Odor:CLEAR & FREE OF SUSPENDED MATTER
Percent Volatiles by Volume:99.0

Stability

Stability Indicator/Materials to Avoid:YES
NK
Stability Condition to Avoid:STRONG OXIDIZING MATERIALS
Conditions to Avoid Polymerization:CONTACT WITH STRONG ACIDS OR LEWIS
ACIDS

Disposal

Waste Disposal Methods:LIQUID INCINERATION

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.