
COMPLETE FOR FLOORS 14650-026-030

MSDS Number

BHDDZ

National Stock Number

7930-00-261-8972

Product Name

COMPLETE FOR FLOORS 14650-026-030

Manufacturer

S C JOHNSON AND SON INC

Product Identification

Product ID: COMPLETE FOR FLOORS 14650-026-030

MSDS Date: 06/27/1988

FSC: 7930

NIIN: 00-261-8972

MSDS Number: BHDDZ

Responsible Party

S.C. JOHNSON & SON, INC.

1525 HOWE ST

RACINE , WI 53403-5011

US

Preparer: ROBERT B. O'BRIEN

Cage: 3E566

Contractor

SC JOHNSON AND SON INC

RACINE, WI 53403-2236

US

800-725-6737

Cage: 32204

Ingredients

MODIFIED ACRYLIC PLYMER

Fraction By Weight: 10-20%

OSHA PELND

ACGIH TLV: ND

ETHYLENE GLYCOL

CAS: 107-21-1

RTECS: DW2975000

Fraction By Weight: 1-3%

ACGIH TLV: 50 PPM

EPA Report Quantity: 1 LB

DOT Report Quantity: 1 LB

DIETHYLENE GLYCOL MONETHYL ETHER

CAS: 111-90-0

RTECS: KK8750000

Fraction By Weight: 1-3%

OSHA PELND

ACGIH TLV: ND

AMMONIA HYDROXIDE

CAS: 1336-21-6

RTECS: BQ8625000

Fraction By Weight: 1-3%

OSHA PEL50 PPM

ACGIH TLV: 25 PPM

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

WATER

CAS: 7732-18-5

RTECS: ZC0110000

Fraction By Weight: 80-90%

OSHA PELNA

ACGIH TLV: NA

Hazards

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Medical Cond Aggravated by Exposure:NA

First Aid

First Aid:NA

Fire Fighting

Flash Point:NA

Extinguishing Media:FOAM, CO2, DRY CHEMICAL, WATER FOG

Fire Fighting Procedures:NORMAL FIRE FIGHTING PROCEDURES MAY BE USED

Unusual Fire/Explosion Hazard:NO SPECIAL HAZARDS KNOWN

Accidental Release

Spill Release Procedures:CONTAINS AMMONIA AND ZINC. DO NOT LET SPILLED OR LEAKING MATERIAL ENTER WATERCOURSE. MAY BE TOXIC TO AQUATIC LIFE. ABSORB WITH OIL-DRI OR SIMILAR INERT MATERIAL. SWEEP/SCRAPE UP AND CONTAINERIZE

Handling

Handling and Storage Precautions:STORE IN A COOL, DRY PLACE WITH ADEQUATE VENTILATION. KEEP FROM FREEZING

Exposure Controls

Respiratory Protection:NO SPECIAL REQUIREMENTS UNDER NORMAL USE CONDITIONS.

Ventilation:NSR

Protective Gloves:NO REQUIREMENTS UNDER NORMAL CONDITIONS

Eye Protection:NO REQUIREMENTS UNDER NORMAL CONDITIONS

Other Protective Equipment:USE GOOD PERSONAL HYGIENE PRACTICES

Work Hygienic Practices:USE GOOD PERSONAL HYGIENE PRACTICES

Supplemental Safety and Health

NK

Chemical Properties

Boiling Pt:B.P. Text:> 200

Vapor Pres:NA

Vapor Density:NA

Spec Gravity:1.0

pH:*****

Evaporation Rate & Reference:ND

Solubility in Water:COMPLETE

Appearance and Odor:OPAQUE, TAN LIQUID WITH MILD WAX OR AMMONIACAL ODOR

Percent Volatiles by Volume:NA

Corrosion Rate:NA

Stability

Stability Indicator/Materials to Avoid:YES

NK

Hazardous Decomposition Products:WHEN EXPOSED TO FIRE, PRODUCES NORMAL PRODUCTS OF COMBUSTION

Disposal

Waste Disposal Methods:NO SPECIAL METHOD. OBSERVE ALL APPLICABLE FED/STATREG. & LOCAL ORDINANCES REGARDING DISPOSAL OF NON-HAZARDOUS MATERIALS. WASTE FROM NORMAL PRODUCT USEMAY BE SEWERED TO A PUBLIC-OWNED TREATMENT WORKS IN COMPLIANCE WITH APPLICABLE PRETREATMENT REGUL.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.