

# MAX GEN PURPOSE, SOLVENT, PASTE WAX

## **MSDS Number**

**BHDFP** 

#### **National Stock Number**

7930-00-266-7128

### **Product Name**

MAX GEN PURPOSE, SOLVENT, PASTE WAX

#### Manufacturer

INDUSTRIAL FLOOR FINISHES

### **Product Identification**

Product ID: MAX GEN PURPOSE, SOLVENT, PASTE WAX MSDS Date:07/01/1988 FSC:7930 NIIN:00-266-7128 MSDS Number: BHDFP

# **Responsible Party**

INDUSTRIAL FLOOR FINISHES

605 SPRINGS RD

BEDFORD, MA 01730

US

Emergency Phone: 1-800-424-9300

Info Phone: 1-617-667-5161

Preparer: T. PITROLFFY

Cage: INDUS **Contractor** 

INDUSTRIAL FLOOR FINISHES

BEDFORD, MA 01730

US

1-617-667-5161

Cage: INDUS

# **Ingredients**

STODDARD SOLVENT

CAS: 8052-41-3 RTECS: WJ8925000

Fraction By Weight: < 80%

OSHA PEL500 PPM

ACGIH TLV: 100 PPM; 9293

#### **Hazards**

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity: NTP: UNKNOWN IARC: UNKNOWN OSHA: YES

Health Hazards Acute and Chronic: ACUTE: CAUSES EYE IRRITATION, DRYING OF SKIN, HEADACHE, DIZZINESS, NAUSEA, VAPORS MAY BE NARCOTIC. CHRONIC: RESPIRATORY TRACT IRRITATION, COULD DAMAGE LIVER ANDKIDNEY Effects of Overexposure: DIZZY FEELING, IRRITATION AND REDNESS OF SKIN,

PALE AND NAUSEOUS

Medical Cond Aggravated by Exposure: KIDNEY, LIVER AND LUNG PROBLEMS



### First Aid

First Aid: EYES & SKIN: FLUSH WITH PLENTY OF WATER. INHALATION: REMOVE

TO FRESH AIR BEGIN CPR IF NEEDED. INGESTION: DO NOT INDUCE

VOMITING. GET MEDICAL ATTENTION

## Fire Fighting

Flash Point Method:TCC Flash Point: 102 F 38.89 C

Lower Limits: 0.7 Upper Limits: 6.0

Extinguishing Media: CO2, FOAM, DRY-CHEMICAL

Fire Fighting Procedures: COOL CONTAINERS WITH WATER SPRAY

Unusual Fire/Explosion Hazard: CLOSED CONTAINERS MAY BURST, IF EXPOSED

TO EXTREME HEAT, ISOLATE FROM HEAT AND SPARKS.

#### **Accidental Release**

Spill Release Procedures: PICK UP SPILLED MATERIAL INTO METAL CONTAINER. AVOID SPARKS, FLAME, HOT SURFACES. WIPE OFF RESIDUE WITH RAG.

## Handling

Handling and Storage Precautions: COMBUSTIBLE, KEEP AWAY FROM HEAT, SPARKS, OPEN FLAME, USE ADEQUATE VENTILATION, AVOID PROLONGED OR REPEATED CONTACT KEEP CONTAINERS CLOSED.

Other Precautions: STORE IN SECURE AREA. DISPOSE OF EMPTY CONTAINERS SAFELY. KEEP AWAY FROM CHILDREN.

#### **Exposure Controls**

Respiratory Protection: SELF CONTAINED BREATHING APPARATUS FOR

CONCENTRATIONS ABOVE TLV LIMITS

Ventilation: LOCAL RECOMMENDED & MECHANICAL ASSURE FRESH AIR CIRCULATION

Protective Gloves: RUBBER RECOMMENDED Eye Protection: GOGGLES RECOMMENDED

Other Protective Equipment:NA

Work Hygienic Practices: DO NOT EAT, DRINK NEXT TO MATERIAL, WASH HANDS,

FACE AFTER WORK

Supplemental Safety and Health

#### **Chemical Properties**

HCC:F8

Boiling Pt:B.P. Text:311-370 F Melt/Freeze Pt:M.P/F.P Text:120 F

Vapor Pres:2 Vapor Density: 4.7 Spec Gravity: 0.758

Evaporation Rate & Reference: 0.21 Solubility in Water: NEGLIGIBLE

Appearance and Odor: PLIABLE PASTE, SLIGHT SOLVENT ODOR

#### Stability

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid: HEAT, SPARKS, AND OPEN FLAME

Hazardous Decomposition Products: THERMAL DECOMPOSITION MAY YIELD CARBON MONOXIDE

### Disposal

Waste Disposal Methods: INCINERATE OR USE SANITARY LANDFILL FOR CONTAMINATED RESIDUE. ACCORDING TO LOCAL, STATE AND FEDERAL **REGULATIONS** 

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this



https://msdsreport.com/msds/BHDFP