

## **DECK ENAMEL (F20L)**

### **MSDS Number**

BHDHG

### **National Stock Number**

8010-00-285-4871

### **Product Name**

DECK ENAMEL (F20L)

### **Manufacturer**

DAVLIN COATINGS INC

### **Product Identification**

Product ID:DECK ENAMEL (F20L)

MSDS Date:08/15/1986

FSC:8010

NIIN:00-285-4871

MSDS Number: BHDHG

### **Responsible Party**

DAVLIN COATINGS, INC.

1401 E 14TH

BERKELEY , CA 94702

US

Emergency Phone: 415-889-7098

Info Phone: 415-848-2863

Cage: LO163

### **Contractor**

DAVLIN PAINT CO

OAKLAND, CA 94606-4401

US

415-848-2863

Cage: 91007

### **Ingredients**

ALIPHATIC HYDROCARBON

CAS: 8032-32-4

Fraction By Weight: 30%

ACGIH TLV: 200 PPM

TRIETHYLAMINE (SARA III)

CAS: 121-44-8

RTECS: YE0175000

Fraction By Weight:

OSHA PEL25 PPM/15 STEL

ACGIH TLV: 10 PPM/15 STEL; 9293

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

ETHYL ALCOHOL (ETHANOL)

CAS: 64-17-5

RTECS: KQ6300000

Fraction By Weight:

OSHA PEL1000 PPM

ACGIH TLV: 1000 PPM; 9192

CARBON BLACK

CAS: 1333-86-4

RTECS: FF5800000

Fraction By Weight:

OSHA PEL3.5 MG/M3

ACGIH TLV: 3.5 MG/M3; 9192

LEAD NAPHTHENATE

CAS: 61790-14-5

RTECS: QK9150000

Fraction By Weight: .33%

COBALT SALT OF ORGANIC ACIDS (12% CO)

Fraction By Weight:

## Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Effects of Overexposure:EYE: SEVERE IRRITATION, TEARING, REDNESS & BLURRED VISION. SKIN: DRY & DEFAT SKIN CAUSING CRACKS,IRRITATION, & DERMITITIS. INHAL: DIZZINESS, BREATHING DIFFICULTY, HEADACHES, & LOSS OF COORDINATION.INGST: GASTROINTESTINAL IRRITATION, VOMITING, NAUSEA, & DIARRHEA. Medical Cond Aggravated by Exposure:RESPIRATORY TRACT IRRITATION, DERMITITIS, NAUSEA.

## First Aid

First Aid:EYE: FLUSH W/ LG QTY OF WATER FOR 15 MINUTES.

SKIN: WASH THOROUGHLY W/SOAP AND WATER, AND SEE PHYSICIAN. INHAL: MOVE PERSON TO FRESH AIR. IF BREA THING STOPS APPLY ARTIFICIAL RESPIRATIONAND SEEK IMMEDIATE MEDICAL ATTENTION.; INGEST: DO NOT INDUCE VOMITING, CAN CAUSECHEMICAL PNEUMONITIS & PULMONARY EDEMA. CONTACT PHYSICIAN IMMEDIATELY.

## Fire Fighting

Flash Point Method:TCC

Flash Point:104F/40C

Lower Limits:1.0

Extinguishing Media:FOAM, CO2, DRY CHEMICAL

Fire Fighting Procedures:WATER SHOULD NOT BE USED EXCEPT AS FOG TO KEEP CLOSED CONTAINERS COOL. RESPIRAT ORY EQUIPMENT SHOULD BE WORN TO AVOID INHALATION OF CONCENTRATED VAPORS.

Unusual Fire/Explosion Hazard:VAPORS FORM AN EXPLOSIVE MIX. W/AIR BETWEEN LOWER/UPPER EXPLOSIVE LMTS. WHICH CAN BE IGNITED BY MANY SOURCES. CLSD CONTNRS MAY EXPLODE W/EXPSD TO EXTRM HEAT.

---

## Accidental Release

Spill Release Procedures:ELIMINATE IGNITION SOURCES, PROVIDE GOOD VENTILATION, DIKE SPILL AREA AND ADD ABSORBANT TO SPILLED LIQUID. COLLECT ABSORBANT & SPILLED LIQUID MIXTURE INTO METAL CONTAINERS.

## Handling

Handling and Storage Precautions:DO NOT STORE ABOVE 120F. STORE LARGE QUANTITIES IN BUILDINGS DESIGNED FOR STORAGE OF NFPA CLASS II COMBUSTIBLE LIQUIDS.

Other Precautions:DO NOT TAKE INTERNALLY. CONTAINERS SHOULD BE GROUNDED WHEN POURING. AVOID FREE FALL OF LIQUID IN EXCESS OF FEW INCHES. SMOKING IN AREAS SHOULD BE PROHIBITED.

## Exposure Controls

Respiratory Protection:NIOSH APPROVED CARTRIDGE RESPIRATOR OR GAS MASK TO KEEP AIRBORNE MISTS & VAPOR CONCENTRATION BELOW LIMITS. IN POORLY VENTILATED OR CONFINED AREAS USE A FRESH AIR SUPPLIED RESPIRATOR OR S.C.B.A.

Ventilation:GENERAL OR LOCAL EXHAUST SHOULD BE SUITABLE

Protective Gloves:REQUIRED FOR PROLONGED/REPEATED CONTACT

Eye Protection:CHEM./SAFETY GLASSES/GOGGLES W/FACESHIELD

Other Protective Equipment:IMPERMEABLE APRONS & PROTECTIVE CLOTHING. USE HEAD CAPS WHENEVER POSSIBLE.

Work Hygienic Practices:WASH BEFORE EATING, TOILETING, OR SMOKING.

Supplemental Safety and Health

NK

## Chemical Properties

Boiling Pt:B.P. Text:300-390F

Vapor Density:> AIR

Evaporation Rate & Reference:SLOWER THAN ETHER

Percent Volatiles by Volume:50.55

## Stability

Stability Indicator/Materials to Avoid:YES

NA

Stability Condition to Avoid:EXCESSIVE HEAT, POOR VENTILATION, CORROSIVE ATMOSPHERE.

Hazardous Decomposition Products:CARBON MONOXIDE/DIOXIDE, OXIDES OF NITROGEN, POSSIBLY CHLORINE.

## Disposal

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE, AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.