https://msdsreport.com/msds/BHDPL

LAMP BLACK OIL COLORS ID 10-966

MSDS Number

BHDPL

National Stock Number

8010-00-597-8205

Product Name

LAMP BLACK OIL COLORS ID 10-966

Manufacturer SHEFFIELD BRONZE PAINT CORP

Product Identification

Product ID:LAMP BLACK OIL COLORS ID 10-966 MSDS Date:01/01/1987 FSC:8010 NIIN:00-597-8205 MSDS Number: BHDPL

Responsible Party

SHEFFIELD BRONZE PAINT CORPORATION

17814 S. WATERLOO ROAD

CLEVELAND, OH 44119

US

Emergency Phone: 216-481-8300

Info Phone: 216-481-8300

Cage: 91071

Contractor

SHEFFIELD BRONZE PAINT CORP

CLEVELAND, OH 44119-3221

US

Cage: 91071

Ingredients

SOYA ALKYD CAS: 68459-31-4 Fraction By Weight: 2.9%

LINSEED OIL CAS: 8001-26-1 RTECS: QI9690000 Fraction By Weight: 23.9%

CARBON BLACK CAS: 1333-86-4 RTECS: FF5800000 Fraction By Weight: 13.2% OSHA PEL3.5 MG/M3



https://msdsreport.com/msds/BHDPL

•

ACGIH TLV: 3.5 MG/M3; 9192

CALCIUM CARBONATE (MARBLE) (LIMESTONE)

CAS: 1317-65-3

RTECS: EV9580000

Fraction By Weight: 49.0%

OSHA PEL15 MG/M3 TDUST

ACGIH TLV: 10 MG/M3 TDUST; 9192

ADDITIVES

Fraction By Weight: 0.4%

MINERAL SPIRITS

Fraction By Weight: 10.8%

ACGIH TLV: 200 PPM

Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYES: SEVERE IRRITATION/REDNESS/TEARING/BLURRED VISION. SKIN: PROLONG/REPEATED CONTACT-MODERATE IRRI/DEFATTING/DERMATITIS. BREATHING: NASAL/RESPIRATORY IRRI/ DIZZINESS/FATIGUE/HEADACHE/UNCONSCIOUSNE SS/ASPHYXIATION. SWALLOWING: GASTROIN-TESTINAL IRRI/NAUSEA/VOMITING/DIARRHEA. ASPIRATION OF MAT'L-CHEMICAL PENUMONITIS

First Aid

First Aid:SKIN: THROUGHLY WASH EXPOSED AREA WITH SOAP AND WATER. REMOVE CONTAMINATED CLOTHING. LAUNDER CLOTHING BEFORE USE. IF IN EYES: FLUSH WITH LARGE AMOUNTS OF WATER, GET MEDICAL ATTENTION. IF BREATHE D: IF AFFECTED, REMOVE INDIVIDUAL TOFRESH AIR. IF BREATHING IS DIFFICULT, ADMINISTER OXYGEN. IF BREATHING HAS STOPPED, GIVE ARTIFICIAL RESPIRATION. KEEP PERSON WARM/QUIET. GET MEDICAL ATTN.

Fire Fighting

Flash Point Method:TCC Flash Point:106F 41.11C Upper Limits:1% Extinguishing Media:CO2, DRY CHEMICAL, FOAM, FOG. DO NOT USE DIRECT STREAM OF WATER. Fire Fighting Procedures:DO NOT ENTER AREA WITHOUT PROTECTIVE EQUIPMENT. Unusual Fire/Explosion Hazard:VAPORS ARE HEAVIER THAN AIR. THEY MAY TRAVEL ALONG GROUND OR ACCUMULATE IN LOW UNVENTILATED AREAS. PRODUCT WILL FLOAT AND CAN BE REIGNITED ON SURFACE OF WATER.

Accidental Release

Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION, VENTILATE, AVOID BREATHING VAPORS. REMOVE WITH INERT ABSORBENT (SAND, EARTH, SAWDUST ETC.)

Handling

Handling and Storage Precautions: HANDLE AS A COMBUSTIBLE. STORE IN A COOL DRY PLACE. USE ADQUATE VENTILATION EQUIVALENT TO THE OUTDOORS.



Other Precautions: KEEP AWAY FROM HEAT, SPARKS, OPEN FLAME. SMOKING SHOULD BE PROHIBITED WHERE USED.

•

Exposure Controls

Respiratory Protection:NOISH APPROVED SELF CONTAINED BREATHING APPARATUS. Ventilation:LOCAL EXHAUST EXPLOSION PROOF EQUIPMENT. Protective Gloves:NITRILE RUBBER WEAR RESISTANT (BUNA-N) Eye Protection:SAFETY GLASSES W/UNPERFORATED SIDESHIELD Other Protective Equipment:SAFETY SHOWER Work Hygienic Practices:WASH THOROUGHLY EXPOSED AREA WITH SOAP AND WATER. Supplemental Safety and Health NK

Chemical Properties

Boiling Pt:B.P. Text:325F 385F Vapor Density:>AIR Evaporation Rate & Reference:SLOWER THAN ETHER Percent Volatiles by Volume:21

Stability

Stability Indicator/Materials to Avoid:YES STONG ACIDS, ALKALI, OXIDIZING AGENTS. Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE, VARIOUS HYDROCARBON.

Disposal

Waste Disposal Methods:DESTROY BY LIQUID INCINERATION. DISPOSE IN ACCORDANCE WITH FEDERAL, STATE, AND LOCAL REGULATIONS REGARDING POLLUTION. IF DISCARDED THISPRODUCT MAY BECOME AN IGNITABLE, HAZARDOUS WASTE.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.