

NON FLAMMABLE PAINT REMOVER,FLOW ON REMOVER

MSDS Number

BHDPQ

National Stock Number

8010-00-597-8234

Product Name

NON FLAMMABLE PAINT REMOVER,FLOW ON REMOVER

Manufacturer

RELIABLE REMOVER AND LACQUER CORP

Product Identification

Product ID:NON FLAMMABLE PAINT REMOVER,FLOW ON REMOVER

MSDS Date:06/01/1989

FSC:8010

NIIN:00-597-8234

MSDS Number: BHDPQ

Responsible Party

RELIABLE REMOVER & LACQUER CORP.

62 WOOLSEY STREET

IRVINGTON , NJ 07111

US

Emergency Phone: 201-399-2121

Info Phone: 201-399-2121

Cage: OCA98

Contractor

RELIABLE REMOVER & LACQUER CORP.

NA

IRVINGTON, NJ 07111

US

201-399-2121

Cage: OCA98

Ingredients

METHYLENE CHLORIDE (SARA III)

CAS: 75-09-2

RTECS: PA8050000

OSHA PEL500 PPM/C,1000; Z2

ACGIH TLV: 50 PPM, A2; 9192

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

METHYL ALCOHOL (METHANOL) (SARA III)

CAS: 67-56-1

RTECS: PC1400000

OSHA PELS,200PPM/250STEL

ACGIH TLV: S,200PPM/250STEL; 93

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Health Hazards Acute and Chronic:VOMITING, NAUSEA, DROWSINESS, UNCONSCIOUSNESS, & EVEN DEATH IN EXTREME CASES.

Explanation of Carcinogenicity:HAS BEEN KNOWN TO CAUSE CANCER IN LABORATORY ANIMALS

Effects of Overexposure:NAUSEA, DROWSINESS, VOMITING, UNCONSCIOUSNESS

Medical Cond Aggravated by Exposure:HEAT CONDITIONS AND ASTHMA

First Aid

First Aid:MOVE TO FRESH AIR. REMOVE CONTAMINATED CLOTHING. IF BREATHING HAS STOPPED, ADMINISTER ARTIFICIAL RESPIRATION. CALL PHYSICIAN. IF EYE OR SKIN CONTACT FLUSH WITH WATER, NEVER ADMINISTER ADRENALINE

Fire Fighting

Flash Point Method:TCC

Flash Point:NONE

Lower Limits:NA

Upper Limits:NA

Extinguishing Media:CO2, FOAM, DRY CHEMICAL & WATER FOG

Fire Fighting Procedures:SELF CONTAINED BREATHING EQUIPMENT SHOULD BE USED BY FIREMEN

Unusual Fire/Explosion Hazard:VAPORS CAN BE IGNITED BY HIGH ENERGY IGNITION SOURCE. DECOMPOSES WITH FIRE OR HOT SURFACES TO ACIDIC GASES AND OTHER TOXIC SUBSTANCES.

Accidental Release

Spill Release Procedures:STOP LEAK IF POSSIBLE. EVACUATE THE AREA,VENTILATEAVOID BREATHING VAPORS OR COMING IN CONTACT WITH LIQUID, CLEAN UP AREA (WEAR PROTECTIVE CLOTHING) CONTAIN SPILL. REMOVE ALL SOURCE OF IGNITION OR HEAT.

Handling

Handling and Storage Precautions:AVOID CONTACT W/SKIN & AVOID VAPORS.PIPE VENT OUTDOORS.STORE IN COOL DRY AREA, PROVIDE ADEQUATE VENTL.DONOT TRANSFER CONTENTS TO UNLABELED CONTNRS
Other Precautions:PROTECTIVE EQUIPMENT SUCH AS GLOVES & FACE SHIELD SHALL BE WORN. IF PROPERLY USED A RESPIRATOR MAY OFFER ADDITIONAL PROTECTION.

Exposure Controls

Respiratory Protection:NONE REQUIRED WHEN USED WITH ADEQUATE VENTILATION

Ventilation:LOCAL EXHAUST SUFFICIENT TO MAINTAIN BELOW TLV

Protective Gloves:NEOPRENE VITON, PVC COATED

Eye Protection:CHEMIICAL SAFETY GOGGLES/FULL FACE MASK

Other Protective Equipment:IMPERVIOUS APRON

Work Hygienic Practices:OPEN CANS SLOWLY TO RELEASE VAPOR PRESSURE. DO NOT SHAKE VIGOROUSLY.

Supplemental Safety and Health
NK

Chemical Properties

Boiling Pt:B.P. Text:104-120F

Melt/Freeze Pt:M.P/F.P Text:NA

Vapor Pres:20C J50

Vapor Density:2.9

Spec Gravity:1.3

Evaporation Rate & Reference:NA

Solubility in Water:MODERATE

Appearance and Odor:COLORLESS CLEAR LIQUID

Stability

Stability Indicator/Materials to Avoid:YES

ALKALI METALS ALUMINUM, POTASSIUM, AND SODIUM OR PURE OXYGEN

Stability Condition to Avoid:CONTACT W/OPEN FLAMES, HOT SURFACES OR SPARKS FROM WELDING ARC.

Hazardous Decomposition Products:HYDROGEN CHLORIDE PHOSGENE AND OTHER HIGHLY TOXIC SUBSTANCE

Disposal

Waste Disposal Methods:CONSULT LOCAL POLLUTION CONTROL AGENCY

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.