

NITROGEN

MSDS Number

BHDRV

National Stock Number

6830-00-656-1596

Product Name

NITROGEN

Manufacturer

NATIONAL WELDERS SUPPLY CO INC

Product Identification

Product ID:NITROGEN MSDS Date: 05/01/1996 FSC:6830 NIIN:00-656-1596 MSDS Number: BHDRV

Responsible Party

NATIONAL WELDERS SUPPLY CO INC

810 GESCO

CHARLOTTE, NC 28231

US

Emergency Phone: 800-866-4422/800-424-9300(CHEMTREC)

Info Phone: 704-333-5475(X308)/FAX 344-1711

Cage: 18264 Contractor

NATIONAL WELDERS SUPPLY CO, INC

NORFOLK, VA 23508

US

804-627-5673 Cage: 0SSR7

Ingredients

NITROGEN

CAS: 7727-37-9 RTECS: QW9700000

Fraction By Weight: 100%

ACGIH TLV: ASPHYXIANT; 9596

Hazards

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: NITROGEN A SIMPLE ASHPHYXIANT. OXYGEN LEVELS SHOULD BE MAINTAINED @>18MOLAR% @NORMAL ATM PRESSURE.NITROGEN IS NONTOXIC BUT LIBERATION OF LG AMTS IN CONFINED AREA COULD DISPLACE THE AMT OF OXYGEN IN AIR NECESSARY TO SUPPORT LIFE.

Explanation of Carcinogenicity: PER MSDS: NOT LISTED IN IARC/NTP/OSHA AS

CARCINOGEN OR POTENTIAL CARCINOGEN.

Effects of Overexposure: LOSS OF BALANCE/DIZZ, TIGHTNESS IN FRONTAL AREA



OF FOREHEAD, TINGLING OF TONGUE/FINGERTIPS/TOES, WEAKENED SPEECH LEADING TO INABILITY TO UTTER SOUNDS, RAPID REDUCTION IN ABILITY TO PERFORM MOVEMENTS, REDUC ED CONSC OF SURROUNDINGS, LOSS OF TACTILE SENSATIONS, HEIGHTENED MENTAL ACTIVITY.

Medical Cond Aggravated by Exposure: PERSONS IN ILL HEALTH WHERE SUCH ILLNESS WOULD BE AGGRAVATED BY EXPOSURE TO NITROGEN SHOULD NOT BE ALLOWED TO WORK WITH OR HANDLE THIS PRODUCT.

First Aid

First Aid:PROMPT MED ATTN IS MANDATORY IN ALL CASES OF OVEREXPO TO NITROGEN.RESCUE PERSONNEL SHOULD BE EQUIPPED W/SCBA.INHAL:MOVE TO FRESH AIR.QUICK REMOVAL FROM CONTA AREA IS MOST IMPORTANT.UNCONSC PERSON SHOU LD BE MOVED TO UNCONTAMIN AREA GIVEN ASSISTED RESP/SUPPL OXY.FURTHER TREATMENT SHOULD BE SYMPTOMATIC & SUPPORTIVE.

Fire Fighting

Flash Point:NA

Autoignition Temp: Autoignition Temp Text: NA

Lower Limits:NA

Upper Limits:NA

 ${\bf Extinguishing\ Media: NONFLAMMABLE,\ INERT\ GAS.}$

Fire Fighting Procedures: IF CYLINDERS ARE INVOLVED IN FIRE, SAFELY

RELOCATE OR KEEP COOL W/WATER SPRAY.

Unusual Fire/Explosion Hazard: NONE.

Accidental Release

Spill Release Procedures: EVACUATE ALL PERSONNEL FROM AFFECTED AREA. USE APPROPRIATE PROTECTIVE EQPMT. IF LEAK IS IN CONTAINER OR CONTAINER VALVE CONTACT YOUR CLOSEST SUPPLIER LOCATION OR CALL EMERGENCY TELEPHONE NUMBER LISTED H EREIN.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Handling

Handling and Storage Precautions: USE ONLY IN WELL VENTI AREA.VAL PROT CAP MUST REMAIN IN PLACE UNLESS CYL SECURED W/VAL OULTET PIPE TO USE PT.DON'T DRAG/SLIDE/ROLL CYL; USE HAND TRUCK.

Other Precautions: USE PRESSURE REDUCING REG WHEN CONNECT CYL TO LOWER PRESSURE SYS.DON'T HEAT CYL TO INCR DISCHARGE RATE. USE CHECK VAL/TRAP IN DISCHARGE LINE-AVOIDS BACKFLOW. PROTECT FRM PHY DMG.STORE IN COOL DRY AREA A WAY FROM HEAVY TRAFFIC/EMERG EXISTS(SUP)

Exposure Controls

Respiratory Protection: POSITIVE PRESSURE AIR LINE W/MASK OR SELF-CONTAINED BREATHING APPARATUS SHOULD BE AVAILABLE FOR

EMERGENCY USE.

Ventilation: TO PREVENT ACCUMULATION OF HIGH CONC SO AS TO REDUCE OXYGEN

LEVEL IN THE AIR TO LESS THAN 18MOLAR PERCENT.

Protective Gloves: ANY MATERIAL.

Eye Protection: SAFETY GOGGLES OR GLASSES.

Other Protective Equipment: SAFETY SHOES.

Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health

OTHER PREC:STORE UPRIGHT/FIRMLY SECURED TO PREVENT FALLING/KNOCK OVER.SEGREGATE FULL/EMPTY CYL.USE FIRST IN FIRST OUT INVENTORY SYS.REF:COMPRESSED GAS ASSOC PAMPHLETS P-1,P-9,P-14,SAF BULLETIN SB-2.CO MP GAS CYL SHOULDN'T BE REFILLED EXCEPTBY QUAL PRODUCERS OF COMP GAS;FED LAW.NEVER TRANSP IN VEHICLE TRUNK/ENCL VAN/ETC

Chemical Properties

HCC:G3

Boiling Pt:B.P. Text:-320F,-196C Melt/Freeze Pt:M.P/F.P Text:-346F,-210C

Decomp Temp:Decomp Text:NP

Vapor Pres:-232.6F Vapor Density:NP



Spec Gravity: 0.97

pH:NP Viscosity:NP

Evaporation Rate & Reference: NA (GAS) Solubility in Water: VERY SLIGHTLY

Appearance and Odor: COLORLESS, ODORLESS GAS.

Percent Volatiles by Volume:NP

Corrosion Rate: NP

Stability

Stability Indicator/Materials to Avoid:YES

NONE.

Stability Condition to Avoid: NONE.

Hazardous Decomposition Products: NONE.

Disposal

Waste Disposal Methods: DON'T ATTEMPT DISPO OF WASTE/UNUSED QUANT.RETURN IN SHIPPING CNTNR PROPERLY LABEL W/ANY VALVE OUTLET PLUGS/CAPS SECURED & VALVE PROTECTION CAP IN PLACE TO SUPPLIER.EMERG DISPO ASSIST CONTACT CLOSEST S UPPLIER LOCATION/EMERG PHONE #LISTED HEREIN.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.