

PRO-SEAL 8TD B-1/2, -2, -4 PART B

MSDS Number

BHDVC

National Stock Number

8030-00-762-8807

Product Name

PRO-SEAL 8TD B-1/2, -2, -4 PART B

Manufacturer

PRODUCTS RESEARCH AND CHEMICAL CORP

Product Identification

Product ID:PRO-SEAL 8TD B-1/2, -2, -4 PART B

MSDS Date:04/16/1987

FSC:8030

NIIN:00-762-8807

Kit Part:Y

MSDS Number: BHDVC

Responsible Party

PRODUCTS RESEARCH & CHEMICAL CORPORATION

5430 SAN FERNANDO ROAD

GLENDALE , CA 91209

US

Emergency Phone: 818-240-2060

Info Phone: 818-240-2060

Preparer: LR

Cage: 8K647

Contractor

PRODUCTS RESEARCH & CHEMICAL CORPORATION

1800

GLENDALE, CA 91209

US

800-228-5635

Cage: 8K647

Ingredients

TOLUENE (SARA III)

CAS: 108-88-3

RTECS: XS5250000

OSHA PEL200 PPM/150 STEL

ACGIH TLV: 50 PPM; 9293

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III)

CAS: 78-93-3

RTECS: EL6475000
OSHA PEL200 PPM/300 STEL
ACGIH TLV: 200 PPM/300STEL 9192
EPA Report Quantity: 5000 LBS
DOT Report Quantity: 5000 LBS

PHENOL POLYMER WITH FORMALDEHYDE
CAS: 9003-35-4
OSHA PELNOT EST.
ACGIH TLV: NOT EST.

Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Effects of Overexposure:EYES: IRRITANT. SKIN: LOCAL IRRITANT. MAY CAUSE ALLERGIC SKIN RASH IN SENSITIZED INDIVIDUALS. INHALATION: CONTINUED INHALATION ABOVE PEL. CAN PRODUCE ANESTHESIA, HEADACHE, NAUSEA, DIZZINESS AND RESPIRATORY IRRITATION. & INGESTION: NONE KNOWN

First Aid

First Aid:EYES: FLUSH WITH LUKE WARM WATER FOR 15 MIN. IF SYMPTOMS PERSIST, CONSULT PHYSICIAN. SKIN: WASH WITH SOAP AND WATER. IF SYMPTOMS PERSIST, CONSULT A PHYSICIAN. AND INHALATION: REMOVE TO FRESH AIR. IF SYMPTOMS ARE PRESENT CONSULT A PHYSICIAN.

Fire Fighting

Flash Point Method:SCC
Flash Point:160F,71C
Extinguishing Media:CO2, DRY CHEMICAL, FOAM, WATER
Fire Fighting Procedures:USE AIR SUPPLIED RESPIRATOR
Unusual Fire/Explosion Hazard:HIGH TEMPERATURES MAY CAUSE PRESSURE BUILD- UP IN CLOSED CONTAINERS

Accidental Release

Spill Release Procedures:REMOVE ALL IGNITION SOURCES. SCOOP INTO CONTAINERS CLEAN-UP RESIDUE WITH 1,1,1-TRICHLOROETHANE

Exposure Controls

Respiratory Protection:GENERAL
Ventilation:GENERAL VENTILATION TO MAINTAIN VAPOR BELOW PEL
Protective Gloves:SOLVENT RESISTANT GLOVES
Eye Protection:SAFETY GLASSES
Supplemental Safety and Health
NK

Chemical Properties

HCC:V4
Spec Gravity:1.44
Solubility in Water:NEGLIGIBLE
Percent Volatiles by Volume:8.6

Stability

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS
Hazardous Decomposition Products:OXIDES OF CARBON, SO2, TRACES OF H2S

Disposal

Waste Disposal Methods:NOT A HAZARDOUS WASTE ACCORDING TO EPA REGULATIONS CONSULT STATE REGULATIONS PRIOR TO DISPOSAL OF SPILLAGE

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.