

## **EXTERIOR MASONRY PAINT WHITE 37875**

### **MSDS Number**

BHDWZ

### **National Stock Number**

8010-00-836-7377

### **Product Name**

EXTERIOR MASONRY PAINT WHITE 37875

### **Manufacturer**

TRIAD PAINT AND CHEMICAL CORP

### **Product Identification**

Product ID: EXTERIOR MASONRY PAINT WHITE 37875

MSDS Date: 11/09/1988

FSC: 8010

NIIN: 00-836-7377

MSDS Number: BHDWZ

### **Responsible Party**

TRIAD PAINT AND CHEMICAL CORP

810 EVERGREEN AVENUE

BROOKLYN, NY 11207

US

Emergency Phone: (718) 443-2778

Info Phone: (718) 443-2778

Cage: 33151

### **Contractor**

TRIAD PAINT AND CHEMICAL CORP

BROOKLYN, NY 11207-1140

US

201-437-6501

Cage: 33151

### **Ingredients**

NAPHTHOL SPIRITS

CAS: 1321-67-1

RTECS: QL2350000

Fraction By Weight: 65.28%

ACGIH TLV: 100 PPM

2-ETHOXYETHYL ACETATE (CELLOSOLVE ACETATE) (EGEEA)

CAS: 111-15-9

RTECS: KK8225000

Fraction By Weight: 34.72%

OSHA PELs, 100 PPM

ACGIH TLV: S, 5 PPM; 9192

### **Hazards**

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:VAPORS MIGHT BE IRRITATING TO EYES,  
NOSE AND THROAT. EXCESSIVE EXPOSURE MAY RE- SULT IN HEADACHES,  
DIZZINESS, AND NAUSEA.  
Effects of Overexposure:VAPORS MIGHT BE IRRITATING TO EYES, NOSE AND  
THROAT. EXCESSIVE EXPOSURE MAY RE- SULT IN HEADACHES, DIZZINESS,  
AND NAUSEA.

## First Aid

First Aid:INHALATION: PROVIDE FRESH AIR AND REST. SKIN: WASH AFFECTED  
AREA WITH SOAP AND WATER. INGESTION: DO NOT INDUCE VOMITING. DRING  
ONE OR TWO GLASSES OF WATER TO DILUTE. SEE A PHYSICIAN. EYES:  
FLUSH WIT H RUNNING WATER FOR 15 MIN.

## Fire Fighting

Flash Point Method:PMCC  
Flash Point:41C, 105F  
Lower Limits:7.0  
Upper Limits:1.0  
Extinguishing Media:CO2, DRY CHEMICAL, FOAM  
Fire Fighting Procedures:FIRE FIGHTERS SHOULD WEAR SELF-CONTAINED  
BREATHING APPARATUS TO AVOID INHALATIONOF SMOKE OR VAPORS. DO NOT  
USE WATER.  
Unusual Fire/Explosion Hazard:ISOLATE FROM HEAT, ELECTRICAL EQUIPMENT,  
SPARKS, AND OPEN FLAMES. VAPORS FORM EXPLOSIVE MIXTURE BETWEEN  
UPPER AND LOWER EXPLOSIVE UNITS.

## Accidental Release

Spill Release Procedures:VENTILATE AREA. REMOVE ALL SOURCES OF  
IGNITION. PICK UP SPILL IMMEDIATELY WITH INERT ABSORBENT(S) AND  
NON-SPARKING TOOLS.SAFELY DISPOSE OF SATURATEDABSORBENT(S) BY  
IMMERSING IN WATER. WEAR PROTECTIV CLOTHING DURING CLEAN UP.

## Handling

Handling and Storage Precautions:AVOID OPEN FLAME AND SPARK SOURCES.  
PROVIDE ADEQUATE VENTILATION. AVOID EXCESSIVE HEAT.  
Other Precautions:DO NOT TAKE INTERNALLY. AVOID PROLONGED OR REPEATED  
CONTACT WITH SKIN AND AVOID PROLONGED OR REPEATED BREATHING OF  
VAPORS.

## Exposure Controls

Respiratory Protection:ORGANIC CANNISTER MASK OR AIR PACK IF  
VENTILATION IS INADEQUATE.  
Ventilation:LOCAL EXHAUST RECOMMENDED. MECHANICAL WITH APPROVED CLASS D  
EXPLOSION PROOF MOTOR AND SWITCHES.  
Protective Gloves:NEOPRENE RUBBER GLOVES  
Eye Protection:CHEMICAL SAFETY GOGGLES  
Supplemental Safety and Health  
DO NOT TAKE INTERNALLY. AVOID PROLONGED OR REPEATED CONTACT WITH SKIN  
AND AVOID PROLONGED OR REPEATED BREATHING OF VAPORS.

## Chemical Properties

Boiling Pt:B.P. Text:\*SEE BELOW  
Vapor Pres:\*SEE BELOW  
Vapor Density:\*SEE BELOW  
Spec Gravity:1.34  
Evaporation Rate & Reference:.2  
Solubility in Water:NEG.  
Appearance and Odor:WHITE COLORED LIQUID, SWEET ODOR.  
Percent Volatiles by Volume:66.25

## Stability

Stability Indicator/Materials to Avoid:YES  
AVOID STRONG OXIDIZING AGENTS, STRONG ACIDS, AND LASERS.  
Stability Condition to Avoid:AVOID WARM STORAGE AND IGNITION SOURCES.

\* VAP DENS: N.S. 4.9 - C.A 4.72

Hazardous Decomposition Products:CO, CO2, SMOKE, TOXIC VAPORS, FUMES

## **Disposal**

Waste Disposal Methods:DISPOSE METHODS MUST COMPLY WITH ALL LOCAL, STATE,AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.