

YELLOW TRAFFIC SFTY PAINT 33598 ID 12Y-D118

MSDS Number

BHDXW

National Stock Number

8010-00-900-3648

Product Name

YELLOW TRAFFIC SFTY PAINT 33598 ID 12Y-D118

Manufacturer

DESANTIS COATINGS INC

Product Identification

Product ID:YELLOW TRAFFIC SFTY PAINT 33598 ID 12Y-D118

MSDS Date:10/24/1985

FSC:8010

NIIN:00-900-3648

MSDS Number: BHDXW

Responsible Party

DESANTIS COATINGS, INC.

WILLOUGHBY , OH 44094

US

Emergency Phone: (216) 946-0300

Cage: DESAN

Contractor

DESANTIS COATINGS,INC

160

WILLOUGHBY, OH 44094-0160

US

Cage: DESAN

Ingredients

ALIPHATIC NAPHTHAS (RELATIVELY NONTOXIC) (LEL 1.1)

Fraction By Weight: 28.9%

OSHA PELNKNE

ACGIH TLV: 500 PPM

LEAD CHROMATE

CAS: 7758-97-6

Fraction By Weight: 7.7%

ACGIH TLV: 1.0 MG/M3

METHYL ALCOHOL (METHANOL) (SARA III)

CAS: 67-56-1

RTECS: PC1400000

Fraction By Weight: .2%

OSHA PELS,200PPM/250STEL

ACGIH TLV: S,200PPM/250STEL; 93

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Effects of Overexposure:EYES: MAY CAUSE SEVERE IRRITATION.
INHALATION: MAY CAUSE HEADACHES,DIZZINESS,AND/OR NAUSEA, ASTHMATIC
TYPE RESPIRATORY REACTIONS, AND POSSIBLE NERVE DAMAGE. SKIN:
DRYING AND DEFATTING OF SKIN TISSUE MAY OCCUR.

First Aid

First Aid:EYES: FLUSH WITH WATER
SKIN: WASH WITH SOAP AND WARM WATER AND APPLY
SKIN CREAM. INHALATION: APPLY OXYGEN AND
REMOVE TO FRESH AIR.

Fire Fighting

Flash Point:50F/10C
Extinguishing Media:FOAM, CARBON DIOXIDE (CO2) DRY CHEMICAL, OR WATER
FOG SPRAY.
Fire Fighting Procedures:FLAMMABLE VAPORS MAY FORM EXPLOSIVE MIXTURES
WITH AIR.
Unusual Fire/Explosion Hazard:STREAMS OF WATER AREN'T ORDINRLY
EFFECTIVE. SOLID HOSE STRMS TEND TO SCATTER LIQAND SPREAD THE FIRE.
WTR SPRAYS/FOG NOZZLES COOL THE BURNING SURFACE/EXCLUDE AIR

Accidental Release

Spill Release Procedures:COLLECT IN A RETAINING AREA OR CONTAINER.
THEN TRANSFER TO A CLOSED CONTAINER. AVOID EXPOSURE TOHEAT,
SPARKS, FIRE, OR OPEN FLAME. AVOID HOT METALSURFACES.

Handling

Handling and Storage Precautions:DO NOT STORE OUTSIDE OF BUILDINGS OR
IN WET AREAS INDOORS. KEEP AWAY FROM HEAT, SPARKS, FIRE, AND OPEN
FLAME. USE ONLY WITH ADEQUATE VENTILATION.
Other Precautions:AVOID PROLONGED OR REPEATED CNTC W/SKIN. CLEAN ALL
CNTNR OPENINGS AND KEEP TIGHTLY SEALED. STORE UPRIGHT. SECURE
IN COOL, DRY, APPROVED AREA. CAUTION: DRIED FILM CONTAINS LEAD.
DO NOT INGEST , AVOID INHALATION OF DRY OVERSPRAY.

Exposure Controls

Respiratory Protection:A SELF-CONTAINED BREATHING APPARATUS IS
REQUIRED, UNLESS PRIOR WORKER MONITOR- ING SPECIFICALLY FOR SOLVENT
CONCENTRATION LEVELS HAS INDICATED THAT SAFE EXPOSURE LEVELS
EXIST IN THE OPERATION.
Ventilation:EXHAUST WITH PROPER AIRFLOW IS ALWAYS RECOMMENDED.
Protective Gloves:RECOMMENDED
Eye Protection:CLOSE FITTING SAFETY GOGGLES
Other Protective Equipment:GLOVES, LONG SLEEVES, HATS, FACE SHIELDS ARE
RECOMMENDED. PROTECTIVE CREAMS ARE NOT AS EFFECTIVE AS GLOVES.
Supplemental Safety and Health
ADEQUATE VENTILATION IS NECESSARY WHEN SPRAYING OR MIXING. ALL
ELECTRICAL EQUIPMENT MUST BE EXPLOSION-PROOF. AVOID ANY
DIRECT INHALATION OF ATOMIZED OR SPRAY MIST.

Chemical Properties

HCC:F3
Boiling Pt:B.P. Text:230-290F
Vapor Density:>AIR
Evaporation Rate & Reference:SLOWER THAN ETHER
Percent Volatiles by Volume:46.0

Stability

Stability Indicator/Materials to Avoid:YES

NA

Stability Condition to Avoid: AVOID HEAT, SPARKS, FIRE, OR OPEN FLAME.

Hazardous Decomposition Products: THERMAL DECOMPOSITION MAY YIELD CARBON MONOXIDE.

Disposal

Waste Disposal Methods: INCINERATE UNDER SAFE CONDITIONS OR DISPOSE PER APPLICABLE REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.