

## **G C-200 CLASS A**

### **MSDS Number**

BHMFS

### **National Stock Number**

8030-00-152-0062

### **Product Name**

G C-200 CLASS A

### **Manufacturer**

GOAL CHEMICAL SEALANTS CORP

### **Product Identification**

Product ID:G C-200 CLASS A

MSDS Date:07/23/1986

FSC:8030

NIIN:00-152-0062

MSDS Number: BHMFS

### **Responsible Party**

GOAL CHEMICAL SEALANTS CORPORATION

3137 EAST 26TH STREET

LOS ANGELES, , CA 90023

US

Emergency Phone: 800-424-9300

Info Phone: 213-269-0461

Cage: 04011

### **Contractor**

GOAL CHEMICAL SEALANTS CORP

LOS ANGELES, CA 90023-4206

US

213-269-0461

Cage: 04011

### **Ingredients**

TOLUENE (SARA III)

CAS: 108-88-3

RTECS: XS5250000

OSHA PEL200 PPM/150 STEL

ACGIH TLV: 50 PPM; 9293

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

### **Hazards**

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYES: SEVERE IRRITATION, BLURRED VISION. SKIN: DEFATTING WITH DEVELOPEMNT OF DERMATITUS. AND INGESTION: VOMITING AND DIARRHEA.

Explanation of Carcinogenicity:NONE KNOWN.

Effects of Overexposure:DEPRESSION OF CENTRAL NERVOUS SYSTEM INDUCING HEADACHE, DIZZINESS, NAUSEA AND LOSS OF CONSCIOUSNESS.

Medical Cond Aggravated by Exposure:KIDNEY AND ASTHMA.

## First Aid

First Aid:BREATHING: REMOVE TO FRESH AIR. EYES: FLUSH WITH WATER FOR AT LEAST 15 MINUTES. CONTACT PHYSICIAN. AND SKIN: WASH WITH SOAP AND WATER.

## Fire Fighting

Flash Point Method:COC

Flash Point:170 F/ 77 C

Lower Limits:1.27

Upper Limits:7

Extinguishing Media:FOAM, DRY CHEMICAL, CO2, WATER.

Fire Fighting Procedures:FIRE-FIGHTERS SHOULD WEAR SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:VAPORS ARE HEAVIER THAN AIR AND TRAVEL TO DISTANT SOURCES OF IGNITION.

## Accidental Release

Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION. SCRAPE UP MATERIALAND RETURN TO CONTAINER FOR REACTION WITH CATALYSTREMOVE REMAINDER WITH SWEEPING COMPOUND; SEAL TIGHTLY FOR PROPER DISPOSAL.

Neutralizing Agent:NONE KNOWN.

## Handling

Handling and Storage Precautions:KEEP OPEN CONTAINERS AWAY FROM HEAT, SPARKS AND OPEN FLAMES. STORE IN COOL AND DRY AREA.

Other Precautions:MINIMIZE SKIN CONTACT. WASH WITH SOAP AND WATER BEFORE EATING, DRINKING OR SMOKING.

## Exposure Controls

Respiratory Protection:USE NIOSH APPROVED RESPIRATOR IF ABOVE TLV.

Ventilation:LOCAL EXHAUST. MECHANICAL; FAN.

Protective Gloves:BUNA-N.

Eye Protection:SAFETY GLASSES WITH SPLASH SHIELD.

Other Protective Equipment:WEAR IMPERVIOUS CLOTHING AND SHOES.

Work Hygienic Practices:TRAIN EMPLOYEES ON HANDLING PROCEDURES BEFORE THEY WORK WITHTHIS PRODUCT.

Supplemental Safety and Health  
NONE KNOWN.

## Chemical Properties

HCC:V4

Boiling Pt:B.P. Text:233 F

Vapor Pres:22

Vapor Density:3.2

Spec Gravity:1.50

Evaporation Rate & Reference:2.0

Solubility in Water:NEGLIGIBLE

Appearance and Odor:RED PASTE - MERCAPTAN ODOR

## Stability

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS AND STRONG ACIDS.

Stability Condition to Avoid:AVOID HEAT, SPARKS AND OPEN FLAME.

Hazardous Decomposition Products:CO, SO, CO2, ORGANIC FRACTIONS AND SMOKE.

## Disposal

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.