

KAR WAX

MSDS Number

BHMJL

National Stock Number

7930-00-281-3267

Product Name

KAR WAX

Manufacturer

INDUSTRIAL FLOOR FINISHES

Product Identification

Product ID:KAR WAX

MSDS Date:12/01/1985

FSC:7930

NIIN:00-281-3267

MSDS Number: BHMJL

Responsible Party

INDUSTRIAL FLOOR FINISHES

605 SPRINGS RD

BEDFORD , MA 01730

US

Emergency Phone: 1-800-424-9300

Info Phone: 1-617-667-5161

Preparer: T. PITROLFFY

Cage: INDUS

Contractor

INDUSTRIAL FLOOR FINISHES

BEDFORD, MA 01730

US

1-617-667-5161

Cage: INDUS

Ingredients

STODDARD SOLVENT

CAS: 8052-41-3

RTECS: WJ8925000

Fraction By Weight: 69%

OSHA PEL500 PPM

ACGIH TLV: 100 PPM; 9293

Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Effects of Overexposure:EYE IRRITATION, DRYING SKIN, MAY CAUSE
HEADACHE, DIZZINESS, AND NAUSEA

First Aid

First Aid:EYE: FLUSH WITH WATER. SKIN: WASH WITH MILD SOAP AND WATER,

APPLY SKIN CREAM AND INHALATION: REMOVE TO FRESH AIR AND CALL PHYSICIAN

Fire Fighting

Flash Point Method: TCC
Flash Point: 104F/40.00C
Lower Limits: 6.9
Upper Limits: 0.7
Extinguishing Media: WATER SPRAY, CO2, FOAM, DRY CHEMICAL
Fire Fighting Procedures: NONE
Unusual Fire/Explosion Hazard: NONE

Accidental Release

Spill Release Procedures: SCRAPE UP MATERIAL FROM SURFACE AND COLLECT IN METAL CONTAINER

Handling

Handling and Storage Precautions: KEEP AWAY FROM HEAT, SPARKS AND OPEN FLAME. USE ADEQUATE VENTILATION

Exposure Controls

Respiratory Protection: SELF CONTAINED BREATHING APPARATUS ABOVE TLV LIMITS
Ventilation: LOCAL EXHAUST
Protective Gloves: YES
Eye Protection: YES
Other Protective Equipment: EYE BATH
Work Hygienic Practices: GENERAL
Supplemental Safety and Health
NK

Chemical Properties

Boiling Pt: B.P. Text: 311F
Vapor Pres: 2
Vapor Density: 4.7
Spec Gravity: 0.7
Evaporation Rate & Reference: 0.12
Solubility in Water: NEGLIGIBLE
Appearance and Odor: LT. BLUE, WAXY ODOR
Percent Volatiles by Volume: 69

Stability

Stability Indicator/Materials to Avoid: YES
NK
Stability Condition to Avoid: HEAT, SPARKS, OPEN FLAME
Hazardous Decomposition Products: THERMAL DECOMPOSITION MAY YIELD CARBON MONOXIDE

Disposal

Waste Disposal Methods: INCINERATE UNDER SAFE CONDITIONS, DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.