

TUFF-KOTE

MSDS Number

BHMZY

National Stock Number

8030-00-975-0713

Product Name

TUFF-KOTE

Manufacturer

TUFF KOTE CO INC

Product Identification

Product ID:TUFF-KOTE
MSDS Date:01/01/1987
FSC:8030
NIIN:00-975-0713
MSDS Number: BHMZY

Responsible Party

TUFF-KOTE CO, INC
210 SEMINARY AVE .
WOODSTOCK , IL 60098
US

Emergency Phone: 815-338-2006

Info Phone: 815-338-2006

Cage: MO423

Contractor

TUFF-KOTE CO, INC
WOODSTOCK, IL 60098-3428
US
Cage: MO423

Ingredients

MINERAL SPIRITS
ACGIH TLV: 200 PPM

Hazards

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO
Health Hazards Acute and Chronic:COULD PRODUCE NARCOSIS IF
CONFINED.CONTACT MIGHT CAUSE SKIN IRRITATIONS, AND EYEIRRITATION,
TEARING, REDNESS.
Effects of Overexposure:OVEREXPOSURE CAN CAUSE DIZZINESS, EYE
IRRITATION, ACTIVATE ALLERGIES, DERMATITISNASAL AND RESPIRATORY
IRRITATIONS .
Medical Cond Aggravated by Exposure:RESPIRATORY, ALLERGICAL- SKIN @
INTERNAL.

First Aid

First Aid:EYE: FLUSH EYE WITH LUKE WARM WATER FOR AT LEAST 15 MINUTES
OCCASIONALLY LIFTING EYELID GO SEE THE DOCTER. SKIN REMOVE
CLOTHES THAT ARE CONTAMINATED

Fire Fighting

Flash Point Method:TOC

Flash Point:100F@C
Lower Limits:7.
Upper Limits:6.
Extinguishing Media:FOAM, CO2, OR DRY CHEMICAL
Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS, WATER NOT
SUITABLE, MAYBE USE TO COOL CONT- AINERS, AVIOD SPREADING BURNING
MATERIAL WITH WATER.
Unusual Fire/Explosion Hazard:KEEP WORK AREAS FREE OF POTENTIAL SOURCES
OF FIRE OPEN FLAMES,ECT.

Accidental Release

Spill Release Procedures:EVACUATE NON ESSTINAL PERSONNEL. ELIMINATE ALL
POSSIBLE SOURCES OF IGNITION. COVER SPILLED AREA WITHABSORBANT
MATERIAL. USE NON SPARKING TOOLS. SHOVEL INTO CONTAINERS.

Handling

Handling and Storage Precautions:AVOID EXTREME HEAT, NO CONTACT
W/STRONG OXIDIZERS CARBON MONOXIDE/DIOXIDES.
Other Precautions:THERMAL DECOMPOSITION MAY YIELD CO @ CO2

Exposure Controls

Respiratory Protection:USE SELF-CONTAINED BREATHING APPARATUS
Ventilation:SPARK FREE FANS, ANY FANS
Protective Gloves:CHEMICAL RESISTANT
Eye Protection:SAFETY GLASSES WITH SIDE SHIELD
Work Hygienic Practices:SHOWER AVAILABLE, DO NOT WORK ALONE, KEEP TOOLS
AND WORK AREA CLEAN, AVOID LETTING FLOOR BECOME SLIPPERY.
Supplemental Safety and Health
NK

Chemical Properties

Boiling Pt:B.P. Text:280F
Melt/Freeze Pt:M.P/F.P Text:MK
Vapor Pres:2@68
Vapor Density:>AIR
Spec Gravity:1.25
Solubility in Water:INSOLUBLE
Appearance and Odor:MASTIC SOLVENT ODOR

Stability

Stability Indicator/Materials to Avoid:YES
NK
Stability Condition to Avoid:EXCESSIVE HEAT, SPARKS, OPEN FLAME,
UNVENTILATED AREAS.
Hazardous Decomposition Products:BURNING CAN PRODUCE CO @ COULD EXPLODE
UNDER PRESSURE.

Disposal

Waste Disposal Methods:DISPOSE OF MATERIAL ACCORDING TO REGULATIONS, OR
POSSIBLE, FILTER AND USE NORMALLY.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.