

00365 TEXACO UNLEADED

MSDS Number

BHVRB

National Stock Number

9150-00B200034

Product Name

00365 TEXACO UNLEADED

Manufacturer

TEXACO

Product Identification

Product ID:00365 TEXACO UNLEADED

MSDS Date:04/19/1988

FSC:9150

NIIN:00B200034

MSDS Number: BHVRB

Responsible Party

TEXACO

BEACON , NY 12508

US

Emergency Phone: (914) 831-3400 EXT. 204

Info Phone: (512) 459-6543

Preparer: M.J. VON ALLMEN

Cage: 86382

Contractor

TEXACO (CAGE OBSOLETE)

LONG ISLAND, NY 11100

US

NONE

Cage: 86382

Ingredients

BENZENE (SARA III)

CAS: 71-43-2

RTECS: CY1400000

OSHA PEL1PPM/5STEL;1910.1028

ACGIH TLV: 10 PPM; A2; 9192

EPA Report Quantity: 10 LBS

DOT Report Quantity: 10 LBS

TOLUENE (SARA III)

CAS: 108-88-3

RTECS: XS5250000

OSHA PEL200 PPM; Z-2

ACGIH TLV: S, 50 PPM; 9394

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

ETHYL BENZENE (SARA III)

CAS: 100-41-4

RTECS: DA0700000

OSHA PEL100 PPM/125 STEL

ACGIH TLV: 100 PPM/125STEL 9192

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

XYLENES (O-,M-,P- ISOMERS) (SARA III)

CAS: 1330-20-7

RTECS: ZE2100000

OSHA PEL100 PPM

ACGIH TLV: 100 PPM/150STEL;9394

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

PSEUDOCUMENE

CAS: 95-63-6

METHYL TERT-BUTYL ETHER (SARA III)

CAS: 1634-04-4

RTECS: KN5250000

EPA Report Quantity: 1 LB

DOT Report Quantity: 1 LB

Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Health Hazards Acute and Chronic:ACUTE: EYES-CAUSES SLIGHT-MODERATE EYE IRRITATION; SKIN-MODERATELY IRRITATING; CAUSES REDNESS, EDEMA, OR DRYING OF THE SKIN. CHRONIC-RECENT STUDIES WITH LABORATORY ANIMALS HAVE SHOWN THAT GASOLINE V APORS CAUSED KIDNEY DAMAGE AND KIDNEY CANCER IN RATS AND LIVER CANCER IN MICE.

First Aid

First Aid:EYES-FLUSH WITH WATER FOR 15 MINUTES; SKIN-WASH EXPOSED AREAS WITH SOAP AND WATER; INGESTION-DO NOT INDUCE VOMITING. MAY CAUSE CHEMICAL PNEUMONITIS. CALL A PHYSICIAN. INHALATION-SHOULD SYMPTOMS NOTED UNDER PHYSIOLOGICAL EFFECTS OCCUR, REMOVE TO FRESH AIR. IF NOT BREATHING, APPLY ARTIFICIAL RESPIRATION. OTHER INSTRUCTIONS: REMOVE GASOLINE-SOAKED CLOTHING.

Fire Fighting

Flash Point Method:COC

Flash Point:-40.0F,-40.0C

Extinguishing Media:USE DRY CHEMICAL, FOAM OR CARBON DIOXIDE.

Fire Fighting Procedures:WATER MAY BE INEFFECTIVE ON THE FLAMES, BUT WATER SHOULD BE USED TO KEEP FIRE-EXPOSED CONTAINERS COOL. IF A

LEAK OR SPILL HAS NOT IGNITED, USE WATER SPRAY.
Unusual Fire/Explosion Hazard: FLOWING GASOLINE CAN BE IGNITED BY
SELF-GENERATED STATIC ELECTRICITY; USE ADEQUATE GROUNDING.

Accidental Release

Spill Release Procedures: ELIMINATE ALL IGNITION SOURCES INCLUDING
INTERNAL COMBUSTION ENGINES AND POWER TOOLS. VENTILATE AREA. AVOID
BREATHING VAPOR. USE SCBA OR SUPPLIED-AIR MASK FOR LARGE SPILLS IN
CONFINED AREAS. CONTAIN SPILL IF POSSIBLE. REMOVE WITH INERT
ABSORBENT.

Handling

Handling and Storage Precautions: TRANSPORT, HANDLE AND STORE IN
ACCORDANCE WITH OSHA REGULATION 1910.106. AND APPLICABLE D.O.T.
REGULATIONS.

Exposure Controls

Ventilation: ADEQUATE TO MEET PERMISSIBLE CONCENTRATIONS.
Protective Gloves: RESISTANT TO CHEMICALS & PET. DISTILLATE
Eye Protection: CHEMICAL TYPE GOGGLES OR FACE SHIELD
Other Protective Equipment: PROTECTIVE CLOTHING SUCH AS UNIFORMS,
COVERALLS OR LAB COATS SHOULD BE WORN.
Supplemental Safety and Health

Chemical Properties

Boiling Pt: B.P. Text: >90
Vapor Pres: >-350
Vapor Density: 3-4.0
Spec Gravity: 0.7-.77
pH: N.A.
Evaporation Rate & Reference: N.D.
Solubility in Water: SLIGHT
Appearance and Odor: LIGHT STRAW TO LIGHT RED LIQUID
Percent Volatiles by Volume: 100

Disposal

Waste Disposal Methods: RE-EVALUATION OF THE PRODUCT MAY BE REQUIRED BY
THE USER AT THE TIME OF DISPOSAL, SINCE THE PRODUCT USES,
TRANSFORMATIONS, MIXTURES & PROCESSES MAY CHANGE CLASS. TO
NON-HAZARDOUS OR HAZARDOUS FOR REASONS OTHER THAN, OR IN ADDITION
TO IGNITABILITY.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.