

## **CS-2410**

### **MSDS Number**

BHYFY

### **National Stock Number**

8030-01-007-9153

### **Product Name**

CS-2410

### **Manufacturer**

FLAMEMASTER CORP (CHEM SEAL)

### **Product Identification**

Product ID:CS-2410

MSDS Date:05/29/1986

FSC:8030

NIIN:01-007-9153

MSDS Number: BHYFY

### **Responsible Party**

FLAMEMASTER CORPORATION (CHEM SEAL)

11120 SHERMAN WAY

SUN VALLEY , CA 91352

Emergency Phone: (818) 982-1650

Info Phone: (818) 982-1650

Preparer: AYMAN OMAR

Cage: 13422

### **Contractor**

FLAMEMASTER CORPORATION

SUN VALLEY, CA 91352-4949

US

818-982-1650

Cage: 13422

### **Ingredients**

POLYSULFIDE RESIN

Fraction By Weight: 65.7%

ALUMINUM (SARA III)

CAS: 7429-90-5

RTECS: BD0330000

Fraction By Weight: 5.6%

OSHA PEL15MG/M3 DUST/5 FUME

ACGIH TLV: 10MG/M3 DUST; 9192

CALCIUM CARBONATE (MARBLE) (LIMESTONE)

CAS: 1317-65-3

RTECS: EV9580000

Fraction By Weight: 15.3%  
OSHA PEL15 MG/M3 TDUST  
ACGIH TLV: 10 MG/M3 TDUST; 9192

BISPHENOL A, MIXED DIGLYCIDL  
CAS: 25068-38-6  
RTECS: SL6475000

LEAD PEROXIDE (LEAD DIOXIDE), (OSHA PEL FROM 29CFR  
CAS: 1309-60-0  
RTECS: OG0700000

Fraction By Weight: 9.1%  
OSHA PEL0.05 MG/M3 (PB)  
ACGIH TLV: 0.15 MG/M3(PB); 8990

## Hazards

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:NONE OBSERVED  
Explanation of Carcinogenicity:NONE  
Effects of Overexposure:NONE OBSERVED

## First Aid

First Aid:IN CASE OF SKIN CONTACT, WASH WITH PLENTY OF SOAP & WATER. IN  
CASE OF EYE CONTACT, FLUSH WITH PLENTY OF WATER FOR AT LEAST 15  
MINUTES & GET MEDICAL HELP.

## Fire Fighting

Flash Point:300F  
Extinguishing Media:WATER, CO2, & DRY CHEMICALS  
Fire Fighting Procedures:NONE  
Unusual Fire/Explosion Hazard:NONE

## Accidental Release

Spill Release Procedures:USE ABSORBENT, SOLVENT WIPE.

## Handling

Handling and Storage Precautions:AVOID PROLONGED CONTACT W/SKIN.  
Other Precautions:WASH HANDS WITH SOAP & WATER BEFORE EATING OR  
SMOKING.

## Exposure Controls

Ventilation:LOCAL EXHAUST/MECHANICAL  
Protective Gloves:PROTECTIVE  
Eye Protection:SAFETY GLASSES  
Work Hygienic Practices:WASH HANDS WITH SOAP 7 WATER BEFORE EATING OR  
SMOKING.  
Supplemental Safety and Health

## Chemical Properties

Boiling Pt:B.P. Text:400F  
Decomp Temp:Decomp Text:500F  
Vapor Pres:0  
Vapor Density:0  
Spec Gravity:1.45  
pH:7  
Evaporation Rate & Reference:(BU AC = 1): 0  
Solubility in Water:INSOLUBLE

Appearance and Odor:SILVER PASTE POLYSULFIDE ODOR.  
Percent Volatiles by Volume:2%

## **Stability**

Stability Indicator/Materials to Avoid:YES  
MINERAL ACIDS, NITRIC ACID  
Hazardous Decomposition Products:SO<sub>2</sub>, H<sub>2</sub>S, CO & FORMALDEHYDE

## **Disposal**

Waste Disposal Methods:LAND BURIAL WHERE STATUTES PERMIT.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.