

## **67502 OR/CS SPRAY N' WIPE**

### **MSDS Number**

BJBHS

### **National Stock Number**

6840-00F011176

### **Product Name**

67502 OR/CS SPRAY N' WIPE

### **Manufacturer**

HYSAN CORP

### **Product Identification**

Product ID:67502 OR/CS SPRAY N' WIPE

MSDS Date:11/02/1988

FSC:6840

NIIN:00F011176

MSDS Number: BJBHS

### **Responsible Party**

HYSAN CORP.

4309 S. MORGAN ST.

CHICAGO , IL 60609

Emergency Phone: (312) 522-1010

Info Phone: (312) 376-8981

Preparer: M. KOGOL, JR.

Cage: FO565

### **Contractor**

HYSAN CORP.

CHICAGO, IL 60609

US

(312) 376-8981

Cage: FO565

### **Ingredients**

PROPANE

CAS: 74-98-6

RTECS: TX2275000

Fraction By Weight: 1-5%

OSHA PEL1000 PPM

ACGIH TLV: ASPHYXIAN; 9192

2-BUTOXYETHANOL

CAS: 111-76-2

RTECS: KJ8575000

Fraction By Weight: 1-5%

OSHA PELS, 50 PPM

ACGIH TLV: S, 25 PPM; 9293

BUTANE

CAS: 106-97-8

RTECS: EJ4200000

Fraction By Weight: 1-5%

OSHA PEL800 PPM

ACGIH TLV: 800 PPM; 9192

## Hazards

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYES: MAY CAUSE PAIN OR TRANSIENT IRRITATION.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:EYES: MAY CAUSE PAIN OR TRANSIENT IRRITATION.

## First Aid

First Aid:EYES: FLUSH W/PLENTY OF WATER. GET MED ATT. IF IRRITATION PERSISTS.

## Fire Fighting

Flash Point Method:TCC

Flash Point:NONE

Extinguishing Media:WATER

Fire Fighting Procedures:KEEP CONTAINERS COOL. USE SHIELDING TO PROTECT PERSONNEL AGAINST BURSTING, RUPTURING OR VENTING CONTAINERS.

Unusual Fire/Explosion Hazard:AT ELEVATED TEMPERATURES (OVER 130F) CONTAINERS MAY VENT, RUPTURE, OR BURST.

## Accidental Release

Spill Release Procedures:WIPE UP SPILLS.

## Handling

Handling and Storage Precautions:CAUTION. CONTENTS UNDER PRESSURE.

STORE IN A COOL, DRY AREA AWAY FROM FLAMES, SPARKS, PILOT LIGHTS & OTHER SOURCES OF HEAT OR IGNITION.

Other Precautions:KEEP OUT OF REACH OF CHILDREN. AVOID CONTACT W/EYES. READ ENTIRE LABEL BEFORE USING.

## Exposure Controls

Respiratory Protection:NONE REQUIRED

Ventilation:PROVIDE ADEQUATE MECHANICAL VENTILATION TO KEEP Protective Gloves:NONE REQUIRED

Eye Protection:SAFETY GLASSES

Work Hygienic Practices:ALWAYS FOLLOW SAFE WORK PRACTICES.

Supplemental Safety and Health

## Chemical Properties

Boiling Pt:B.P. Text:212F

Vapor Pres:18

Vapor Density:Spec Gravity:1.01

Evaporation Rate & Reference:(BU AC = 1): Solubility in Water:COMPLETE

Appearance and Odor:CLEAR, LITE YELLOW LIQUID; PLEASANTLY SCENTED

## Stability

Stability Indicator/Materials to Avoid:YES

NONE

Stability Condition to Avoid:STORE AWAY FROM FLAMES, SPARKS, PILOT LIGHTS & OTHER SOURCE OF HEAT OR IGNITION.

Hazardous Decomposition Products:OXIDES OF CARBON & NITROGEN

## Disposal

Waste Disposal Methods:REPLACE CAP & DISCARD CONTAINER IN TRASH. DON'T

PUNCTURE OR INCINERATE.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.