https://msdsreport.com/msds/BJBPC

DENTURE CLASP

MSDS Number

BJBPC

National Stock Number

6520-00F012081

Product Name

DENTURE CLASP

Manufacturer

J M NEY COMPANY

Product Identification

Product ID:DENTURE CLASP MSDS Date:01/01/1987 FSC:6520 NIIN:00F012081 MSDS Number: BJBPC

Responsible Party

J.M. NEY COMPANY

NEY INDUSTRIAL PARK

BLOOMFIELD, CT 06002

Emergency Phone: (203) 242-2281

Info Phone: (203) 242-2281

Cage: FO552

Contractor

NEY DENTAL INCORPORATED

BLOOMFIELD, CT 06002-5000

US

800-243-1942/203-242-2281

Cage: 43710

Ingredients

SILVER (SARA III) CAS: 7440-22-4 RTECS: VW3500000 Fraction By Weight: 25% OSHA PEL0.01 MG/M3 ACGIH TLV: 0.1 MG/M3; 9192 EPA Report Quantity: 1 LB DOT Report Quantity: 1 LB

COPPER (SARA III) CAS: 7440-50-8 RTECS: GL5325000 Fraction By Weight: 11% OSHA PEL0.1MG/M3 FUME/1 DUST



https://msdsreport.com/msds/BJBPC

•

ACGIH TLV: 0.2MG/M3 FUME; 9192 EPA Report Quantity: 5000 LBS DOT Report Quantity: 5000 LBS

NICKEL (SARA III)

CAS: 7440-02-0

RTECS: QR5950000

Fraction By Weight: 2.5%

OSHA PEL1 MG/M3

ACGIH TLV: 1 MG/M3; 9192

Hazards

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO Health Hazards Acute and Chronic:SKIN: GRAY PIGMENTATION, DERMATITIS, SENSITIVITY, CUTS, & BURNS. INGESTION: GASTROINTESTINAL TRACT EFFECTS. Explanation of Carcinogenicity:NICKEL IS AN ANIMAL CARCINOGEN. Effects of Overexposure:SKIN: GRAY PIGMENTATION, DERMATITIS, SENSITIVITY, CUTS, & BURNS. INGESTION: GASTROINTESTINAL TRACT EFFECTS.

First Aid

First Aid:INHALATION: REMOVE FROM EXPOSURE & OBTAIN PROMPT MEDICAL ATTENTION.

Fire Fighting

Unusual Fire/Explosion Hazard:SILVER DUST IS A MODERATE EXPLOSION HAZARD.

Accidental Release

Spill Release Procedures: IF LARGE QUANTITIES OF DUST ARE GENERATED, USE INDUSTRIAL VACUUM TO CLEAN UP. MOLTEN METAL SHOULD BE ALLOWED TO SOLIDIFY BEFORE CLEAN UP.

Handling

Handling and Storage Precautions: PROVIDE PROTECTIVE EQUIPMENT WHEN CUTTING, GRINDING, SOLDERING, WELDING, MELTING, MACHINING, & HANDLING OF NNO-FERROUS METALS.

Exposure Controls

Respiratory Protection:WEAR WHEN CUTTING, GRINDING, SOLDERING OR WELDING. Ventilation:LOCAL EXHAUST TO KEEP DUST, MIST OR FUMES Protective Gloves:RECOMMENDED WHEN GRINDING OR MELTING Eye Protection:RECOMMENDED Supplemental Safety and Health ALLOY PRODUCTS ARE SOLID METALS SHAPED AS WIRE, PLATE, STRIP OR IN FINISHED FORMS AS INGOTS, NUGGETS, ELECTRICAL CONTACT ASSEMBLIES, SWITCHES, OR AS OTHER FORMS FOR ELECTRONIC & DENTAL USE.

Chemical Properties

Solubility in Water:NONE Appearance and Odor:SOLDI METAL-WIRE, PLATE, STRIP, INGOTS, NUGGETS

Stability

Stability Indicator/Materials to Avoid:YES Hazardous Decomposition Products:WELDING FUMES

Disposal

Waste Disposal Methods: DISPOSAL OF DUST USING APPROVED METHODS



CONSISTANT W/APPLICABLE LOCAL, STATE, & FEDERAL REGULATIONS. MOLTEN METAL SHOULD BE RECLAIMED USING STANDARD INDUSTRIAL PRACTICES SUCH AS REMELTING & REFINING.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.