

RV 1000

MSDS Number

BJBQN

National Stock Number

6850-00F012102

Product Name

RV 1000

Manufacturer

ROSOS RESEARCH LABORATORIES INC

Product Identification

Product ID:RV 1000 MSDS Date:04/01/1988 FSC:6850 NIIN:00F012102 MSDS Number: BJBQN

Responsible Party

ROSOS RESEARCH LABORATORIES, INC

990 NORTH SHORE DRIVE

LAKE BLUFF, IL 60044

Emergency Phone: (312) 295-1331

Info Phone: (312) 295-1331

Cage: 8J528

Contractor

ROSOS RESEARCH LABORATORIES, INC

LAKE BLUFF, IL 60044

(312) 295-1331 Cage: 8J528

Ingredients

22.56 GRAMS PER LITRE MIXED FOUNT

RTECS: 9999999VO

0.1881 LBS. PER GALLON MIXED FOUN

RTECS: 9999999VO

2-BUTOXYETHANOL

CAS: 111-76-2

RTECS: KJ8575000

Fraction By Weight: 83.5%

OSHA PELS, 50 PPM

ACGIH TLV: S, 25 PPM; 9293

GLYCOL ETHERS, DIETHYLENE GLYCOL



CAS: 111-46-6 RTECS: ID5950000

752 GRAMS PER LITRE CONCENTRATE.

RTECS: 9999999VO

Hazards

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

 $\label{thm:leadth} \mbox{Health Hazards Acute and Chronic:INGESTION: ORGAN DAMAGE. INHALATION:} \\$

MAY CAUSE IRRITATION OF EYES, NOSE & THROAT. SKIN: DERMATITIS &

REDDNESS.

Explanation of Carcinogenicity: THIS MATERIAL ISN'T CONSIDERED TO BE A

CARCINOGEN BY THE NTP, IARC, OSHA.

Effects of Overexposure: INGESTION: ORGAN DAMAGE. INHALATION: IRRITATION

OF EYES, NOSE & THROAT. SKIN: REDDENING & DERMATITIS.

First Aid

First Aid: INHALATION: REMOVE TO FRESH AIR. EYES/SKIN: WASH WITH WATER.

INGESTION: INDUCE VOMITING.

Fire Fighting

Flash Point Method:TCC Flash Point:150F Lower Limits:1.1% Upper Limits:10.6%

Extinguishing Media: ALCOHOL FOAM, CO2, DRY CHEMICAL

Accidental Release

Spill Release Procedures: MOP OR WIPE UP & DISPOSE OF IN DOT APPROVED

WASTE CONTAINERS.

Handling

Handling and Storage Precautions: STORE IN CONTAINERS PROVIDED BY MFG. FOR BULK QUANTITIES, STORE IN LINED STAINLESS STEEL OR REINFORCED

PLASTIC TANKS.

Other Precautions: RV 1000 HAS LOW VAPOR PRESSURE & CAN BE VENTED TO

ATMOSPHERE.

Exposure Controls

Ventilation:LOCAL EXHAUST/MECHANCIAL

Protective Gloves: RUBBER

Eye Protection: PROTECTIVE EYEWEAR

Other Protective Equipment: EYEWASH, SAFETY SHOWER.

Supplemental Safety and Health

Chemical Properties

Boiling Pt:B.P. Text:217F

Melt/Freeze Pt:M.P/F.P Text:095F

Vapor Pres:0.78

Vapor Density: 3.9

Spec Gravity: 0.95

Solubility in Water:100%

Appearance and Odor:LIGHT GREEN/FAINT ODOR

Stability

Stability Indicator/Materials to Avoid:YES ALKALIS, OXIDIZING MATERIALS Stability Condition to Avoid:HEAT, SPARKS, OPEN FLAME Hazardous Decomposition Products:CO, CO2

Disposal

Waste Disposal Methods: COMPLY WITH ALL APPLICABLE GOVERNMENT



REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.