

## **MARYLAND BRIDGE CEMENTATION CATALYST A**

### **MSDS Number**

BJBTB

### **National Stock Number**

6520-00F012146

### **Product Name**

MARYLAND BRIDGE CEMENTATION CATALYST A

### **Manufacturer**

DEN MAT CORP

### **Product Identification**

Product ID:MARYLAND BRIDGE CEMENTATION CATALYST A

MSDS Date:03/31/1987

FSC:6520

NIIN:00F012146

MSDS Number: BJBTB

### **Responsible Party**

DEN-MAT CORPORATION

3130 SKYWAY DRIVE, 501

SANTA MARIA , CA 93455

Emergency Phone: (822) 922-8491

Info Phone: (822) 922-8491

Cage: 1GY48

### **Contractor**

DEN-MAT CORPORATION

1729

SANTA MARIA, CA 93455

805- 922-8491/800-433-6628

Cage: 1GY48

### **Ingredients**

GLASS FILLERS

METHACRYLATE RESIN

### **Hazards**

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:SKIN/EYES: IRRITANT.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:SKIN/EYES: IRRITANT.

### **First Aid**

First Aid:EYES: FLUSH W/WATER FOR 15 MINS. CONSULT PHYSICIAN. SKIN:  
WASH W/SOAP & WATER.

### **Fire Fighting**

Extinguishing Media:CO2, DRY CHEMICALS

### **Accidental Release**

Spill Release Procedures:CLEAN UP W/ABSORBENT TOWEL.

## Exposure Controls

Supplemental Safety and Health

## Chemical Properties

Vapor Pres:1

Vapor Density:1

Spec Gravity:2.08

Evaporation Rate & Reference:(BU AC = 1): 0.1

Solubility in Water:NIL

Appearance and Odor:LIGHT, YELLOWISH-TAN PASTE.

Percent Volatiles by Volume:NIL

## Stability

Stability Indicator/Materials to Avoid:YES

Stability Condition to Avoid:HEAT & IGNITION

Hazardous Decomposition Products:CO

## Disposal

Waste Disposal Methods:DISPOSE ACCORDING TO GOVERNMENT REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.