

## **NEY BRASIVES**

## **MSDS Number**

**BJCBB** 

# **National Stock Number**

3460-00F012254

## **Product Name**

**NEY BRASIVES** 

### Manufacturer

STERLING ABRASIVE PRODUCTS COMPANY

## **Product Identification**

Product ID:NEY BRASIVES MSDS Date:11/19/1986 FSC:3460 NIIN:00F012254 MSDS Number: BJCBB

## **Responsible Party**

STERLING ABRASIVE PRODUCTS COMPANY

525 WALL STREET

TIFFIN, OH 44883

Emergency Phone: (419) 447-9321

Info Phone: (419) 447-9321

Cage: 78574

#### **Contractor**

STERLING ABRASIVE PRODUCTS COMPANY

TIFFIN, OH 44883 (419) 447-9321 Cage: 78574

## **Ingredients**

ALPHA-ALUMINA (ALUMINUM OXIDE) (EPA LISTS ONLY FIBROUS

CAS: 1344-28-1 RTECS: BD1200000

OSHA PEL15 MG/M3 TDUST

ACGIH TLV: 10 MG/M3 TDUST; 9293

SILICON CARBIDE

CAS: 409-21-2

RTECS: VW0450000

OSHA PEL15 MG/M3 TDUST

ACGIH TLV: 10 MG/M3 TDUST; 9293

TITANIUM DIOXIDE CAS: 13463-67-7

RTECS: XR2275000



OSHA PEL15 MG/M3 TDUST

ACGIH TLV: 10 MG/M3 TDUST; 9293

GLASS/PORCELAIN

**SULFUR** 

CAS: 7704-34-9 RTECS: WS4250000

PARAFFIN WAX CAS: 8002-74-2 RTECS: RV0350000

OSHA PEL2 MG/M3 (FUME)

ACGIH TLV: 2 MG/M3 (FUME); 9192

#### **Hazards**

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic: INHALATION: COUGH & SHORTNESS OF

BREATH. SKIN/EYES: IRRITATION. Explanation of Carcinogenicity: NONE

Effects of Overexposure: INHALATION: COUGH & SHORTNESS OF BREATH.

SKIN/EYES: IRRITATION.

#### First Aid

First Aid: INHALATION: REMOVE TO FRESH AIR. OBTAIN MED ASSISTANCE IF NEEDED. SKIN: WASH W/SOAP & WATER. EYES: FLUSH W/LARGE AMOUNTS OF CLEAN WATER. OBTAIN MEDICAL ASSISTANCE.

## Fire Fighting

Extinguishing Media: WATER, CO2 Fire Fighting Procedures: NONE Unusual Fire/Explosion Hazard: NONE

#### **Accidental Release**

Spill Release Procedures: NORMAL CLEAN-UP. NO SPECIAL STEPS NEEDED.

## Handling

Handling and Storage Precautions: AVOID MECHANICAL DAMAGE. HANDLE & STORE IN ACCORDANCE W/ALLOW WHEELS TO WARM TO ROOM TEMPERATURE BEFORE USING.

Other Precautions: NEVER USE WHEELS SUSPECTED OF BEING DROPPED, CRACKED OR DAMAGED. ALWAYS USE A SAFETY GUARD. NEVER EXCEED THE MAXIMUM OPERATING SPEED MARKED ON THE WHEEL.

## **Exposure Controls**

Respiratory Protection: NIOSH/MSHA APPROVED RESPIRATOR MAY BE REQUIRED

IF >TLV.

Ventilation: LOCAL EXHAUST/MECHANICAL: RECOMMENDED

Protective Gloves: AS DESIRED Eve Protection: FACE SHIELD

Other Protective Equipment: APRON & DESIRED HEARING PROTECTION

Supplemental Safety and Health

## **Chemical Properties**

Solubility in Water: SLIGHT

Appearance and Odor: SOLID, MAY GIVE OIL SLIGHT ODOR IF TREATED



## **Stability**

Stability Indicator/Materials to Avoid:YES STRONG ACIDS, BASES Stability Condition to Avoid:EXTREME HEAT, COLD/SUDDEN TEMPERATURE CHANGE Hazardous Decomposition Products:DUST ARISING FROM USE SHOULD BE CONTROLLED W/IN TLV'S.

# **Disposal**

Waste Disposal Methods: STANDARD LANDFILL METHODS CONSISTENT W/FEDERAL, STAT, & LOCAL LAWS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.