

ADAPTIC RADIOPAQUE DENTAL RESTORATIVE

MSDS Number

BJCFB

National Stock Number

6520-00F012337

Product Name

ADAPTIC RADIOPAQUE DENTAL RESTORATIVE

Manufacturer

JOHNSON JOHNSON DENTAL CARE COMPANY

Product Identification

Product ID:ADAPTIC RADIOPAQUE DENTAL RESTORATIVE MSDS Date:03/22/1988 FSC:6520 NIIN:00F012337 MSDS Number: BJCFB

Responsible Party

JOHNSON/JOHNSON DENTAL CARE COMPANY

20 LAKE DR

EAST WINDSOR , NJ 08520 Emergency Phone: NONE

Info Phone: NONE Cage: FO540

Contractor

JOHNSON/JOHNSON DENTAL CARE CO

NEW BRUNSWICK, NJ 08903

US

NO PHONE Cage: FO540

Ingredients

AROMATIC & ALIPHATIC DIMETHACRYLATE MONOMERS

Fraction By Weight: 19-22%

OSHA PELN//K

SILICA, CRYSTALLINE - QUARTZ

CAS: 14808-60-7 RTECS: VV7330000

Fraction By Weight: 75.5% OSHA PELSEE TABLE Z3

ACGIH TLV: 0.1 MG/M3 RDUST;9293

SILICA AMORPHOUS HYDRATED, SILICEOUS EARTH, FUMED

CAS: 112945-52-5 RTECS: VV7310000



Fraction By Weight: 1.2-3%

OSHA PEL80 MG/CUM (%SIO2+2)

SILICON TETRAHYDRIDE

CAS: 7803-62-5

RTECS: VV1400000

Fraction By Weight: 1.1-3%

OSHA PEL5 PPM

ACGIH TLV: 5 PPM; 9192

ACTIVATORS

Fraction By Weight:

STABILIZERS

Fraction By Weight:

ACCELERATORS

Fraction By Weight:

PIGMENT

Fraction By Weight:

BARIUM GLASS

Fraction By Weight: 75%

Hazards

LD50 LC50 Mixture:LD50 (ORAL RAT): >5000 MG/KG Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic: SKIN: REPEATED CONTACT MAY CAUSE

REDDENING & IRRITATION. EYES: IRRITATION.

Explanation of Carcinogenicity: NONE

Effects of Overexposure: SKIN: REPEATED CONTACT MAY CAUSE REDDENING &

IRRITATION. EYES: IRRITATION.

First Aid

First Aid:EYES: FLUSH W/COPIOUS QUANTITIES OF WATER FOR 15 MINS. SEEK

MED ATT. SKIN: WASH W/SOAP & WATER.

Fire Fighting

Extinguishing Media: DRY CHEMICAL, FOAM, CO2

Fire Fighting Procedures: USE PROTECTIVE GEAR. USE WATER FOG TO COOL

LARGE CONTAINERS EXPOSED TO FIRE.

Unusual Fire/Explosion Hazard: MATERIAL MAY BURN IF EXPOSED TO FLAME.

Accidental Release

Spill Release Procedures: SWEEP, SCOOP UP & STORE IN APPROPRIATE CONTAINERS.

Handling

Handling and Storage Precautions: STORE AWAY FROM IGNITION SOURCES. PROTECT FROM HEAT. KEEP CONTAINERS CLOSED WHEN NOT IN USE. AVOID CONTACT W/SKIN.

Other Precautions: NONE

Exposure Controls

Respiratory Protection: NONE REQUIRED

Protective Gloves: IMPERVIOUS



Eye Protection: SAFETY GLASSES Other Protective Equipment: NONE Supplemental Safety and Health THIS ENCLOSURE COVERS ALL OF THE FOLLOWING:

2741-01/2761-03/2776-01/2777-01/2790-02/2793-01/2742-01/2743-01/274

4-01/2745-01/2746-01/2753/2756/2757/2758/2756

Chemical Properties

Spec Gravity: 2.1
Appearance and Odor: TRANSLUCENT TO OPAQUE, HIGH VISCOSITY PASTE, CHARACTERISTIC METHACRYLATE ODOR.

Stability

Stability Indicator/Materials to Avoid:YES NONE Stability Condition to Avoid:FLAME, IGNITION SOURCES, ELEVATED TEMPERATURES, HEAT

Disposal

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE W/LOCAL REGULATIONS FOR RELATIVELY NONTOXIC ORGANICS. DON'T INCINERTAE.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.