

317 LATEX SEMI-GLOSS BUCKSKIN, L4300BS

MSDS Number

BJCGG

National Stock Number

8010-00F012358

Product Name

317 LATEX SEMI-GLOSS BUCKSKIN, L4300BS

Manufacturer

BLACK AND PURYEAR MFG CO INC

Product Identification

Product ID:317 LATEX SEMI-GLOSS BUCKSKIN, L4300BS

MSDS Date:11/04/1987

FSC:8010

NIIN:00F012358

MSDS Number: BJCGG

Responsible Party

BLACK & PURYEAR MFG. CO., INC.

13 NE 13TH

OKLAHOMA CITY , OK 73104

Emergency Phone: (405) 236-5588

Info Phone: (405) 236-5588

Cage: BLACK

Contractor

BLACK & PURYEAR PAINT MFG. CO., INC.

OKLAHOMA CITY, OK 73104

(405) 236-5588

Cage: BLACK

Ingredients

PHENYLMERCURIC ACETATE (SARA III)

CAS: 62-38-4

RTECS: OV6475000

Fraction By Weight:

OSHA PEL0.1 MG HG/M3;CEIL;S

ACGIH TLV: 0.01 MG HG/M3; 9192

EPA Report Quantity: 100 LBS

DOT Report Quantity: 100 LBS

ETHYLENE GLYCOL (SARA III)

CAS: 107-21-1

RTECS: KW2975000

Fraction By Weight:

OSHA PELC 50 PPM

ACGIH TLV: C 50 PPM,VAPOR; 9192

EPA Report Quantity: 1 LB

DOT Report Quantity: 1 LB

AMMONIUM HYDROXIDE (SARA III)

CAS: 1336-21-6

RTECS: BQ9625000

Fraction By Weight:

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

ETHANOLAMINE

CAS: 141-43-5

RTECS: KJ5775000

Fraction By Weight:

OSHA PEL3 PPM/6 STEL

ACGIH TLV: 3 PPM/6 STEL; 9192

TEXANOL, 1,3-PENTANEDIOL 2,2,4-TRIMETHYL MONOISOBUTYRATE

CAS: 25265-77-4

RTECS: UF6000000

Fraction By Weight:

Hazards

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Explanation of Carcinogenicity:NONE

First Aid

First Aid:INGESTION: GIVE 2 GLASSES OF WATER & INDUCE VOMITING BY
PUTTING FINGER DOWN THROAT. SKIN: FLUSH W/WATER. CALL PHYSICIAN.

Fire Fighting

Lower Limits:0.1%
Extinguishing Media:WATER SPRAY, CO2, FOAM
Fire Fighting Procedures:NONE
Unusual Fire/Explosion Hazard:LATEX PAINTS WILL NOT BURN UNTIL ALL
WATER AHS EVAPORATED

Accidental Release

Spill Release Procedures:MAJOR SPILLS SHOULD BE DIKED & COLLECTED FOR
DISPOSAL. FOR MINOR SPILLS, REMOVE EXCESS & USE SOAP & WATER.

Handling

Handling and Storage Precautions:NONE
Other Precautions:NONE

Exposure Controls

Respiratory Protection:NONE REQUIRED
Ventilation:NORMAL
Protective Gloves:IF DESIRABLE
Eye Protection:SAFETY GLASSES
Other Protective Equipment:NONE
Work Hygienic Practices:WASH HANDS W/SOAP AFTER USE.

Supplemental Safety and Health
WT PER GAL 10.07 LBS.

Chemical Properties

Boiling Pt:B.P. Text:380-475F
Vapor Density:>AIR
Evaporation Rate & Reference:SLOWER THAN ETHER

Stability

Stability Indicator/Materials to Avoid:YES
NONE
Stability Condition to Avoid:NONE
Hazardous Decomposition Products:NONE

Disposal

Waste Disposal Methods:BURY IN A LANDFILL WHERE PERMITTED BY LOCAL
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.