

## **SE 330**

### **MSDS Number**

BJCKH

### **National Stock Number**

6850-00F012394

### **Product Name**

SE 330

### **Manufacturer**

ROCHESTER MIDLAND

### **Product Identification**

Product ID:SE 330

MSDS Date:10/14/1985

FSC:6850

NIIN:00F012394

MSDS Number: BJCKH

### **Responsible Party**

ROCHESTER MIDLAND

333 HOLLENBECK STREET

ROCHESTER , NY 14603

Emergency Phone: (716) 266-2283

Info Phone: (716) 266-2283

Cage: 13091

### **Contractor**

ROCHESTER MIDLAND CORPORATION

1515

ROCHESTER, NY 14603-1515

US

716-336-2200

Cage: 13091

### **Ingredients**

BENZIN, NAPHTHA, MINERAL SPIRITS

CAS: 8030-30-6

RTECS: DE3030000

Fraction By Weight:

OSHA PEL500 PPM

ACGIH TLV: 300 PPM

### **Hazards**

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYE: IRRITANT. SKIN: PROLONGED CONTACT  
CAN CAUSE IRRITATION OR DERMATITIS. INHALATION: DIZZINESS,  
HEADACHE, NAUSEA.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:EYE: IRRITANT. SKIN: PROLONGED CAN CAUSE  
IRRITATION OR DERMATITIS. INHALATION: DIZZINESS, HEADACHE,  
NAUSEA.

## First Aid

First Aid:EYE/SKIN: FLUSH W/WATER FOR 15 MINUTES. INHALATION: REMOVE TO FRESH AIR. INGESTION: DON'T INDUCE VOMITING. DRINK SEVERAL GLASSES OF WATER OR MILK. GET MED ATT.

## Fire Fighting

Flash Point:NONE TO BOILING

Extinguishing Media:FOAM, DRY CHEMICAL, CO2, WATER FOG OR SPRAY

Fire Fighting Procedures:USE AIR-SUPPLIED BREATHING APPARATUS. COOL EXPOSED CONTAINERS WITH WATER.

Unusual Fire/Explosion Hazard:DON'T STORE OR MIX W/STRONG OXIDANT. EMPTY CONTAINERS CAN CONTAIN PRODUCT RESIDUES. DON'T CUT OR WELD CONTAINERS.

## Accidental Release

Spill Release Procedures:VENTILATE AREA/USE APPROPRIATE PROTECTIVE EQUIPMENT. SMALL SPILLS: MOP OR SOAK UP IMMEDIATELY. REMOVE RESIDUE OUTDOORS. LARGE SPILLS: EVACUATE AREA. DIKE TO CONTAINER LIQUID/TRANSFER TO CLOSED CONTAINERS. KEEP OUT OF WATER SUPPLY.

## Handling

Handling and Storage Precautions:USE ADEQUATE VENTILATION. DON'T STORE OR HANDLE NEAR HEAT, SPARKS, FLAME OR STRONG OXIDANTS. STORE IN A COOL, DRY AREA. AVOID CONTACT W/SKIN & EYES.

Other Precautions:STORE ONLY IN ORIGINAL CONTAINER/KEEP CLOSED. WASH CONTAMINATED CLOTHING BEFORE REUSE. DON'T REUSE EMPTY CONTAINER. DON'T CUT OR WELD CONTAINERS. AVOID BREATHING VAPORS/FUMES. IF FROZEN WILL THAW W/O ANY CHANGES IN THE QUALITY OF THE PRODS.

## Exposure Controls

Respiratory Protection:>TLV, USE NIOSH APPROVED RESPIRATOR.

Ventilation:LOCAL EXHAUST: FACE VELOCITY 60CFM. MECHANICAL: EXPLOSION PROOF EQUIPMENT

Protective Gloves:RUBBER, PLASTIC

Eye Protection:SAFETY GLASSES, GOGGLES

Other Protective Equipment:AS REQUIRED

Work Hygienic Practices:WASH CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health

WT/GAL: 8.31 SAFE FOR USE ON ALL METALS, ALUMINUM.

## Chemical Properties

Boiling Pt:B.P. Text:212F

Spec Gravity:0.997

pH:13.2

Evaporation Rate & Reference:(WATER = 1): 1

Solubility in Water:COMPLETE

Appearance and Odor:LIGHT PINK COLORED LIQUID; MILD AROMATIC ODOR.

Percent Volatiles by Volume:80%

## Stability

Stability Indicator/Materials to Avoid:YES

STRONG OXIDANTS, STRONG ACIDS, VINYL TILES, PLASTICS

Stability Condition to Avoid:OPEN FLAMES, WELDING ARCS, HEAT, SPARKS.

Hazardous Decomposition Products:FUMES, SMOKE, CO

## Disposal

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their

particular situation.