

## **C-66 GLAZING COMPOUND**

### **MSDS Number**

BJCNR

### **National Stock Number**

8030-00F012462

### **Product Name**

C-66 GLAZING COMPOUND

### **Manufacturer**

SHERWIN WILLIAMS COMPANY

### **Product Identification**

Product ID:C-66 GLAZING COMPOUND

MSDS Date:04/04/1988

FSC:8030

NIIN:00F012462

MSDS Number: BJCNR

### **Responsible Party**

SHERWIN-WILLIAMS COMPANY

101 PROSPECT AVENUE N.W.

CLEVELAND , OH 44115

Emergency Phone: (216) 566-2917

Info Phone: (216) 566-2917

Cage: 54636

### **Contractor**

SHERWIN-WILLIAMS CO THE

CLEVELAND, OH 44115-1042

US

800-251-2486/216-566-2242

Cage: 54636

### **Ingredients**

NON-HAZARDOUS FOR INGREDIENTS

Fraction By Weight: 100%

### **Hazards**

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:SKIN/EYES: REDNESS, ITCHING, IRRITATION, & BURNING SENSATION.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:SKIN/EYES: REDNESS, ITCHING, IRRITATION, BURNING SENSATION.

### **First Aid**

First Aid:SKIN: WASH AFFECTED AREA THOROUGHLY W/SOAP & WATER. EYES: FLUSH W/LARGE AMOUNTS OF WATER FOR 15 MINS. GET MED ATT.

### **Fire Fighting**

Flash Point Method:PMCC

Flash Point:>199F

Extinguishing Media:CO2, DRY CHEMICAL, FOAM

Fire Fighting Procedures:FULL PROTECTIVE EQUIPMENT/SCBA. WATER SPRAY

MAY BE INEFFECTIVE. IF WATER IS USED, FOG NOZZLES ARE PREFERABLE.  
Unusual Fire/Explosion Hazard:WATER SPRAY MAY BE USED TO COOL CLOSED  
CONTAINERS TO PREVENT PRESSURE BUILD-UP/POSSIBLE  
AUTOIGNITION/EXPLOSION WHEN EXPOSED TO EXTREME HEAT.

## Accidental Release

Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION.  
VENTILATE/REMOVE W/INERT ABSORBENT.

## Handling

Handling and Storage Precautions:KEEP CONTAINER CLOSED WHEN NOT IN USE.  
TRANSFER ONLY TO APPROVED CONTAINERS W/COMPLETE & APPROPRIATE  
LABELING. DON'T TAKE INTERNALLY.  
Other Precautions:KEEP OUT OF THE REACH OF CHILDREN.

## Exposure Controls

Respiratory Protection:NOT REQUIRED  
Ventilation:LOCAL EXHAUST: ACCEPTABLE  
Protective Gloves:AS REQUIRED  
Eye Protection:SAFETY SPECTACLES  
Supplemental Safety and Health  
WT/GAL: 18.31 LB.

## Chemical Properties

Vapor Density:>AIR  
Evaporation Rate & Reference:FASTER THAN ETHER  
Percent Volatiles by Volume:

## Stability

Stability Indicator/Materials to Avoid:YES  
Stability Condition to Avoid:SOURCES OF IGNITION, HEAT  
Hazardous Decomposition Products:CO<sub>2</sub>, CO

## Disposal

Waste Disposal Methods:WASTE FROM THIS PRODUCT MAY BE HAZARDOUS AS  
DEFINED UNDER THE RCRA. INCINERATE IN APPROVED FACILITY. DON'T  
INCINERATE CLOSED CONTAINER. DISPOSE OF IN ACCORDANCE W/FEDERAL,  
STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.