https://msdsreport.com/msds/BJDDL

•

DURAL INGUAL PRIMER

MSDS Number

BJDDL

National Stock Number

6520-00F010991

Product Name

DURAL INGUAL PRIMER

Manufacturer

UNITEK CORP

Product Identification

Product ID:DURAL INGUAL PRIMER MSDS Date:02/01/1988 FSC:6520 NIIN:00F010991 MSDS Number: BJDDL

Responsible Party

UNITEK CORPORATION

2724 SOUTH PECK ROAD

MONROVIA, CA 91016

Emergency Phone: (818) 574-4000

Info Phone: (818) 574-4000

Cage: 90444

Contractor

UNITEK CORPORATION

MONROVIA, CA 91016-5005

(213) 445-7960

Cage: 90444

Ingredients

TRIETHYLENE GLYCOL DIMETHACRYLATE

CAS: 109-16-0

RTECS: OZ4100000

BISPHENOL A GLYCIDYLMETHACRYLATE, BIS-GMA

CAS: 1565-94-2

RTECS: UD3438000

Hazards

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYES: MINOR IRRITATION. SKIN: PROLONGED OR REPEATED CONTACT W/UNPOLYMERIZED MATERIAL MAY CAUSE IRRITATION, ALLERGIC & SENSITIZATION/REDNESS. INGESTION: THIS MATERIAL MAY BE SLIGHTLY HAZARDOUS IN LARGE QUANTITIES. Explanation of Carcinogenicity:NONE Effects of Overexposure:INGESTION: THIS MATERIAL MAY BE SLIGHTLY HAZARADOUS IN LARGE QUANTITIES. EYES: MINOR IRRITATION. SKIN: PROLONGED OR REPEATED CONTACT TO UNPOLYMERIZED MATEIAL MAY CAUSE



IRRITATION, ALLERGIC & SENSITIZI TION, & REDNESS. Medical Cond Aggravated by Exposure:ALLERGIC & SENSITIZATION

First Aid

First Aid:EYES: WASH W/LARGE QUANTITIES OF LUKEWARM WATER FOR 15 MINS. CONTACT PHYSICIAN. IF REDNESS OR IRRITATION PERSISTS. SKIN: WASH W/SOAP & WATER THEN FLUSH W/LUKEWARM WATER FOR 15 MINUTES. INGESTION: CONS ULT PHYSICIAN

•

Fire Fighting

Flash Point:>240F Extinguishing Media:DRY CHEMICAL, CO2, & FOAM Unusual Fire/Explosion Hazard:LARGE CONTAINERS OF BULK MATERIAL MAY RUPTURE EXPLOSIVELY WHEN EXPOSED TO HEAT. SEALED CONTAINERS MAY RUPTURE EXPLOSIVELY.

Accidental Release

Spill Release Procedures: CLEAN UP SMALL SPILLS WITH PAPER TOWELS.

Handling

Handling and Storage Precautions: THIS MATERIAL IS SENSITIVE TO HEAT & DIRECT SUNLIGHT. STORE IN A COOL

Exposure Controls

Respiratory Protection:GENERALLY NOT REQUIRED UNDER NORMAL CONDITIONS OF USE. Ventilation:GENERAL AREA VENTILATION. Protective Gloves:PROTECTIVE Eye Protection:RECOMMENDED Other Protective Equipment:PROTECTIVE CLOTHING Supplemental Safety and Health

Chemical Properties

Spec Gravity:0.95 Evaporation Rate & Reference:(BU AC = 1): Solubility in Water:SLIGHT Appearance and Odor:VISCOUS, TRANSLUCENT, AMBER LIQUID W/MILD ODOR

Stability

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZERS/ALKALIES, PEROXIDES Stability Condition to Avoid:HEAT, OPEN FLAMES, DIRECTION SUNLIGHT, & STORAGE >100F. Hazardous Decomposition Products:TOXIC GASES

Disposal

Waste Disposal Methods: PRIMER & ADHESIVE PASTE SHOULD BE MIXED & ALLOWED TO GEL & CURE. USE PROPER LANDFILL DISPOSAL OR INCINERATION. DISPOSE OF IN ACCORDANCE W/LOCAL, STATE, & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.