•

msds report

https://msdsreport.com/msds/BJDDV

# **175 DEVELOPER SOLUTION**

## **MSDS Number**

BJDDV

## **National Stock Number**

6525-00F012006

## **Product Name**

175 DEVELOPER SOLUTION

## Manufacturer

XEROX MEDICAL SYSTEMS

## **Product Identification**

Product ID:175 DEVELOPER SOLUTION MSDS Date:07/12/1982 FSC:6525 NIIN:00F012006 MSDS Number: BJDDV

## **Responsible Party**

XEROX MEDICAL SYSTEMS

125 N. VINEDO STREET

PASADENA, CA 91107

Emergency Phone: (716) 422-2177

Info Phone: (800) 828-6571

Cage: FO084

## Contractor

XEROX MEDICAL SYSTEM/PASADENA, CA 91107

ROCHESTER, NY 14644-1877

US

800-828-6571/716-422-2177

Cage: FO084

# Ingredients

ISOPARAFFINIC HYDROCARBONS (NAPHTHA PETROLEUM),

CAS: 64742-48-9

Fraction By Weight: 100%

## Hazards

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:HUMAN PATCH: (1/100 DILUTION) POTENTIALLY IRRITATING, NON-SENSITIZING. INGESTION: POSES MAXIMUM RISK OF SEVERE RESPIRATORY DISTRESS BY ASPIRATION, CENTRAL NERVOUS SYSTEM DEPRESSION. INHALATION: ABNORM AL HEART RHYTHMS, RESPIRATORY ARREST, CENTRAL NERVOUS SYSTEM TOXICITY. Explanation of Carcinogenicity:NONE Effects of Overexposure:INGESTION: POSES MAXIMUM RISK OF SEVERE RESPIRATORY DISTRESS BY ASPIRATION, CENTRAL NERVOUS SYSTEM DEPRESSION. INHALATION: ABNORMAL HEART RHYTHMS, RESPIRATORY DISTRESS BY ASPIRATION, CENTRAL NERVOUS SYSTEM DEPRESSION. INHALATION: ABNORMAL HEART RHYTHMS, RESPIRATORY ARREST, CENTRAL NERVOUS SYSTEM TOXICITY.

# First Aid

First Aid: EYES: FLUSH THOROUGHLY W/WATER. INHALATION: REMOVE FROM



EXPOSURE. INGESTION: DILUTE STOMACH CONTENT W/SEVERAL GLASSES OF WATER. SKIN: REMOVE CONTAMINATED CLOTHING. WASH THOROUGHLY W/SOAP & WATER.

•

## **Fire Fighting**

Flash Point Method:TCC Flash Point: 104F Lower Limits:0.8% Upper Limits:7.0% Extinguishing Media:FOAM, DRY CHEMICAL, CO2, WATER FOG Fire Fighting Procedures:USE AIR-SUPPLIED BREATHING EQUIPMENT FOR ENCLOSED AREAS. COOL EXPOSED CONTAINERS W/WATER SPRAY. Unusual Fire/Explosion Hazard:DON'T MIX OR STORE W/STRONG OXIDANTS LIKE LIQUID CHLORINE OR CONCENTRATED OXYGEN.

#### **Accidental Release**

Spill Release Procedures: REMOVE IGNITION SOURCES. RECOVER FREE LIQUID USING AN ABSORBANT MATERIAL (EARTH, SAND, SAWDUST, ETC.)

## Handling

Handling and Storage Precautions: KEEP CONTAINER CLOSED. AVOID BREATHING VAPORS OR FUMES.

#### **Exposure Controls**

Respiratory Protection:NONE Protective Gloves:NEOPRENE, NITRILE Eye Protection:NONE Other Protective Equipment:NONE Supplemental Safety and Health

## **Chemical Properties**

Boiling Pt:B.P. Text:157-176C Vapor Pres:Vapor Density:5.0 Spec Gravity:0.77 Evaporation Rate & Reference:(N-BU AC = 1): 0.03 Solubility in Water:IMMISCIBLE Appearance and Odor:BLACK LIQUID; SLIGHT ODOR Percent Volatiles by Volume: 92%

## Stability

Stability Indicator/Materials to Avoid:YES STRONG OXIDANTS Stability Condition to Avoid:HEAT, STRONG LIGHT, SPARKS, OPEN FLAMES Hazardous Decomposition Products:FUMES, SMOKE & CO

#### Disposal

Waste Disposal Methods:THE WASTE TONER MAY BE CLASSIFIED AS AN IGNITABLE HAZARDOUS WASTE UNDER FEDERAL & STATE REGULATIONS & SHOULD BE DISPOSED AT AN APPROVED DISPOSAL SITE OR FACILITY IN ACCORDANCE W/FEDERAL, STATE & LOCAL REGULATIONS. COMBUSTIBLE/FLAMMABLE U.N. 1993.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.