

CEE-BEE STRIPPER A-238M

MSDS Number

BJMFP

National Stock Number

1615-00-895-5408

Product Name

CEE-BEE STRIPPER A-238M

Manufacturer

MCGEAN ROHCO INC

Product Identification

Product ID:CEE-BEE STRIPPER A-238M

MSDS Date:03/01/1983

FSC:1615

NIIN:00-895-5408

Kit Part:Y

MSDS Number: BJMFP

Responsible Party

MCGEAN-ROHCO INC

1250 TERMINAL TOWER

CLEVELAND , OH 44113

US

Emergency Phone: 213-803-4311;800-424-9300(CHEMTREC)

Info Phone: 216-441-4908

Cage: 87097

Contractor

SIKORSKY AIRCRAFT

CLEVELAND, OH 44113

US

Cage: 3G066

Ingredients

METHYLENE CHLORIDE (DICHLOROMETHANE) (SARA III)

CAS: 75-09-2

RTECS: PA8050000

Fraction By Weight:

OSHA PEL500 PPM; Z-2

ACGIH TLV: 50 PPM, A2; 9394

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

PHENOL

CAS: 108-95-2

RTECS: SJ3325000

Fraction By Weight:

OSHA PEL5 PPM (SKIN)

ACGIH TLV: 5 PPM (SKIN)

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

Hazards

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO
Health Hazards Acute and Chronic:CHLOROCARBON/CHLOROFLUOROCARBON (CFC)
MATLS HAVE PRODUCED SENSITIZATION OF MYOCARDIUM TO EPINEPHRINE IN
LAB ANIMALS & COULD HAVE A SIMILAR EFFECT IN HUMANS. ADRENOMIMETICS
(I.E., EPINEPHRINE) MAY BE CONTRA-INDICATED EXCEPT FOR
LIFE-SUSTAINING USES IN HUMANS ACUTELY/CHRONICALLY EXPOSED TO
CHLOROCARBONS OR CFC'S .
Explanation of Carcinogenicity:METHYLENE CHLORIDE:CLASS 2B (IARC),
CLASS 2 (NTP)
Effects of Overexposure:CORROSIVE TO EYES AND SKIN. INHALATION,
DIZZINESS. RTPD AND PRLNGD OVEREXP TO SOLVENTS MAY CAUSE BRAIN AND
NERVOUS SYSTEM DAMAGE. INTENTIONAL MISUSE BY DELIBERATELY
CONCENTRATING AND INHALING THE CONTENTS MAY BE HARMFUL OR FATAL .
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid

First Aid:EYES/SKIN:FLUSH W/WATER FOR AT LEAST 30 MINUTES, GET MD.
INGEST:ADMINISTER LARGE QUANTITIES OF WATER; DO NOT INDUCE
VOMITING; (NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON).
GET MD. REMOVE AND WASH CONTAMINATED CLOTHING. INHAL:REMOVE TO
FRESH AIR. SUPPORT BREATHING (O*2/ARTIFICIAL RESPIRATION) .

Fire Fighting

Flash Point:NO FLASH TO BP
Extinguishing Media:USE MEDIA SUITABLE FOR SURROUNDING FIRE .
Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA AND FULL
PROTECTIVE EQUIPMENT .
Unusual Fire/Explosion Hazard:THERMAL DECOMPOSITION PRODUCTS MAY
INCLUDE HCL, PHOSGENE .

Accidental Release

Spill Release Procedures:ABSORB ON CLAY AND DISPOSE OF AT CHEMICAL DUMP
OR RECLAMATION FACILITY.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling

Handling and Storage Precautions:STORE IN COOL DRY PLACE; AVOID
TEMPERATURES ABOVE 110F.
Other Precautions:NO SMOKING IN AREA OF USE.DO NOT USE IN GENERAL
VICINITY OF ARC WELDING, OPEN FLAMES, OR HOT SURFACES. HEAT AND/OR
UV RADIATION MAY CAUSE FORMATION OF HCL AND/OR PHOSGENE .

Exposure Controls

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE
FOR EXPOSURE OF CONCERN .
Ventilation:USE MECHANICAL (GENERAL) EXHAUST.
Protective Gloves:USE SOLVENT RESISTANT PLASTIC GLOVES.
Eye Protection:CHEMICAL WORKERS GOGGLES .
Other Protective Equipment:FULL WASH RACK GEAR FOR LARGE SCALE
OPERATION.
Work Hygienic Practices:WASH HANDS THOROUGHLY AFTER USE AND BEFORE
EATING, SMOKING OR USING SANITARY FACILITIES. AVOID SKIN CONTACT.
Supplemental Safety and Health
THIS PART IS ONE OF 3 WHICH REPLACES PART E FOR PRODUCTS PURCHASED
AFTER 1989.

Chemical Properties

Boiling Pt:B.P. Text:108F,42C
Vapor Pres:29
Vapor Density:3
Spec Gravity:1.22
Evaporation Rate & Reference:Solubility in Water:INSOLUBLE
Appearance and Odor:BROWN VISCOUS LIQUID, METHYLENE CHLORIDE/PHENOL
ODOR.
Percent Volatiles by Volume:80

Stability

Stability Indicator/Materials to Avoid:YES
NONE SPECIFIED BY MANUFACTURER.
Stability Condition to Avoid:PROLONGED TEMPERATURES ABOVE 110F.
Hazardous Decomposition Products:HCL, PHOSGENE .

Disposal

Waste Disposal Methods:DISPOSE I/A/W FEDERAL, STATE AND LOCAL
REGULATIONS .

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.