

780 TONER

MSDS Number

BJWGL

National Stock Number

6850-00F013968

Product Name

780 TONER

Manufacturer

RICOH COMPANY LTD

Product Identification

Product ID: 780 TONER
MSDS Date: 01/05/1987
FSC: 6850
NIIN: 00F013968
MSDS Number: BJWGL

Responsible Party

RICOH COMPANY, LTD.
5 DEDRICK PL
WEST CALDWELL , NJ 07006-6304
Emergency Phone: (201) 882-2000
Info Phone: (201) 882-2000
Preparer: S. SHIMIZU
Cage: FO328

Contractor

RICOH CORPORATION
WEST CALDWELL, NJ 07006-6304
US
800-336-6737
Cage: 54726

Ingredients

ISOPARAFFINIC HYDROCARBONS (NAPHTHA PETROLEUM),
CAS: 64742-48-9
Fraction By Weight: 90%

ACRYLATE POLYMER, ACRYLIC POLYMER, CARBOMER 941,
CAS: 9003-01-4
RTECS: AT4680000
Fraction By Weight: 5%

CARBON BLACK
CAS: 1333-86-4
RTECS: FF5800000
Fraction By Weight: 5 - 10%

OSHA PEL3.5 MG/M3

ACGIH TLV: 3.5 MG/M3; 9192

Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYE/SKIN/INGESTION: IRRITATION.

INHALATION: IRRITATION TO THE RESPIRATORY TRACT, HEADACHES, DIZZINESS, ANESTHETIC, & CENTRAL NERVOUS SYSTEM EFFECTS.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:EYE/SKIN/INGESTION: IRRITATION. INHALATION: IRRITATION TO THE RESPIRATORY TRACT, HEADACHES, DIZZINESS, ANESTHETIC, & CENTRAL NERVOUS SYSTEM EFFECTS.

First Aid

First Aid:EYES: FLUSH W/PLENTY OF WATER FOR AT LEAST 15 MINS. SKIN: WASH W/SOAP & WATER. INHALATION: REMOVE TO FRESH AIR. INGESTION: DON'T INDUCE VOMITING. OBTAIN MEDICAL ATTENTION.

Fire Fighting

Flash Point Method:TCC

Flash Point:125.6F

Lower Limits:0.7%

Upper Limits:6.5%

Extinguishing Media:FOAM, WATER SPRAY/FOG, DRY CHEMICAL, & CO2

Fire Fighting Procedures:USE WATER SPRAY TO DISPERSE VAPORS. USE

SUPPLIED AIR BREATHING EQUIPMENT FOR ENCLOSED OR CONFINED SPACES.

Unusual Fire/Explosion Hazard:DURING A SPILL OR LEAK PRODUCT MAY IGNITE.

Accidental Release

Spill Release Procedures:SHUT OFF LEAK/SPILL. ELIMINATE IGNITION SOURCES. EVACUATE AREA. RECOVER FREE PRODUCT. ADD SAND/EARTH OR SUITABLE ABSORBENT. VENTILATE AREA. USE WATER SPRAY TO FLUSH SPILL FROM EXPOSURE. KEEP PRODUCT OUT OF SEWERS/WATERSOURCES BY DIKING OR IMPOUNDING.

Handling

Handling and Storage Precautions:AVOID BREATHING VAPORS, MISTS, GASES, FUMES OR DECOMPOSITION PRODUCTS. AVOID SKIN CONTACT.

Other Precautions:KEEP OUT OF THE REACH OF CHILDREN. EMPTY CONTAINERS RETAIN RESIDUE (LIQUID &/OR VAPOR) & CAN BE DANGEROUS. DON'T PRESSURE, CUT, OR EXPOSE TO HEAT, SPARKS, OR OTHER SOURCE OF IGNITION BECAUSE THEY MAY EXPLODE.

Exposure Controls

Respiratory Protection:USE SUPPLIED-AIR BREATHING EQUIPMENT FOR ENCLOSED OR CONFINED AREAS OR AS OTHERWISE NEEDED.

Ventilation:MECHANICAL: ADEQUATE.

Protective Gloves:NONE NEEDED

Eye Protection:NONE NEEDED

Other Protective Equipment:NONE NEEDED

Work Hygienic Practices:WASH SKIN THOROUGHLY AFTER/BEFORE BREAKS/MEALS/END OF WORKING SHIFT. REMOVE/LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health

HEALTH STUDIES HAVE SHOWN THAT MANY PETROLEUM HYDROCARBONS & LUBRICANTS POSE POTENTIAL HUMAN HEALTH RISKS WHICH MAY VARY FROM PERSON TO PERSON.

Chemical Properties

Boiling Pt:B.P. Text:180-190C

Vapor Pres:Vapor Density:>5

Spec Gravity:0.75

Evaporation Rate & Reference:(BU AC = 1): 0.3

Solubility in Water:NEGLIGIBLE

Appearance and Odor:BLACK LIQUID W/FAINT PETROLEUM HYDROCARBON ODOR.

Stability

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZER AS LIQUID CHLORINE, & CONCENTRATED OXYGEN.

Stability Condition to Avoid:HEAT, OPEN FLAME, SPARKS, & SOURCES OF IGNITION.

Hazardous Decomposition Products:CO

Disposal

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE W/LOCAL, STATE, & FEDERAL REGULATIONS & IN AN ENVIRONMENTALLY SAFE MANNER.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.