MSDS Number

I SLO-RISE

BJWSW

National Stock Number

8030-00F014794

Product Name

I SLO-RISE

Manufacturer

RHH FOAM SYSTEMS INC

Product Identification

Product ID:I SLO-RISE MSDS Date:04/16/1987 FSC:8030 NIIN:00F014794 MSDS Number: BJWSW

Responsible Party

RHH FOAM SYSTEMS, INC.

6001 S. PENNSYLVANIA AVE.

CUDAY, WI 53110

Emergency Phone: (800) 424-9300

Info Phone: (414) 744-6066 OR (414) 784-5020

Cage: RHHFO

Contractor

RHH FOAM SYSTEMS INC

752

US

CUDAHY, WI 53110-0752

800-657-0702

Cage: RHHFO
Ingredients

POLYETHER POLYOL RESIN

Fraction By Weight: 49%

1,3-DICHLORO-2-PROPANOL PHOSPHATE

CAS: 13674-87-8 RTECS: UB1473000

Fraction By Weight: 12%

DICHLORODIFLUOROMETHANE (SARA III)

CAS: 75-71-8

RTECS: PA8200000

Fraction By Weight: 20%

OSHA PEL1000 PPM



ACGIH TLV: 1000 PPM; 9192 EPA Report Quantity: 5000 LBS DOT Report Quantity: 5000 LBS

TRICHLOROFLUOROMETHANE (CFC-11) (SARA III)

CAS: 75-69-4 RTECS: PB6125000

Fraction By Weight: 16%

OSHA PEL1000 PPM

ACGIH TLV: C, 1000 PPM; 9293 EPA Report Quantity: 5000 LBS DOT Report Quantity: 5000 LBS

SILICONE SURFACTANT

Fraction By Weight:

AMINE CATALYST

Fraction By Weight:

ORGANOTIN CATALYST

Fraction By Weight:

Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:SKIN/EYE: IRRITATION. INHALATION: IRRITATION OF MUCOUS MEMBRANE, RESPIRATORY TRACT, TIGHTNESS OF

CHEST, COUGHING, HEADACHE, & SHORTNESS OF BREATH.

Explanation of Carcinogenicity: NONE

Effects of Overexposure: SKIN/EYE: IRRITATION. INHALATION: IRRITATION OF MUCOUS MEMBRANE, RESPIRATORY TRACT, TIGHTNESS OF CHEST, COUGHING,

HEADACHE, & SHORTNESS OF BREATH.

Medical Cond Aggravated by Exposure: BRONCHIAL, RESPIRATORY, &

ALLERGIES.

First Aid

First Aid: EYES: FLUSH W/PLENTY OF WATER FOR AT LEAST 15 MINS. SKIN: WASH THOROUGHLY W/SOAP & WATER. INHALATION: REMOVE TO FRESH AIR. GIVE CPR OR OXYGEN IF NEEDED. OBTAIN MEDICAL ATTENTION IN ALL CASES.

Fire Fighting

Extinguishing Media:CO2, DRY CHEMICAL, FOAM, & WATER FOG.

Fire Fighting Procedures: WEAR SELF-CONTAINED BREATHING APPARATUS & FULL PROTECTIVE CLOTHING.

Unusual Fire/Explosion Hazard: CONTAINS CARBON TETRACHLORIDE & NITROGEN WHICH CAN DEVELOP PRESSURE IN SEALED CONTAINERS.

Accidental Release

Spill Release Procedures: VENTILATE AREA. CONTAIN SPILL IF POSSIBLE. ABSORB IN ABSORBANT SWEEPING OR CLEANING COMPOUND. REMOVE IN OPEN DRUMS. FLUSH W/WATER & DETERGENT.

Handling

Handling and Storage Precautions: AVOID INHALING & CONTACT W/SKIN. KEEP CONTAINERS TIGHTLY CLOSED, IN COOL, DRY AREA. KEEP FROM FREEZING.

Exposure Controls



Respiratory Protection: WEAR AIR SUPPLIED FACE MASK FOR HIGH VAPOR

EXPOSURES.

Ventilation: PROVIDE LOCAL EXHAUST VENTILATION TO KEEP Protective Gloves: CHEMICAL RESISTANT, RUBBER, PLASTIC

Eye Protection: CHEMICAL SAFETY GOGGLES

Other Protective Equipment: SAFETY SHOWERS & EYE WASH STATIONS.

Work Hygienic Practices: STANDARD INDUSTRIAL PRACTICES.

Supplemental Safety and Health

Chemical Properties

Boiling Pt:B.P. Text:-22F Vapor Pres:Vapor Density:4.74 Spec Gravity:1.21

Solubility in Water: MODERATE

Appearance and Odor: AMBER LIQUID W/ETHEREAL ODOR.

Stability

Stability Indicator/Materials to Avoid:YES
UNCONTROLLED MIXTURE W/ISOCYANATES
Stability Condition to Avoid:HEAT >95F & FREEZING.
Hazardous Decomposition Products:CO2, CO, ORGANIC FRAGMENTS, NITROGEN
OXIDES, FLUOROCARBON TO ACIDS, & TOXIC MATERIALS.

Disposal

Waste Disposal Methods: DISPOSE OF AS AN INDUSTRIAL SOLID WASTE IN ACCORDANCE W/LOCAL, STATE, & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.