

PR-1005-L RUBBER SOLUTION

MSDS Number

BJXNJ

National Stock Number

8030-00-664-4019

Product Name

PR-1005-L RUBBER SOLUTION

Manufacturer

COURTAULDS AEROSPACE INC

Product Identification

Product ID:PR-1005-L RUBBER SOLUTION

MSDS Date:01/25/1989

FSC:8030

NIIN:00-664-4019

MSDS Number: BJXNJ

Responsible Party

COURTAULDS AEROSPACE INC

757 CALIFORNIA ST

GLENDALE , CA 91203

US

Emergency Phone: 818-549-7973

Info Phone: 818-549-7973

Preparer: JCS

Cage: 83574

Contractor

PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

1800

GLENDALE, CA 91209

US

818-240-2060

Cage: 83574

Ingredients

METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III)

CAS: 78-93-3

RTECS: EL6475000

Fraction By Weight: 50%

OSHA PEL200 PPM/300 STEL

ACGIH TLV: 200 PPM/300STEL 9192

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

ISOPROPYL ALCOHOL (SARA III)

CAS: 67-63-0

RTECS: NT8050000

Fraction By Weight: 15%

OSHA PEL400 PPM/500 STEL

ACGIH TLV: 400 PPM/500STEL;9192

METHYL ISOBUTYL KETONE (SARA III)

CAS: 108-10-1

RTECS: SA9275000

Fraction By Weight: 10%

OSHA PEL100 PPM/75 STEL

ACGIH TLV: 50 PPM/75 STEL; 9293

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

PHENOL POLYMER WITH FORMALDEHYDE (PHENOLIC RESIN)

CAS: 9039-25-2

Fraction By Weight: 15%

677

RTECS: 9999999VO

Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Effects of Overexposure:EYES:IRRITATION FROM VAPORS.LIQUID CONTACT MAY DAMAGE EYE TISSUE.SKIN:IRRITATION AND DERMATITIS.INHALATION:NOSE AND THROAT IRRITATION,HEADACHE,DIZZINESS,NAUSEA,VOMITING,MENTAL DEPRESSION, NARCOSIS,ANE STHESIA AND COMA.INGESTION:HEADACHE,DIZZINESS,FLUSHING,NAUSEA, VOMITING,MENTAL DEPRESSION,NARCOSIS,ANESTHESIA AND COMA.

First Aid

First Aid:EYES:FLUSH WITH LUKE WARM WATER FOR 15 MINUTES. IF SYMPTOMS PERSIST, CONSULT A PHYSICIAN. SKIN:WASH WITH SOAP AND WATER. IF SYMPTOMS PERSIST, CONSULT A PHYSICIAN. INHALATION:REMOVE TO FRESH AIR. IF SY MPTOMS ARE PRESENT, CONSULT A PHYSICIAN. INGESTION: INDUCE VOMITING. CONSULT A PHYSICIAN.

Fire Fighting

Flash Point Method:PMCC

Flash Point:23F/-5C

Extinguishing Media:FOAM, CO2, DRY CHEMICAL

Fire Fighting Procedures:USE AIR SUPPLIED RESPIRATOR. USE WATER TO COOL HEAT EXPOSED CONTAINERS.

Unusual Fire/Explosion Hazard:HIGH TEMPERATURES MAY CAUSE PRESSURE BUILDUP IN CLOSED CONTAINERS.

Accidental Release

Spill Release Procedures:PROTECT FROM IGNITION. COVER WITH ABSORBENT MATERIAL. SCOOP INTO CONTAINER. CLEAN UP RESIDUE WITH 1,1,1-TRICHTLORETHANE.

Handling

Other Precautions:THIS PRODUCT CONTAINS A TOXIC CHEMICAL OR CHEMICALS

SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF TITLE III
OF THE SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 AND 40
CFR PART 372.

Exposure Controls

Ventilation:GENERAL VENTILATION TO MAINTAIN VAPORS BELOW PEL.
Protective Gloves:SOLVENT-RESISTANT GLOVES.
Eye Protection:GOGGLES OR FULL FACE SHIELD.
Supplemental Safety and Health

Chemical Properties

HCC:F2
Spec Gravity:0.85
Solubility in Water:APPRECIABLE

Stability

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS
Hazardous Decomposition Products:OXIDES OF CARBON.

Disposal

Waste Disposal Methods:EPA NO D001 HAZARDOUS WASTE. DISPOSE IN
COMPLIANCE WITH FEDERAL AND STATE REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.