

INTERIOR EXTERIOR ENAMEL (SEE SUPP DATA)

MSDS Number

BKBRF

National Stock Number

8010-00N012339

Product Name

INTERIOR EXTERIOR ENAMEL (SEE SUPP DATA)

Manufacturer

JARVIE PAINT MFG CO

Product Identification

Product ID:INTERIOR EXTERIOR ENAMEL (SEE SUPP DATA)

MSDS Date:01/30/1986

FSC:8010

NIIN:00N012339

MSDS Number: BKBRF

Responsible Party

JARVIE PAINT MFG CO

760 ALOHA STREET

SEATTLE , WA 98109-4312

US

Emergency Phone: 206-284-1040

Info Phone: 206-284-1040

Cage: 3F871

Contractor

JARVIE PAINT MFG CO

SEATTLE, WA 98109-4312

US

206-244-0101

Cage: 3F871

Ingredients

MINERAL SPIRITS

CAS: 64475-85-0

RTECS: PY8240000

Fraction By Weight: 100%

Hazards

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:CHRONIC EXPOSURE TO ORGANIC SOLVENTS HAS BEEN ASSOCIATED WITH VARIOUS NEUROTOXIC EFFECTS INCLUDING PERMANENT BRAIN AND NERVOUS SYSTEM DAMAGE. SYMPTOMS INCLUDE LOSS OF MEMORY, LOSS OF INTELLECTUAL ABIL ITY, AND LOSS OF COORDINATION. CHRONIC EXPOSURE HAS ALSO BEEN ASSOCIATED WITH DERMATITIS OR DEFATTING OF THE SKIN.

Explanation of Carcinogenicity:NOT RELEVANT

Effects of Overexposure:ANESTHESIA, HEADACHE, NAUSEA, DIZZINESS, ETC.

LIQUID MODERATELY IRRITATING TO SKIN AND EYES. EYES: CAN CAUSE

CONJUNCTIVITIS. SKIN: DEFATTING, DERMATITIS. MFR IDENTIFIES
INGESTION AS ROUTE OF ENTRY.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid

First Aid:INGEST: DO NOT INDUCE VOMITING. CONTACT MD IMMEDIATELY.
INHAL: REMOVE VICTIM FROM AREA AND RESTORE BREATHING IF REQUIRED.
EYE: FLUSH EYES WITH WATER FOR AT LEAST 15 MINUTES.

Fire Fighting

Flash Point Method:TCC
Flash Point:105F,41C
Lower Limits:1.0
Upper Limits:6.0
Extinguishing Media:FOAM, CO2, DRY CHEMICAL, WATER FOG.
Fire Fighting Procedures:NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE
EQUIPMENT . COOL BELOW IGNITION TEMPERATURE.
Unusual Fire/Explosion Hazard:VAPORS ARE HEAVIER THAN AIR AND MAY
TRAVEL ALONG THE GROUND.

Accidental Release

Spill Release Procedures:EXTINGUISH ALL SOURCES OF IGNITION IN THE
VICINITY OF SPILL OR RELEASED VAPOR. CLEAN ALL SPILLS AS SOON AS
POSSIBLE. ABSORB LARGE SPILLS WITH CLAY OR DIATOMACEOUS EARTH.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling

Handling and Storage Precautions:STORE IN COOL, WELL VENTILATED AREA
AWAY FROM SOURCES OF IGNITION. SHOULD BE LABELED WITH A FLAM LABEL.
WASH HANDS THORO BEFORE EATING OR SMOKING.
Other Precautions:KEEP OUT OF REACH OF CHILDREN.

Exposure Controls

Respiratory Protection:USE A NIOSH/MSHA APPROVED ORGANIC VAPOR
RESPIRATOR OR SCBA.
Ventilation:LOCAL EXHAUST IF CONCENTRATION EXCEEDS TLV.
Protective Gloves:IMPERVIOUS GLOVES.
Eye Protection:CHEMICAL WORKERS GOGGLES .
Other Protective Equipment:USE GOOD HYGIENE PRACTICE.
Work Hygienic Practices:WASH HANDS FREQUENTLY AND THOROUGHLY DURING
CONTACT WITH MATERIAL AND AT END OF WORKDAY .
Supplemental Safety and Health
PART NO: TT-E-489F CLASS A 375-000 (19TE489CA).

Chemical Properties

HCC:F4
Boiling Pt:B.P. Text:320F,160C
Vapor Pres:7.0
Vapor Density:4.8
Spec Gravity:0.787
Evaporation Rate & Reference:0.10 (BUTYL ACETATE = 1)
Solubility in Water:NIL
Appearance and Odor:LIGHT COLORED LIQUID - HYDROCARBON ODOR.
Percent Volatiles by Volume:60

Stability

Stability Indicator/Materials to Avoid:YES
MAY REACT WITH STRONG OXIDIZING MATERIALS.
Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.
Hazardous Decomposition Products:NORMAL COMBUSTION FORMS CARBON DIOXIDE
AND WATER VAPOR, INCOMPLETE COMBUSTION CAN PRODUCE CARBON MONOXIDE.

Disposal

Waste Disposal Methods:IN COMPLIANCE WITH FEDERAL, STATE AND LOCAL
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.