

## **(22A1) CLEAR ACRYLIC LACQUER 330**

### **MSDS Number**

BKBVD

### **National Stock Number**

8030-00N014080

### **Product Name**

(22A1) CLEAR ACRYLIC LACQUER 330

### **Manufacturer**

AERVOE PACIFIC CO INC

### **Product Identification**

Product ID:(22A1) CLEAR ACRYLIC LACQUER 330

MSDS Date:09/23/1987

FSC:8030

NIIN:00N014080

MSDS Number: BKBVD

### **Responsible Party**

AERVOE-PACIFIC CO INC

1198 SAWMILL ROAD

GARDNERVILLE , NV 89416

US

Emergency Phone: 702-782-0100

Info Phone: 702-782-0100

Preparer: MIKE A. TRAQUINA

Cage: 33451

### **Contractor**

AERVOE-PACIFIC CO, INC.

GARDNERVILLE, NV 89410

US

(702)-782-0100

Cage: 33451

### **Ingredients**

ACETONE (SARA III)

CAS: 67-64-1

RTECS: AL3150000

OSHA PEL1000PPM

ACGIH TLV: 750PPM/1000STEL;9293

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

PROPANE

CAS: 74-98-6

RTECS: TX2275000

OSHA PEL1000 PPM

ACGIH TLV: ASPHYXIA NT; 9192

1551.0 @ 68F.

CAS: 75-28-5

RTECS: TZ4300000

ACGIH TLV: 800 PPM (MFR)

BUTANE

CAS: 106-97-8

RTECS: EJ4200000

OSHA PEL800 PPM

ACGIH TLV: 800 PPM; 9192

TOLUENE (SARA III)

CAS: 108-88-3

RTECS: XS5250000

OSHA PEL200 PPM/150 STEL

ACGIH TLV: 50 PPM; 9293

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

ACETIC ACID, 2-METHOXY-1-METHYLETHYL ESTER (PMGE ACETATE).

CAS: 108-65-6

RTECS: AI8925000

## Hazards

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INHAL: ANESTHETIC. IRRIT OF RESP TRACT, OR NERV SYS DEPRESS CHARACTERIZED BY HDCH, DIZZ, NAUS, OR POSS UNCON. SKIN OR EYE: PRLNGD/RPTD CONT TO SKIN MAY CAUSE DERMATITIS. EXERCISE DUE CARE. REPORTS HAV E ASSOCIATED RPTD/PRLNGD OCCUPATIONAL OVEREXP TO SOLVENTS W/PERMANENT (SEE SUPP DATA)

Effects of Overexposure:INHAL: MAY CAUSE DIZZINESS OR NAUSEA. SKIN: MAY CAUSE IRRITATION OR BURNING SENSATION. EYES: PRIMARY IRRITATION.

Medical Cond Aggravated by Exposure:NONE KNOWN.

## First Aid

First Aid:INHAL: REMOVE FROM EXPOSURE AND RESTORE BREATHING, SEEK MD.

SKIN: WASH AFFECTED AREA, REMOVE CONTAMINATED CLOTHING, SEE MD IF ANY IRRITATION PERSISTS. EYE: FLUSH IMMEDIATELY WITH WATER FOR AT LEAST 15 MINUTES AND SEE MD. INGEST: GET MD IMMEDIATELY .

## Fire Fighting

Flash Point Method:TCC

Flash Point:-15F,-26C

Lower Limits:1.2

Upper Limits:12.8

Extinguishing Media:FOAM, ALCOHOL FOAM, CO\*2, DRY CHEMICAL, WATER FOG.

Fire Fighting Procedures:WATER SPRAY MAY BE INEFCT, MAY BE USED TO COOL CNTNRS EXPSD TO HEAT/FIRE TO PVNT PRESS BUILD UP. WEAR NIOSH/MSHA

APPRVD SCBA & FULL PROT EQUIP .  
Unusual Fire/Explosion Hazard:CLOSED CONTAINERS MAY EXPLODE DUE TO  
BUILD UP OF PRESSURE FROM EXTREME HEAT OR FIRE. AEROSOL SPRAY IS  
EXTREMELY FLAMMABLE.

## Accidental Release

Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION: FLAMES,  
SPARKS, STATIC ELECTRICITY & ELECTRICAL. VENTILATE AREA AND SOAK UP  
WITH INERT ABSORBENT USING NON-SPARKING TYPE TOOLS.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

## Handling

Handling and Storage Precautions:DO NOT STORE ABOVE 120F. DO NOT STORE  
OR USE NEAR HEAT, SPARKS OR FLAME.

Other Precautions:DO NOT GET IN EYES. DO NOT BREATHE VAPORS. AVOID SKIN  
CONTACT. DO NOT TAKE INTERNALLY. SMOKING WHILE USING THIS PRODUCT  
MUST BE STRICTLY PROHIBITED.

## Exposure Controls

Respiratory Protection:OUTDOORS: A NIOSH/MSHA APPROVED PARTICULATE  
FILTER TO REMOVE ANY AIRBORNE OVERSPRAY. IN RESTRICTED AREAS WITH  
POOR VENTILATION AND CLOSE TO TLV A NIOSH/MSHA APPROVED RESPIRATOR  
WITH ORGANIC VAPOR CART RIDGE IS RECOMMENDED.

Ventilation:ALL APPLICATION AREAS SHOULD BE ADEQUATELY VENTILATED IN  
ORDER TO KEEP ITEMS BELOW THEIR EXPOSURE LIMITS.

Protective Gloves:IMPERVIOUS GLOVES.

Eye Protection:CHEMICAL WORKERS GOGGLES .

Other Protective Equipment:IMPERVIOUS APRON TO PREVENT SKIN CONTACT.  
WASH CONTAMINATED CLOTHING BEFORE RE-USE.

Work Hygienic Practices:WASH THOROUGHLY AFTER USE AND BEFORE EATING,  
DRINKING, SMOKING OR USING SANITARY FACILITIES .

Supplemental Safety and Health

HLTH HAZ: BRAIN & NERVOUS SYSTEM DAMAGE .

## Chemical Properties

HCC:V3

Boiling Pt:B.P. Text:-10F,-23C

Vapor Pres:SEE INGRED

Vapor Density:>AIR

Spec Gravity:0.8

Evaporation Rate & Reference:FASTER THAN ETHER

Solubility in Water:NEGLIGIBLE

Appearance and Odor:OPAQUE LIQUID/SOLVENT BASED ODOR.

## Stability

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS.

Stability Condition to Avoid:HIGH TEMPERATURES.

Hazardous Decomposition Products:CARBON MONOXIDE AND CARBON DIOXIDE.

## Disposal

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND  
FEDERAL REGULATIONS. DO NOT INCINERATE CLOSED CONTAINERS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.