

## 32A CAMOUFLAGE COLORS/LF OLIVE DRAB 34087

#### **MSDS Number**

BKBVJ

#### **National Stock Number**

8010-00N014096

#### **Product Name**

32A CAMOUFLAGE COLORS/LF OLIVE DRAB 34087

#### Manufacturer

AERVOE PACIFIC CO INC

#### **Product Identification**

Product ID:32A CAMOUFLAGE COLORS/LF OLIVE DRAB 34087 MSDS Date:08/11/1987 FSC:8010 NIIN:00N014096 MSDS Number: BKBVJ

#### **Responsible Party**

AERVOE-PACIFIC CO INC

1198 SAWMILL ROAD

GARDNERVILLE, NV 89410

US

Emergency Phone: 702-782-0100

Info Phone: 702-782-0100

Preparer: MIKE A. TRAQUINA

Cage: 33451

#### Contractor

AERVOE-PACIFIC CO, INC.

GARDNERVILLE, NV 89410

US

(702)-782-0100 Cage: 33451

### Ingredients

2.0 @ 68F. CAS: 64742-88-7 OSHA PEL500 PPM (MFR) ACGIH TLV: 100 PPM (MFR)

15.0 @ 100F. CAS: 64742-89-8 OSHA PEL500 PPM (MFR) ACGIH TLV: 300 PPM (MFR)

TOLUENE (SARA III) CAS: 108-88-3

# msds report

https://msdsreport.com/msds/BKBVJ

•

#### RTECS: XS5250000

OSHA PEL200 PPM/150 STEL ACGIH TLV: 50 PPM; 9293 EPA Report Quantity: 1000 LBS DOT Report Quantity: 1000 LBS

XYLENES (O-,M-,P- ISOMERS) (SARA III) CAS: 1330-20-7 RTECS: ZE2100000

OSHA PEL100 PPM/150 STEL

ACGIH TLV: 100 PPM/150STEL;9192

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

ACETONE (SARA III)

CAS: 67-64-1

RTECS: AL3150000

OSHA PEL1000PPM

ACGIH TLV: 750PPM/1000STEL;9293

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

#### Hazards

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:INHAL: ANESTHETIC. IRRIT OF RESP TRACT, OR NERV SYS DEPRESS CHARACTERIZED BY HDCH, DIZZ, NAUS, OR POSS UNCON. SKIN OR EYE: PRIMARY IRRIT. PRLNGD/RPTD CONT TO SKIN MAY CAUSE DERMAT. EXERCISE DUE CARE. RPTS HAVE ASSOCIATED RPTD/PRLNGD OCCUPATIONAL OVEREXP TO SOLV W/PERMANENT BRAIN AND NERVOUS SYSTEM DAMAGE . Effects of Overexposure:INHAL: MAY CAUSE DIZZINESS OR NAUSEA. SKIN: IRRITATION OR BURNING SENSATION. EYES: PRIMARY IRRITATION.

#### **First Aid**

First Aid:INHAL: REMOVE FROM EXPOSURE AND RESTORE BREATHING, SEEK MD. SKIN: WASH AFFECTED AREA, REMOVE CONTAMINATED CLOTHING, SEEK MD IF ANY IRRITATION PERSISTS. EYES: FLUSH IMMEDIATELY WITH WATER FOR AT LEAST 15 MINUTES AND TAKE TO MD. INGEST: GET MD IMMEDIATELY .

#### **Fire Fighting**

Flash Point Method:TCC Flash Point:-15F,-26C Lower Limits:0.1 Upper Limits:12.8 Extinguishing Media:FOAM, ALCOHOL FOAM, CO\*2, DRY CHEMICAL, WATER FOG. Fire Fighting Procedures:WATER SPRAY MAY BE INEFT, MAY BE USED TO COOL CNTNRS EXPSD TO HEAT/FIRE TO PVNT PRESS BUILD UP. WEAR NIOSH/MSHA APPRVD SCBA AND FULL PROT EQUIPMENT . Unusual Fire/Explosion Hazard:CLOSED CONTAINERS MAY EXPLODE DUE TO BUILD UP OF PRESSURE FROM EXTREME HEAT OR FIRE. AEROSOL SPRAY IS

# EXTREMELY FLAMMABLE.



Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION: FLAMES, SPARKS, STATIC ELECTRICITY & ELECTRICAL. VENTILATE AREA AND SOAK UP WITH INERT ABSORBENT USING NON-SPARKING TYPE TOOLS. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

•

#### Handling

Handling and Storage Precautions:DO NOT STORE ABOVE 120F. DO NOT STORE OR USE NEAR HEAT, SPARKS, OR FLAME. Other Precautions:DO NOT GET IN EYES. DO NOT BREATHE VAPORS. AVOID SKIN CONTACT. DO NOT TAKE INTERNALLY. SMOKING WHILE USING THIS PRODUCT MUST BE STRICTLY PROHIBITED.

#### **Exposure Controls**

Respiratory Protection:OUTDOORS: NIOSH/MSHA APPROVED PARTICULATE FILTER TO REMOVE AIRBORNE OVERSPRAY. IN RESTRICTED AREAS WITH POOR VENTILATION USE NIOSH/MSHA APPROVED ORGANIC CARTRIDGE RESPIRATOR. Ventilation:ALL APPLICATION AREAS SHOULD BE ADEQUATELY VENTILATED IN ORDER TO KEEP THE INGREDIENTS BELOW THEIR TLV. Protective Gloves:IMPERVIOUS GLOVES. Eye Protection:CHEMICAL WORKERS GOGGLES . Other Protective Equipment:WASH CONTAMINATED CLOTHING PRIOR TO RE-USE. IMPERVIOUS APRON IS RECOMMENDED TO PREVENT SKIN CONTACT. Work Hygienic Practices:WASH THOROUGHLY AFTER USE AND BEFORE EATING, DRINKING, SMOKING OR USING SANITARY FACILITIES . Supplemental Safety and Health NONE SPECIFIED BY MANUFACTURER.

#### **Chemical Properties**

HCC:V3 Boiling Pt:B.P. Text:-10F,-23C Vapor Pres:SEE INGRED Vapor Density:>AIR Spec Gravity:1.0 Evaporation Rate & Reference:FASTER THAN ETHER Solubility in Water:NEGLIGIBLE Appearance and Odor:OPAQUE LIQUID/SOLVENT BASED ODOR.

#### Stability

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS. Stability Condition to Avoid:HIGH TEMPERATURES. Hazardous Decomposition Products:CARBON MONOXIDE AND CARBON DIOXIDE.

#### Disposal

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. DO NOT INCINERATE CLOSED CONTAINERS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.