

12/8 OZ. BELT DRESSING

MSDS Number

BKCCJ

National Stock Number

6850-00B070053

Product Name

12/8 OZ. BELT DRESSING

Manufacturer

GOLD EAGLE CO

Product Identification

Product ID:12/8 OZ. BELT DRESSING

MSDS Date:08/30/1990

FSC:6850

NIIN:00B070053

MSDS Number: BKCCJ

Responsible Party

GOLD EAGLE CO.

4400 S. KILDARE BLVD.

CHICAGO , IL 60632-4372

US

Emergency Phone: 800-535-5053 (INFOTRAC)

Info Phone: 312-376-4400

Cage: DO861

Contractor

GOLD EAGLE COMPANY

97267

CHICAGO, IL 60632-4372

US

773-376-4400

Cage: 2M612

Ingredients

TEXTILE SPIRITS

CAS: 64741-84-0

Fraction By Weight: 45%

BUTANE

CAS: 106-97-8

Fraction By Weight: 19%

PROPANE

CAS: 74-98-6

Fraction By Weight: 10%

Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Health Hazards Acute and Chronic:NONE SPECIFIED BY MANUFACTURER.
Effects of Overexposure:RESPIRATORY IRRITATION, HEADACHE, NAUSEA, FATIGUE, DROWSINESS AND IMPAIRED COORDINATION OCCUR FROM INHALATION. EYE CONTACT CAUSES IRRITATION.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid

First Aid:INHALATION: REMOVE VICTIM TO FRESH AIR; RESTORE/SUPPORT BREATHING AS REQUIRED. SEEK IMMEDIATE MEDICAL ATTENTION. SKIN: WASH SKIN WITH SOAP AND WATER. IF IRRITATION DEVELOPS, SEEK MEDICAL ATTENTION. EY ES: FLUSH EYES WITH RUNNING WATER FOR 15 MIN., GET MEDICAL ATTENTION IF IRRITATION PERSISTS. INGESTION: DO NOT INDUCE VOMITTING, CONTAINS PETROLEUM DISTILLATES. SEEK IMMEDIATE MEDICAL ATTENTION.

Fire Fighting

Extinguishing Media:CO2, DRY CHEMICAL, FOAM, WATER FOG
Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS IN PRESSURE DEMAND OR OTHER POSITIVE PRESSURE MODE.
Unusual Fire/Explosion Hazard:VAPOR ACCUMULATION CAN FLASH OR EXPLODE. DECOMPOSITION PRODUCTS MAY CAUSE A HEALTH HAZARD.

Accidental Release

Spill Release Procedures:CONTAIN SPILL, TRANSFER TO SECURE CONTAINERS. IN THE EVENT OF AN UNCONTROLLED MATERIAL RELEASE, THE USE SHOULD DETERMINE IF RELEASE IS REPORTABLE UNDER APPLICABLE LAWS AND REGULATIONS. ABSORB SMALL SPILLS WITH SUITABLE MATERIAL.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling

Handling and Storage Precautions:STORE IN A COOL AREA (AWAY FROM STRONG OXIDIZING AGENTS).
Other Precautions:EXTREMELY FLAMMABLE VAPORS.

Exposure Controls

Respiratory Protection:USE AN APPROVED RESPIRATOR OR HOOD OR SELF-CONTAINED BREATHING APPARATUS IN AREAS EXCEEDING PEL/TWA.
Ventilation:PROVIDE PROPERLY ENGINEERED VENTILATION TO MAINTAIN PETROLEUM DISTILLATE VAPORS BELOW LISTED PEL/TWA REQUIREMENTS.
Protective Gloves:SOLVENT RESISTANT GLOVES
Eye Protection:SAFETY GLASSES W/SPLASH GUARDS.
Other Protective Equipment:USE SOLVENT RESISTANT APRONS/CLOTHING AS REQUIRED.
Work Hygienic Practices:STANDARD PERSONAL HYGIENE.
Supplemental Safety and Health
NONE SPECIFIED BY MANUFACTURER.

Chemical Properties

Solubility in Water:NEGLIGIBLE
Appearance and Odor:AEROSOL PRODUCT, NO ODOR WAS SPECIFIED BY MANUFACTURER.

Stability

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS
Stability Condition to Avoid:HOT SURFACES, TEMPERATURES >120F
Hazardous Decomposition Products:CO
Conditions to Avoid Polymerization:HOT SURFACES, TEMPERATURES >120F

Disposal

Waste Disposal Methods:DISPOSE OF PRODUCT IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. BEFORE ATTEMPTING CLEAN UP, REFER TO OTHER SECTIONS OF MSDS FOR HAZARD CAUTION INFORMATION.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.