

1025/1038/2510 BLACK TONER, 6R133

MSDS Number

BKCLB

National Stock Number

6850-00F015037

Product Name

1025/1038/2510 BLACK TONER, 6R133

Manufacturer

XEROX CORP

Product Identification

Product ID:1025/1038/2510 BLACK TONER, 6R133

MSDS Date:08/07/1987

FSC:6850

NIIN:00F015037

MSDS Number: BKCLB

Responsible Party

XEROX CORPORATION

100 CLINTON AVENUE S.

ROCHESTER , NY 14644-1877

Emergency Phone: (716) 422-2177

Info Phone: (800) 828-6571

Cage: 26921

Contractor

XEROX CORPORATION

ROCHESTER, NY 14644-1877

US

800-828-6571/716-422-2177

Cage: 26921

Ingredients

STYRENE/ACRYLATE POLYMER

CAS: 25213-39-2

Fraction By Weight: 60-65%

ACRYLATE POLYMER, ACRYLIC POLYMER, CARBOMER 941,

CAS: 9003-01-4

RTECS: AT4680000

Fraction By Weight: 20-25%

CARBON BLACK

CAS: 1333-86-4

RTECS: FF5800000

Fraction By Weight: 10-15%

OSHA PEL3.5 MG/M3

ACGIH TLV: 3.5 MG/M3; 9192

POLYOLEFIN

Fraction By Weight:

SILICA AMORPHOUS HYDRATED, SILICEOUS EARTH, FUMED SILICA,

CAS: 112945-52-5

RTECS: VV7310000

Fraction By Weight:

OSHA PEL80 MG/CUM (%SIO2+2)

ACGIH TLV: 0.2 MG/CUM RESP/DUST

Hazards

LD50 LC50 Mixture:ORAL LD50 (RAT): >5 G/KG

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:SKIN/EYES: IRRITATION. INHALATION:
RESPIRATORY TRACT IRRITATION.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:SKIN/EYES: IRRITATION. INHALATION: RESPIRATORY
TRACT IRRITATION.

First Aid

First Aid:EYES: FLUSH W/PLENTY OF WATER FOR AT LEAST 15 MINS. SKIN:
WASH THOROUGHLY W/SOAP & WATER. INHALATION: REMOVE TO FRESH AIR.
INGESTION: DILUTE STOMACH CONTENTS W/SEVERAL GLASSES OF WATER.
OBTAIN MEDICAL ATTENTION IN ALL CASES.

Fire Fighting

Extinguishing Media:WATER, FOAM, DRY CHEMICAL

Unusual Fire/Explosion Hazard:TONER IS A COMBUSTIBLE POWDER. WHEN
DISPERSED IN AIR, & FORMS EXPLOSIVE MIXTURES.

Accidental Release

Spill Release Procedures:LOOSE TONER CAN BE REMOVED USING A VACUUM
CLEANER. RESIDUE CAN BE REMOVED W/SOAP & COLD WATER.

Handling

Handling and Storage Precautions:AVOID INHALATION OF SMOKE. DON'T
INCINERATE.

Exposure Controls

Respiratory Protection:RESPIRATORS MAY BE REQUIRED WHEN OPERATING
PROCEDURES SUCH AS IN BULK TONER PROCESSING FACILITIES.

Ventilation:AS REQUIRED

Protective Gloves:AS REQUIRED

Eye Protection:AS REQUIRED

Work Hygienic Practices:AFTER REMOVAL OF LOOSE TONER, GARMENTS MAY BE
WASHED OR DRY-CLEANED.

Supplemental Safety and Health

Chemical Properties

Spec Gravity:1

Solubility in Water:NEGLIGIBLE

Appearance and Odor:BLACK POWDER W/FAINT ODOR

Stability

Stability Indicator/Materials to Avoid:YES

Hazardous Decomposition Products:PRODUCTS OF COMBUSTION ARE TOXIC.

Disposal

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE W/LOCAL, STATE, & FEDERAL REGULATIONS. DON'T INCINERATE.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.