# **WW-2 TIRE WHITEWALL CLEANER**

## **MSDS Number**

**BKCMK** 

## **National Stock Number**

6850-00F015066

## **Product Name**

WW-2 TIRE WHITEWALL CLEANER

#### Manufacturer

RADIATOR SPECIALTY COMPANY

## **Product Identification**

Product ID: WW-2 TIRE WHITEWALL CLEANER MSDS Date:06/01/1988 FSC:6850 NIIN:00F015066 MSDS Number: BKCMK

# **Responsible Party**

RADIATOR SPECIALTY COMPANY 1400 W. INDEPENDENCE BLVD.

CHARLOTTE, NC 28208

Emergency Phone: (704) 377-6555

Info Phone: (704) 377-6555

Preparer: I. LIEBMAN

Cage: 77628

#### Contractor

RADIATOR SPECIALTY COMPANY

34689

US

CHARLOTTE, NC 28208

704-377-6555/303-623-5716

Cage: 77628

## **Ingredients**

SODIUM HYDROXIDE (SARA III)

CAS: 1310-73-2 RTECS: WB4900000 Fraction By Weight: 0-1%

OSHA PEL2 MG/M3

ACGIH TLV: C 2 MG/M3; 9293 EPA Report Quantity: 1000 LBS DOT Report Quantity: 1000 LBS

2-BUTOXYETHANOL

CAS: 111-76-2 RTECS: KJ8575000



Fraction By Weight: 3-5%

OSHA PELS, 50 PPM

ACGIH TLV: S, 25 PPM; 9293

#### Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic: SKIN: TISSUE DAMAGE. EYE: BURNS.

INHALATION: IRRITATION TO THE RESPIRATORY TRACT & MUCOUS MEMBRANES.

INGESTION: HARMFUL, IRRITATION TO THE THROAT & STOMACH.

Explanation of Carcinogenicity: NONE

Effects of Overexposure: SKIN: TISSUE DAMAGE. EYE: BURNS. INHALATION: IRRITATION TO THE RESPIRATORY TRACT & MUCOUS MEMBRANES. INGESTION:

HARMFUL, IRRITATION TO THE THROAT & STOMACH.

## First Aid

First Aid: EYES: FLUSH W/PLENTY OF WATER FOR AT LEAST 15 MINS. SKIN: WASH W/SOAP & WATER. INHALATION: REMOVE TO FRESH AIR. INGESTION: DRINK CITRUS JUICES OR WATER. DON'T INDUCE VOMITING. OBTAIN MEDICAL ATTENTION IN ALL CASES.

## Fire Fighting

Fire Fighting Procedures: WEAR SELF-CONTAINED BREATHING APPARATUS & FULL

PROTECTIVE CLOTHING.

Unusual Fire/Explosion Hazard: NON FLAMMABLE LIQUID.

### **Accidental Release**

Spill Release Procedures: WEAR PROTECTIVE CLOTHING. COLLECT W/ABSORBENT. PLACE IN CONTAINER FOR PROPER DISPOSAL. FLUSH AREA OF SPILL W/WATER.

## Handling

Handling and Storage Precautions: KEEP FROM FREEZING, AWAY FROM CHILDREN & ANIMALS.

## **Exposure Controls**

Respiratory Protection: IF >TLV, WEAR A NIOSH APPROVED RESPIRATOR.

Ventilation: MECHANICAL

Protective Gloves: PVC (ALKALI RESISTANT) Eye Protection: GOGGLES, FACE SHIELD

Other Protective Equipment: APRON (ALKALI RESISTANT)

Supplemental Safety and Health

## **Chemical Properties**

Boiling Pt:B.P. Text: 212F

Spec Gravity:1.02

pH: 11.5

Solubility in Water: COMPLETE

Appearance and Odor: CLEAR LIQUID W/BLAND ODOR.

Percent Volatiles by Volume:>90/WT

## **Stability**

Stability Indicator/Materials to Avoid:YES ACIDS, OXIDIZING AGENTS, & ALUMINUM. Stability Condition to Avoid:FREEZING & HIGH HEAT TEMPERATURES. Hazardous Decomposition Products:TRACE OF SULFUR DIOXIDE

# Disposal

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE W/LOCAL, STATE, & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever,



expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.