

SOUNDONEL NICU-7 AWS A5.11

MSDS Number

BKCPX

National Stock Number

3439-00F015135

Product Name

SOUNDONEL NICU-7 AWS A5.11

Manufacturer

HOBART BROTHERS CO

Product Identification

Product ID: SOUNDONEL NICU-7 AWS A5.11

MSDS Date: 09/01/1989

FSC: 3439

NIIN: 00F015135

MSDS Number: BKCPX

Responsible Party

HOBART BROTHERS CO

600 WEST MAIN STREET

TROY, OH 45373

Emergency Phone: (513) 332-4000

Info Phone: (513) 332-4000

Cage: 28835

Contractor

HOBART BROTHERS CO

TROY, OH 45373

US

513-339-6000

Cage: 28835

Ingredients

POTASSIUM SILICATE, POTASSIUM METASILICATE

CAS: 1312-76-1

Fraction By Weight:

TITANIUM DIOXIDE

CAS: 13463-67-7

RTECS: XR2275000

Fraction By Weight: 4-6%

OSHA PEL15 MG/M3 TDUST

ACGIH TLV: 10 MG/M3 TDUST; 9293

CALCIUM FLUORIDE (FLUORSPAR, CALCIUM DIFLUORIDE, IRTRAN 3,

CAS: 7789-75-5

RTECS: EW1760000

Fraction By Weight: 7-10%

OSHA PEL2.5 MG/CUM (AS F)
ACGIH TLV: 2.5 MG/CUM (AS F)

MICA - SILICATES (< 1% CRYSTALLINE SILICA)

CAS: 12001-26-2

RTECS: VV8760000

Fraction By Weight: 4-6%

OSHA PEL20 MPPCF

ACGIH TLV: 3 MG/M3 RDUST; 9293

IRON

CAS: 7439-89-6

RTECS: NO4565500

Fraction By Weight:

MANGANESE (SARA III)

CAS: 7439-96-5

RTECS: OO9275000

Fraction By Weight:

OSHA PEL(C) 5 MG/M3 DUST

ACGIH TLV: 5 MG/M3 DUST 9293

NICKEL (SARA III)

CAS: 7440-02-0

RTECS: QR5950000

Fraction By Weight: 40-45%

OSHA PEL1 MG/M3

ACGIH TLV: 1 MG/M3; 9192

SILICON

CAS: 7440-21-3

RTECS: VW0400000

Fraction By Weight:

OSHA PEL15 MG/M3 TDUST

ACGIH TLV: 10 MG/M3 TDUST; 9293

COPPER (SARA III)

CAS: 7440-50-8

RTECS: GL5325000

Fraction By Weight: 18-22%

OSHA PEL0.1MG/M3 FUME/1 DUST

ACGIH TLV: 0.2MG/M3 FUME; 9192

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

CALCIUM CARBONATE (MARBLE) (LIMESTONE)

CAS: 1317-65-3

RTECS: EV9580000

Fraction By Weight: 10-12%

OSHA PEL15 MG/M3 TDUST

ACGIH TLV: 10 MG/M3 TDUST; 9192

SILICATE BINDERS (SODIUM SILICATE)

CAS: 1344-09-8

Fraction By Weight: 2%

ACGIH TLV: 10 MG/CUM

Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:YES
Health Hazards Acute and Chronic:EYE: IRRITATION/BURN & DRYNESS. SKIN:
BURN & ULCERS. INHALATION: DIZZINESS/NAUSEA/DRYNESS OR IRRITATION
OF NOSE & THROAT/PULMONARY EDEMA BRONCHITIS/CHEST
TIGHTNESS/FEVER/ALLERGIC REACTION/RESPIRATORY & CNS
IRRITATION/LUNG DAMAGE/ASTHMA/SIDEROSIS & PULMONARY FUNCTIONS.
INGESTION: METALLIC TASTE/SEVERE INJURY & DEATH.
Explanation of Carcinogenicity:NICKEL IS A SUSPECTED CARCINOGEN.
Effects of Overexposure:EYE: IRRITATION/BURN & DRYNESS. SKIN: BURN &
ULCERS. INHALATION: BONE EROSION/MUSCULAR WEAKNESS/TREMOR
(PARKINSON'S DISEASE)/BEHAVIORAL & HANDWRITING
CHANGES/MANGANISM/LUNG FIBROSIS/PNEUMOCONIOSIS/LUN G & NASAL
CANCER. INGESTION: METALLIC TASTE/SEVERE INJURY & DEATH.

First Aid

First Aid:EYES/SKIN: FLUSH W/PLENTY OF WATER. INHALATION: REMOVE TO
FRESH AIR. GIVE CPR OR OXYGEN IF NEEDED. INGESTION: OBTAIN MEDICAL
ATTENTION IN ALL CASES.

Fire Fighting

Flash Point:NON-FLAMMABLE
Unusual Fire/Explosion Hazard:CONSUMABLES AS SHIPPED ARE NON-REACTIVE,
NON-EXPLOSIVE & ESSENTIALLY NON-HAZARDOUS UNTIL WELDED. WELDING
ARCS/SPARKS CANIGNITE COMBUSTIBLES, FLAMMABLE PRODUCTS.

Handling

Handling and Storage Precautions:WELDING FUMES/GASES CAN'T BE
CLASSIFIED SIMPLY. ELEMENTS & OXIDES ARE VIRTUALLY ALWAYS PRESENT
AS COMPLEX OXIDES & NOT METALS.
Other Precautions:CONDITIONS INFLUENCE THE COMPOSITION & QUANTITY OF
FUMES, GASES, COATINGS ON THE METAL BEING WELDED SUCH AS PAINT,
PLATING & GALVANIZING WELDERS & VOLUME CONTAMINANTS SUCH AS
CHLORINATED HYDROCARBON V APORS. ELECTRIC SHOCK.

Exposure Controls

Respiratory Protection:USE NIOSH APPROVED OR EQUIVALENT FUME
RESPIRATOR/AIR SUPPLIED RESPIRATOR WHEN WELDING IN CONFINED AREAS
OR WHERE LOCAL EXHAUST/VENTILATION DOES NOT KEEP BELOW TLV.
Ventilation:PROVIDE LOCAL EXHAUST VENTILATION TO KEEP FUMES & GASES
BELOW TLV.
Protective Gloves:RECOMMENDED
Eye Protection:FACE SHIELD W/FILTER LENS; SEE SUPP
Other Protective Equipment:HELMET, FULL PROTECTIVE CLOTHING,

ARM/SHOULDER PROTECTORS & APRON

Supplemental Safety and Health

MATERIAL TO AVOID CONT: NICKEL, NICKEL/CHROMIUM (VI)/COPPER COMPOUNDS, COLUMBIUM, MOLYBDENUM & FLOURIDE. EYE PROTECTION CONT: SHADE NO. 14, PROTECTIVE SCREENS & FLASH GOGGLES.

Stability

Stability Indicator/Materials to Avoid: YES

IRON OXIDES, FLOURIDES, SECONDARILY COMPLEX OXIDES OF CALCIUM, MANGANESE, CHROMIUM, SILICON & TITANIUM; SEE SUPP

Hazardous Decomposition Products: CO, CO₂, OZONE & NITROGEN OXIDE

Disposal

Waste Disposal Methods: PREVENT WASTE FROM CONTAMINATING SURROUNDING ENVIRONMENT. DISCARD ANY PRODUCT, RESIDUE, DISPOSABLE CONTAINER OR LINER IN AN ENVIRONMENTALLY ACCEPTABLE MANNER, IN FULL COMPLIANCE W/FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.