
CREAM HARDENER

MSDS Number

BKFBH

National Stock Number

6850-00F015793

Product Name

CREAM HARDENER

Manufacturer

HUNTING SPECIALTY PRODUCTS INC

Product Identification

Product ID: CREAM HARDENER

MSDS Date: 09/01/1989

FSC: 6850

NIIN: 00F015793

MSDS Number: BKFBH

Responsible Party

HUNTING SPECIALTY PRODUCTS, INC

265 S. WEST STREET

LEBANON , OH 45036

Emergency Phone: (513) 241-9202

Info Phone: (513) 241-9202

Cage: HUNTI

Contractor

HUNTING SPECIALTY PRODUCTS, INC.

LEBANON, OH 45036

US

800-733-4413

Cage: HUNTI

Ingredients

BENZOYL PEROXIDE, DI-BENZOYLPEROXIDE

CAS: 94-36-0

RTECS: DM8575000

Fraction By Weight: 49%

OSHA PEL5 MG/CUM

ACGIH TLV: 5 MG/CUM

Hazards

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:YES IARC:NO OSHA:YES

Health Hazards Acute and Chronic:INGESTION: HARMFUL OR FATAL.

SKIN/EYES: IRRITATION.

Explanation of Carcinogenicity:ETHYLENE OXIDE IS A SUSPECTED 2B CARCINOGEN.

Effects of Overexposure:INGESTION: HARMFUL OR FATAL. SKIN/EYES: IRRITATION.

First Aid

First Aid:EYES: FLUSH W/COPIOUS AMOUNTS OF WATER FOR 15 MINS. SKIN:

WASH THOROUGHLY W/SOAP & WATER. INGESTION: RINSE MOUTH. DRINK A GLASS FULL OF WATER OR MILK. OBTAIN MEDICAL ATTENTION IN ALL CASES.

Fire Fighting

Flash Point Method:TCC

Flash Point:184F

Extinguishing Media:DRY CHEMICAL, FOAM, & CO2

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS. COOL SURROUNDING AREA W/WATER.

Unusual Fire/Explosion Hazard:IF EXPOSED TO ELEVATED TEMPERATURE FOR EXTENDED LENGTH OF TIME AN EXPLOSIVE DECOMPOSITION MAY OCCUR.

Accidental Release

Spill Release Procedures:EXTINGUISH ALL SOURCES OF FLAME & IGNITION. ABSORB W/INERT MATERIAL SUCH AS VERMICULITE OR SAND. SWEEP UP & COLLECT IN CONTAINERS TO DISPOSE AS SOLID WASTE. WASH THE AREA W/TRI-SODIUM PHOSPHATE & WATE R.

Handling

Handling and Storage Precautions:STORE AWAY FROM SOURCES OF HEAT & IGNITION. USE EXPLOSION PROOF EQUIPMENT.

Other Precautions:OPEN CONTAINERS SLOWLY TO RELIEVE ANY INTERNAL PRESSURE. USE W/ADEQUATE VENTILATION. KEEP OUT OF REACH OF CHILDREN. AVOID INHALATION OF SMOKE & VAPOR.

Exposure Controls

Respiratory Protection:NO SPECIAL REQUIREMENT

Ventilation:ANY COMBINATION OF EXPLOSION-PROOF LOCAL EXHAUST/MECHANICAL VENTILATION TO DRAW FUMES AWAY FROM WORKERS.

Protective Gloves:PLASTIC, RUBBER CHEMICAL RESISTANT

Eye Protection:SAFETY GOGGLES

Other Protective Equipment:PROTECTIVE CLOTHING, SHOES, EYE WASH STATION & SAFETY SHOWER.

Work Hygienic Practices:REMOVE/LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health

Chemical Properties

Boiling Pt:B.P. Text:DECOMPOSES

Vapor Density:Spec Gravity:1.2 GM/CC

Evaporation Rate & Reference:FASTER THAN DIETHYL ETHER

Appearance and Odor:PIGMENTED PASTE.

Stability

Stability Indicator/Materials to Avoid:YES

STRONG ACIDS, ALKALIS, OXIDIZERS, REDUCING AGENTS, MINERAL ACIDS, METAL SALT CATALYSTS.

Stability Condition to Avoid:HEAT, OPEN FLAME, SOURCES OF IGNITION, TEMPERATURES >105F.

Disposal

Waste Disposal Methods:DISPOSE OF AS SOLID WASTE IN ACCORDANCE W/LOCAL, STATE & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.