

JF16 12/16 OZ JACK OIL

MSDS Number

BKHTV

National Stock Number

8030-01-025-5367

Product Name

JF16 12/16 OZ JACK OIL

Manufacturer

GOLD EAGLE CO

Product Identification

Product ID: JF16 12/16 OZ JACK OIL

MSDS Date: 06/26/1990

FSC: 8030

NIIN: 01-025-5367

MSDS Number: BKHTV

Responsible Party

GOLD EAGLE CO

4400 S KILDARE BLVD

CHICAGO , IL 60632-4372

US

Emergency Phone: 312-376-4400

Info Phone: 312-376-4400

Cage: 2M612

Contractor

GOLD EAGLE COMPANY

97267

CHICAGO, IL 60632-4372

US

773-376-4400

Cage: 2M612

Ingredients

PETROLEUM OIL, HYDROTREATED HEAVY NAPHTHENIC DISTILLATE

CAS: 64742-52-5

RTECS: PY8035001

Fraction By Weight: 95-100%

ADDITIVES

Fraction By Weight: 0-5%

Hazards

Routes of Entry: Inhalation: YES Skin: YES Ingestion: YES

Reports of Carcinogenicity: NTP: NO IARC: NO OSHA: NO

Health Hazards Acute and Chronic: SKIN: IRRITATION & DERMATITIS. EYES: IRRITATION. INHALATION: CHEMICAL PNEUMONITIS, PULMONARY IRRITATION OR BRONCHITIS. INGESTION: GASTROINTESTINAL DISCOMFORT, DIARRHEA, HEADACHE, NAUSEA, & VOMITING.

Explanation of Carcinogenicity:NONE

First Aid

First Aid:INHALATION: REMOVE TO FRESH AIR. RESTORE/SUPPORT BREATHING AS NEEDED. SKIN: WASH W/SOAP & WATER. EYES: FLUSH W/LARGE AMOUNTS OF WATER FOR 15 MINS. INGESTION: DON'T INDUCE VOMITING. OBTAIN MEDICAL ATTENTION IN ALL CASES.

Fire Fighting

Flash Point:420F, 215C

Extinguishing Media:DRY CHEMICAL, CO2, WATER FOG, & FOAM.

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS W/FULL FACEPIECE OPERATED IN PRESSURE DEMAND OR OTHER PRESSURE MODE.

Accidental Release

Spill Release Procedures:REMOVE SOURCES OF IGNITION. PROVIDE ADEQUATE VENTILATION. CONTAIN LEAK. ABSORB W/SUITABLE MATERIAL SUCH AS OIL DRY, SAND, OR OTHER ABSORBENT, INERT, NON-COMBUSTIBLE MATERIAL. TRANSFER TO SECURE CONTAINERS.

Handling

Handling and Storage Precautions:STORE KEEP SEPARATE FROM STRONG OXIDIZING AGENTS.

Other Precautions:AVOID CONTACT W/EYES & SKIN. DON'T INGEST. AVOID INHALATION OF MISTS OR FUMES. EMPTY CONTAINERS MAY INCLUDE PRODUCT RESIDUE WHICH COULD INCLUDE FLAMMABLE OR EXPLOSIVE VAPORS.

Exposure Controls

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR IF >TLV.

Ventilation:PROPERLY ENGINEERED TO KEEP Protective Gloves:CHEMICAL RESISTANT

Eye Protection:SAFETY GOGGLES IF SPLASHING

Other Protective Equipment:PROTECTIVE CLOTHING, AS REQUIRED

Supplemental Safety and Health

FIRE POINT: 485F (COC)

Chemical Properties

Boiling Pt:B.P. Text:350F, 177C

Vapor Density:>1

Spec Gravity:0.885

Solubility in Water:NEGLIGIBLE

Appearance and Odor:AMBER, OILY LIQUID

Stability

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid:HEAT, FLAME, TEMPERATURES >150F, & OTHER SOURCES OF IGNITION

Hazardous Decomposition Products:CO2, CO

Disposal

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE W/LOCAL, STATE, & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.