

6680 TRICHROME STAIN KIT SOLUTION 1 PVA FIXATIVE

MSDS Number

BKJBD

National Stock Number

6550-01-316-8763

Product Name

6680 TRICHROME STAIN KIT SOLUTION 1 PVA FIXATIVE

Manufacturer

A J P SCIENTIFIC INC

Product Identification

Product ID:6680 TRICHROME STAIN KIT SOLUTION 1 PVA FIXATIVE

MSDS Date:06/01/1987

FSC:6550

NIIN:01-316-8763

MSDS Number: BKJBD

Responsible Party

A. J. P. SCIENTIFIC, INC.

CLIFTON , NJ 07015

Emergency Phone: (201) 472-7200

Info Phone: (201) 472-7200

Cage: FO859

Contractor

ENG SCIENTIFIC INC (FORMERLY A J P SCIENTIFIC INC)

1589

CLIFTON, NJ 07015

US

973-472-7200; 201-472-7200

Cage: 55930

Ingredients

POLYVINYL ALCOHOL

CAS: 9002-89-5

RTECS: TR8100000

Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:SKIN/EYES: IRRITATION. INHALATION: DIZZINESS, DROWSINESS. & IRRITATION TO NOSE, THROAT, & LUNGS.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:EYES/SKIN: IRRITATION. INHALATION: DIZZINESS, DROWSINESS, & IRRITATION TO NOSE, THROAT, & LUNGS.

First Aid

First Aid:EYES/SKIN: FLUSH W/PLENTY OF WATER FOR 15 MINUTES. SKIN: WASH THOROUGHLY W/SOAP & WATER. INHALATION: REMOVE TO FRESH AIR. GIVE CPR OR OXYGEN IF NEEDED. INGESTION: DRINK 1 OR 2 GLASSES OF WATER, IF CON SCIOUS. OBTAIN MEDICAL ATTENTION IN ALLCASES.

Fire Fighting

Flash Point Method:TCC
Flash Point:51F
Lower Limits:3.3%
Upper Limits:36%
Extinguishing Media:WATER SPRAY, CO2, DRY CHEMICAL, CHEMICAL ALCOHOL-TYPE OR UNIVERSAL TYPE FOAM
Fire Fighting Procedures:USE SELF-CONTAINED BREATHING APPARATUS & PROTECTIVE CLOTHING. APPROACH EXISTING FIRE W/CAUTION.

Accidental Release

Spill Release Procedures:WEAR GLOVES & SOAK UP SPILLED SOLUTION W/DISPOSABLE TOWELS. FLUSH SMALL SPILL W/LARGE QUANTITIES OF WATER. COLLECT LARGE SPILLS.

Handling

Handling and Storage Precautions:PROTECT UNITS AGAINST PHYSICAL DAMAGE. Other Precautions:STORE COOL, DRY AREA. STORE IN TIGHTLY CLOSED CONTAINER. DON'T INGEST.

Exposure Controls

Respiratory Protection:AS REQUIRED
Ventilation:MECHANICAL: SUITABLE. LOCAL: SHOULD BE USED AT POINTS WHERE VAPORS ARE EXPECTED TO BE VENTED TO THE WORKPLACE AIR.
Protective Gloves:RUBBER
Eye Protection:GOGGLES, SAFETY GLASSES
Other Protective Equipment:LAB COAT, EYE BATH, SAFETY SHOWER
Supplemental Safety and Health

Chemical Properties

Boiling Pt:B.P. Text:174F
Melt/Freeze Pt:M.P/F.P Text:-121F
Vapor Pres:7 KPA
Vapor Density:1.6
Spec Gravity:0.7920
Appearance and Odor:WATER-WHITE LIQUID W/NONRESIDUAL ODOR
Percent Volatiles by Volume:100%

Stability

Stability Indicator/Materials to Avoid:YES
NONE
Stability Condition to Avoid:OPEN FLAMES

Disposal

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE W/LOCAL, STATE, & FEDERAL REGULATIONS. FLUSH W/WATER, CONTROLLED BURNING.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.