

## **FE-0004-A**

### **MSDS Number**

BKJSZ

### **National Stock Number**

8040-00-998-3339

### **Product Name**

FE-0004-A

### **Manufacturer**

H B FULLER COMPANY

### **Product Identification**

Product ID:FE-0004-A  
MSDS Date:12/11/1988  
FSC:8040  
NIIN:00-998-3339  
Kit Part:Y  
MSDS Number: BKJSZ

### **Responsible Party**

H. B. FULLER COMPANY  
1200 WOLTERS BLVD  
VADNAIS HEIGHTS , MN 55110  
US  
Emergency Phone: 612-481-3300  
Info Phone: 612-481-3300  
Cage: 75782

### **Contractor**

H.B. FULLER COMPANY  
ST. PAUL, MN 55126-8076  
US  
612-236-5300/ -5309 FAX  
Cage: 0DH19

### **Ingredients**

EPOXY RESIN  
Fraction By Weight: >10%

### **Hazards**

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:EYES: DIRECT EYE CONTACT WITH THE  
PRODUCT MAY CAUSE IRRITATION. SKIN: EPOXY RESINS ARE POTENTIAL  
DERMAL SENSITIZERS. INHALATION: INHALATION IS NOT A ROUTE OF  
EXPOSURE.

### **First Aid**

First Aid:EYES: FLUSH IMMEDIATELY WITH WATER FOR 15 MINUTES. CONSULT A  
PHYSICIAN IF IRRITATION PERSISTS. SKIN: WASH AFFECTED AREA WITH  
SOAP AND WATER. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

### **Fire Fighting**

Flash Point Method:TCC

Flash Point:>200F,>93C  
Extinguishing Media:USE WATER SPRAY, FOAM, DRY CHEMICAL OR CARBON DIOXIDE.  
Fire Fighting Procedures:PERSONS EXPOSED TO PRODUCTS OF COMBUSTION SHOULD WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE EQUIPMENT.

## Accidental Release

Spill Release Procedures:WEAR RUBBER GLOVES AND WIPE UP WITH ABSORBENT MATERIAL. RESIDUE MAY BE REMOVED WITH A CHLORINATED SOLVENT.

## Handling

Handling and Storage Precautions:STORE IN A COOL, DRY LOCATION.  
Other Precautions:AVOID SKIN CONTACT WITH PRODUCT AT ALL TIMES.

## Exposure Controls

Respiratory Protection:NOT NORMALLY REQUIRED.  
Ventilation:STANDARD INDUSTRIAL VENTILATION.  
Protective Gloves:RUBBER GLOVES.  
Eye Protection:SAFETY GLASSES.  
Other Protective Equipment:PREVENT CONTACT BY USING APPROPRIATE PROTECTIVE CLOTHING.  
Work Hygienic Practices:LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.  
Supplemental Safety and Health

## Chemical Properties

Viscosity:25,000 CPS  
Appearance and Odor:LIQUID

## Stability

Stability Indicator/Materials to Avoid:YES  
Hazardous Decomposition Products:INCOMPLETE COMBUSTION CAN YIELD LOW MOLECULAR WEIGHT HYDROCARBONS, CARBON MONOXIDE.

## Disposal

Waste Disposal Methods:THIS PRODUCT DOES NOT MEET THE DEFINITION OF HAZARDOUS WASTE. INCINERATE OR DISPOSE OF IN AN APPROVED INDUSTRIAL LANDFILL. CONSULT YOUR STATE OR LOCAL AUTHORITIES IN THE EVENT MORE RESTRICTIVE REQUIRE MENTS APPLY.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.