

## **PROCESS 92CD-LR COLOR DEVELOPER (SUPP DATA)**

### **MSDS Number**

BKKNB

### **National Stock Number**

6750-00N014098

### **Product Name**

PROCESS 92CD-LR COLOR DEVELOPER (SUPP DATA)

### **Manufacturer**

AGFA CORP

### **Product Identification**

Product ID:PROCESS 92CD-LR COLOR DEVELOPER (SUPP DATA)

MSDS Date:06/01/1988

FSC:6750

NIIN:00N014098

Kit Part:Y

MSDS Number: BKKNB

### **Responsible Party**

AGFA CORPORATION

100 CHALLENGER ROAD

RIDGEFIELD PARK , NJ 07660

US

Emergency Phone: 303-623-5716;800-424-9300(CHEMTREC)

Info Phone: 201-440-2500

Cage: HO792

### **Contractor**

BAYER CORP / AGFA DIVISION

RIDGEFIELD, NJ 07660

US

201-440-2500

Cage: 59735

### **Ingredients**

1)

CAS: 10039-54-0

RTECS: NC5425000

Fraction By Weight: 15-20%

### **Hazards**

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYES/SKIN: MAY CAUSE IRRITATION.

INHAL: NORMALLY NO PROBLEM, BUT INHALATION OF MIST COULD CAUSE RESPIRATORY IRRITATION. INGEST: MAY CAUSE IRRITATION OF THE MUCOUS MEMBRANES OR DIGESTIVE TRACT. HYDROXY LAMINE SULFATE HAS BEEN FOUND TO BE MUTAGENIC IN VITRO.

Explanation of Carcinogenicity:NOT RELEVANT

Effects of Overexposure:SEE HEALTH HAZARDS

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

## First Aid

First Aid:EYES: IMMEDIATELY FLUSH WITH PLENTY OF RUNNING WATER FOR AT LEAST 15 MINUTES. GET MD. SKIN: FLUSH AFFECTED AREAS PROMPTLY WITH WATER FOR 15 MINUTES. REMOVE CONTAMINATED CLOTHING. IN CASE OF CONTINUED IRRITATION CONSULT MD. INHAL: FOR OVEREXPOSURE, REMOVE TO FRESH AIR. INGEST: GET MD IMMEDIATELY.

## Fire Fighting

Extinguishing Media:NONCOMBUSTIBLE MATERIAL. ANY MEDIA APPLICABLE TO PRIMARY CAUSE OF FIRE.

Fire Fighting Procedures:EVACUATE PERSONNEL TO A SAFE AREA. KEEP PERSONNEL REMOVED AND UPWIND OF FIRE. WEAR A NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT .

Unusual Fire/Explosion Hazard:WHEN HEATED TO DECOMPOSITION EMISSION OF TOXIC FUMES OF SO\*2 IS POSSIBLE.

## Accidental Release

Spill Release Procedures:USE APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT DURING CLEAN UP. DIKE SPILL. PREVENT LIQUID FROM ENTERING SEWERS, WATERWAYS OR LOW AREAS. SOAK UP WITH SAWDUST, SAND, OIL DRY OR OTHER ABSORBENT MATERIAL.

Neutralizing Agent:POWDERED SODIUM CARBONATE

## Handling

Handling and Storage Precautions:STORE IN WELL VENTILATED AREA. KEEP CNTNR TIGHTLY CLOSED. DO NOT STORE W/INCOMPAT MATLS. DO NOT STORE OR CONSUME FOOD, DRINK, TOBACCO IN AREA OF MATL.

Other Precautions:NONE SPECIFIED BY MANUFACTURER.

## Exposure Controls

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN .

Ventilation:ROOM VENTILATION IS SUFFICIENT. AVOID USE OF PRODUCT IN UNVENTILATED AREAS.

Protective Gloves:CHEMICAL GLOVES

Eye Protection:CHEMICAL WORKERS GOGGLES

Other Protective Equipment:CHEMICAL APRONS

Work Hygienic Practices:WASH HANDS THOROUGHLY AFTER USE AND BEFORE EATING, DRINKING, SMOKING OR USING SANITARY FACILITIES .

Supplemental Safety and Health

MFR'S TRADE NAME/PART NO: REPLENISHER PART B. WASTE DISP METH: AND MAY REQUIRE PRETREATMENT. DISPOSE I/A/W FEDERAL, STATE AND LOCAL REGULATIONS .

## Chemical Properties

HCC:C2

Boiling Pt:B.P. Text:212F,100C

Vapor Pres:21.07

Vapor Density:= WATER

Spec Gravity:1.215

pH:2.8

Evaporation Rate & Reference:0.3

Solubility in Water:100%

Appearance and Odor:CLEAR, COLORLESS, ODORLESS.

## Stability

Stability Indicator/Materials to Avoid:YES

STRONG ALKALIES, OXIDIZERS.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:AMMONIA; NO\*X, SO\*X

## Disposal

Waste Disposal Methods:RECOVER NONUSABLE FREE LIQ AND/OR CONTAM H\*2O & DISP OF IN AN APRVD/PERMITTED TRTMT SYS. REMOVE NONUSABLE SOLID MATL AND/OR CONTAM SOIL FOR DISP IN AN APRRVD/PERMITTED LANDFILL. DISCH TO SEWER REQUIRE S APPROVAL OF PERMITTING AUTH (SEE SUPPDATA)

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.