

PROCESS 92CDR COLOR (SEE SUPP DATA)

MSDS Number

BKKNJ

National Stock Number

6750-00N014103

Product Name

PROCESS 92CDR COLOR (SEE SUPP DATA)

Manufacturer

AGFA CORP

Product Identification

Product ID:PROCESS 92CDR COLOR (SEE SUPP DATA)

MSDS Date:03/01/1989

FSC:6750

NIIN:00N014103

Kit Part:Y

MSDS Number: BKKNJ

Responsible Party

AGFA CORPORATION

100 CHALLENGER ROAD

RIDGEFIELD PARK , NJ 07660

US

Emergency Phone: 303-623-5716;800-424-9300(CHEMTREC)

Info Phone: 201-440-2500

Cage: HO792

Contractor

BAYER CORP / AGFA DIVISION

RIDGEFIELD, NJ 07660

US

201-440-2500

Cage: 59735

Ingredients

DIETHYLENE GLYCOL

CAS: 111-46-6

RTECS: ID5950000

Fraction By Weight: 30-35%

BENZYL ALCOHOL

CAS: 100-51-6

RTECS: DN3150000

Fraction By Weight: 40-45%

Hazards

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:(ACUTE) EYE AND SKIN: MAY CAUSE IRRITATION. INHAL: NORMALLY NO PROBLEM, BUT INHAL OF MIST COULD CAUSE RESPIRATORY IRRITATION. INGEST: MAY CAUSE IRRITATION OF THE MUCOUS MEMBRANES OR DIGESTIVE TRACT.

Explanation of Carcinogenicity:NOT RELEVANT

Effects of Overexposure:SEE HEALTH HAZARDS.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid

First Aid:EYES: IMMEDIATELY FLUSH WITH PLENTY OF RUNNING WATER FOR AT LEAST 15 MINUTES. OBTAIN MEDICAL ATTENTION. SKIN: FLUSH AFFECTED AREAS PROMPTLY WITH WATER FOR 15 MINUTES. REMOVE CONTAMINATED CLOTHING. IN CASE OF CONTINUED IRRITATION CONSULT MD. INHAL: FOR OVEREXPOSURE, REMOVE TO FRESH AIR. INGEST: OBTAIN IMMEDIATE MEDICAL ATTENTION.

Fire Fighting

Flash Point Method:CC

Flash Point:>200F,>93C

Extinguishing Media:FOAM, DRY CHEMICAL, CO*2. WATER MAY BE INEFFECTIVE BUT SHOULD BE USED TO KEEP FIRE EXPOSED CONTAINERS COOL.

Fire Fighting Procedures:WEAR FULL PROTECTIVE CLOTHING AND A NIOSH/MSHA APPRVD SCBA TO AVOID BREATHING TOXIC FUMES.

Unusual Fire/Explosion Hazard:EMITS TOXICS FUMES UPON THERMAL DECOMPOSITION. VAPORS ARE HEAVIER THAN AIR AND CAN FLOW TO A SOURCE OF IGNITION.

Accidental Release

Spill Release Procedures:USE APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT DURING CLEAN UP. DIKE SPILL. PREVENT LIQUID FROM ENTERING SEWERS, WATERWAYS OR LOW AREAS. SOAK UP WITH SAWDUST, SAND, OIL DRY OR OTHER ABSORBENT MATERIAL.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling

Handling and Storage Precautions:STORE IN WELL VENTILATED AREA. KEEP CONTAINER TIGHTLY CLOSED. DO NOT STORE WITH INCOMPATIBLE MATLS. DO NOT STORE OR CONSUME FOOD, (SEE OTHER PREC)

Other Precautions:HNDLG/STOR PREC: DRINK OR TOBACCO IN AREA WHERE THEY MAY BECOME CONTAMINATED WITH THIS MATERIAL.

Exposure Controls

Respiratory Protection:NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN .

Ventilation:ROOM VENTILATION IS SUFFICIENT. AVOID USE OF PRODUCT IN UNVENTILATED AREAS.

Protective Gloves:CHEMICAL GLOVES.

Eye Protection:CHEMICAL WORKERS GOGGLES .

Other Protective Equipment:APRON IS RECOMMENDED.

Work Hygienic Practices:WASH THOROUGHLY AFTER USE AND BEFORE EATING, DRINKING, SMOKING OR USING SANITARY FACILITIES .

Supplemental Safety and Health

PART NO: DEVELOPER REPLENISHER PART A.

Chemical Properties

HCC:C2

Boiling Pt:B.P. Text:212F,100C

Spec Gravity:1.084

Solubility in Water:100%

Appearance and Odor:CLEAR AND LIGHT YELLOW, AROMATIC ODOR.

Stability

Stability Indicator/Materials to Avoid:YES

OXIDIZERS.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:CO*2, CO.

Disposal

Waste Disposal Methods:RECOVER NONUSABLE FREE LIQ AND/CONTAMD WATER & DISPOSE OF IN APPRVD & PERMITTED TREATMENT SYS. REMOVE NONUSABLE SOLID MATL AND/CONTAMD SOIL, FOR DISP IN APPRVD & PERMITTED LANDFILL. DISCHARGE TO SEWER REQ APPRVL OF PERMITTING AUTH/MAY REQ PRETREATMT.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.