

# PROCESS 92CDR PROF/RT COLOR (SEE SUPP DATA)

## **MSDS Number**

**BKKNQ** 

### **National Stock Number**

6750-00N014104

### **Product Name**

PROCESS 92CDR PROF/RT COLOR (SEE SUPP DATA)

#### Manufacturer

AGFA CORP

## **Product Identification**

Product ID:PROCESS 92CDR PROF/RT COLOR (SEE SUPP DATA)

MSDS Date:07/01/1988

FSC:6750

NIIN:00N014104

Kit Part:Y

MSDS Number: BKKNQ

## **Responsible Party**

AGFA CORPORATION

100 CHALLENGER ROAD

RIDGEFIELD PARK, NJ 07660

US

Emergency Phone: 303-623-5716;800-424-9300(CHEMTREC)

Info Phone: 201-440-2500

Cage: HO792

## Contractor

BAYER CORP / AGFA DIVISION

RIDGEFIELD, NJ 07660

US

201-440-2500

Cage: 59735

# Ingredients

1)

CAS: 10039-54-0 RTECS: NC5425000

Fraction By Weight: 15-20%

P-TOLUENESULFONIC ACID

CAS: 104-15-4

RTECS: XT6300000

Fraction By Weight: 10-15%

#### Hazards

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation: YES Skin: NO Ingestion: NO Reports of Carcinogenicity: NTP: NO IARC: NO OSHA: NO



Health Hazards Acute and Chronic:(ACUTE) EYE & SKIN: MAY CAUSE SEVERE IRRITATION AND BURNING. INHAL: NORMALLY NO PROBLEM, BUT INHAL OF MIST COULD CAUSE RESPIRATORY IRRITATION. INGEST: MAY CAUSE SEVERE IRRITATION OR BURNING OF THE MUC OUS MEMBRANES OR DIGESTIVE TRACT. Explanation of Carcinogenicity:NOT RELEVANT Effects of Overexposure:SEE HEALTH HAZARDS.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

### First Aid

First Aid: EYES: IMMEDIATELY FLUSH WITH PLENTY OF RUNNING WATER FOR AT LEAST 15 MINUTES. GET MD. SKIN: FLUSH AFFECTED AREAS PROMPTLY WITH WATER FOR 15 MINUTES. REMOVE CONTAMINATED CLOTHING. IN CASE OF CONTINUED IRRITATION CONSULT MD. INHAL: FOR OVEREXPOSURE, REMOVE TO FRESH AIR. INGEST: OBTAIN IMMED MEDICAL ATTN.

## **Fire Fighting**

Flash Point: NONCOMBUSTIBLE

Extinguishing Media: ANY APPLICABLE TO PRIMARY CAUSE OF FIRE. Fire Fighting Procedures: EVACUATE PERSONNEL TO A SAFE AREA. KEEP PERSONNEL REMOVED AND UPWIND OF FIRE. WEAR NIOSH/MSHA APPROVED SCBA.

Unusual Fire/Explosion Hazard: WHEN HEATED TO DECOMPOSITION EMISSION OF TOXIC FUMES OF SO\*2 IS POSSIBLE.

### **Accidental Release**

Spill Release Procedures: USE APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT DURING CLEAN UP. DIKE SPILL. PREVENT LIQUID FROM ENTERING SEWERS, WATERWAYS OR LOW AREAS. SOAK UP WITH SAWDUST, SAND, OIL DRY OR OTHER ABSORBENT MATERIAL.

Neutralizing Agent: POWDERED SODIUM CARBONATE.

### Handling

Handling and Storage Precautions: STORE IN WELL VENTILATED AREA. KEEP CONTAINER TIGHTLY CLOSED. DO NOT STORE WITH INCOMPATIBLE MATLS. DO NOT STORE OR CONSUME FOOD, (SEE OTHER PREC)

Other Precautions: HNDLG/STOR PREC: DRINK OR TORACCO IN AREA WHERE THE

Other Precautions: HNDLG/STOR PREC: DRINK OR TOBACCO IN AREA WHERE THEY MAY BECOME CONTAMD WITH THIS MATL.

#### **Exposure Controls**

Respiratory Protection: NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN .

Ventilation: ROOM VENTILATION IS SUFFICIENT. AVOID USE OF PRODUCT IN UNVENTILATED AREAS.

Protective Gloves: CHEMICAL GLOVES.

Eve Protection: CHEMICAL WORKERS GOGGLES .

Other Protective Equipment:SIMPLE SPLASH PROTECTION AND APRONS ARE RECOMMENDED. EMERGENCY EYE WASH STATION AND DELUGE SHOWER. Work Hygienic Practices:WASH THOROUGHLY AFTER USE AND BEFORE EATING, DRINKING, SMOKING OR USING SANITARY FACILITIES.

DRINKING, SMOKING OR USING SANITAKT FA

Supplemental Safety and Health

PART NO: DEVELOPER REPLENISHER PART C.

#### **Chemical Properties**

HCC:C2

Boiling Pt:B.P. Text:212F,100C

Spec Gravity:1.183

pH:2.5

Solubility in Water:100%

Appearance and Odor: CLEAR AND COLORLESS, NO ODOR.

#### Stability

Stability Indicator/Materials to Avoid:YES
STRONG ALKALIES, OXIDIZERS.
Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.
Hazardous Decomposition Products:FREE HYDROXYLAMINE, SULFUR DIOXIDE,

CO\*2, CO.



## **Disposal**

Waste Disposal Methods:RECOVER NONUSABLE FREE LIQ AND/OR CONTAMD WATER, DISPOSE OF IN APPRVD AND PERMITTED TREATMENT SYS. REMOVE NONUSABLE SOLID MATL AND/OR CONTAMD SOIL, FOR DISP IN APPRVD AND PERMITTED LANDFILL. DISCHARGE TO SEWER REQ APPROVAL OF PERMITTING AUTHORITY.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.