

PROCESS 92CDJ COLOR (SEE SUPP DATA)

MSDS Number

BKKNY

National Stock Number

6750-00N014107

Product Name

PROCESS 92CDJ COLOR (SEE SUPP DATA)

Manufacturer

AGFA CORP

Product Identification

Product ID:PROCESS 92CDJ COLOR (SEE SUPP DATA)

MSDS Date:05/01/1989

FSC:6750

NIIN:00N014107

Kit Part:Y

MSDS Number: BKKNY

Responsible Party

AGFA CORPORATION

100 CHALLENGER RD

RIDGEFIELD PARK , NJ 07660

US

Emergency Phone: 303-623-5716;800-424-9300(CHEMTREC)

Info Phone: 201-440-2500

Cage: HO792

Contractor

BAYER CORP / AGFA DIVISION

RIDGEFIELD, NJ 07660

US

201-440-2500

Cage: 59735

Ingredients

DIETHYLENE GLYCOL

CAS: 111-46-6

RTECS: ID5950000

Fraction By Weight: 10-15%

BENZYL ALCOHOL

CAS: 100-51-6

RTECS: DN3150000

Fraction By Weight: 45-50%

ETHYLENE GLYCOL (SARA III)

CAS: 107-21-1

RTECS: KW2975000

Fraction By Weight: 25-30%

OSHA PELC 50 PPM

ACGIH TLV: C 50 PPM,VAPOR; 9192

EPA Report Quantity: 1 LB

DOT Report Quantity: 1 LB

Hazards

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE:EYE/SKIN:MAY CAUSE IRRITATION.

INHAL:NORMALLY NO PROBLEM, BUT INHALATION OF MIST COULD CAUSE

RESPIRATORY IRRITATION. INGEST:MAY CAUSE IRRITATION OF MUCOUS

MEMBRANES OR DIGESTIVE TRACT.

Explanation of Carcinogenicity:NOT RELEVANT

Effects of Overexposure:SEE HEALTH HAZARDS.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid

First Aid:EYES:IMMEDIATELY FLUSH W/PLENTY OF RUNNING WATER FOR AT LEAST

15 MINUTES. GET MD. SKIN:FLUSH AFFECTED AREAS PROMPTLY W/WATER FOR

15 MINUTES. REMOVE CONTAMINATED CLOTHING. INHAL:REMOVE TO FRESH

AIR. SU PPORT BREATHING (GIVE O*2/ARTIFICIAL RESPIRATION) .

INGEST:CALL MD IMMEDIATELY.

Fire Fighting

Flash Point Method:CC

Flash Point:>200F,>93C

Extinguishing Media:FOAM, DRY CHEMICAL, CO*2. WATER MAY BE INEFFECTIVE

BUT SHOULD BE USED TO KEEP FIRE EXPOSED CONTAINERS COOL.

Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA AND FULL

PROTECTIVE EQUIPMENT TO AVOID BREATHING TOXIC FUMES.

Unusual Fire/Explosion Hazard:EMITS TOXIC FUMES UPON THERMAL

DECOMPOSITION. VAPORS ARE HEAVIER THAN AIR AND CAN FLOW TO A SOURCE OF IGNITION.

Accidental Release

Spill Release Procedures:USE APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT

DURING CLEAN UP. DIKE SPILL. PREVENT LIQUID FROM ENTERING SEWERS,

WATERWAYS OR LOW AREAS. SOAK UP W/SAWDUST, SAND, OIL DRY OR OTHER

ABSORBENT MATERIAL.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling

Handling and Storage Precautions:STORE IN WELL VENT AREA. KEEP CNTNR

TIGHTLY CLOSED. DO NOT STORE W/INCOMPATIBLE MATLS. DO NOT STORE OR

CONSUME FOOD, DRINK OR TOBACCO (SEE SUPP DATA)

Other Precautions:NONE SPECIFIED BY MANUFACTURER.

Exposure Controls

Respiratory Protection:NONE NEEDED W/WORKING MIXTURES AND NORMAL ROOM

VENTILATION. IF NEEDED, USE NIOSH/MSHA APPROVED RESPIRATOR

APPROPRIATE FOR EXPOSURE OF CONCERN .

Ventilation:ROOM VENTILATION IS SUFFICIENT. AVOID USE OF PRODUCT IN

UNVENTILATED AREAS.

Protective Gloves:CHEMICAL GLOVES.

Eye Protection:CHEMICAL WORKERS GOGGLES .

Other Protective Equipment:CHEMICAL RESISTANT APRONS.

Work Hygienic Practices:WASH HANDS THOROUGHLY AFTER USE AND BEFORE

EATING, DRINKING, SMOKING OR USING SANITARY FACILITIES .

Supplemental Safety and Health

MFR TRADE NAME/PART NO:DEVELOPER REJUVENATOR PART A. WASTE DISP

METH:AUTHORITY AND MAY REQUIRE PRETREATMENT. DISPOSE I/A/W FEDERAL,

STATE AND LOCAL REGULATIONS . HNDLG/STOR PREC:IN AREA WHERE TH EY
MAY BECOME CONTAMINATED W/THIS MATERIAL.

Chemical Properties

HCC:C2

Boiling Pt:B.P. Text:>212F,>100C

Spec Gravity:1.080

Solubility in Water:100%

Appearance and Odor:CLEAR AND LIGHT YELLOW, AROMATIC ODOR.

Stability

Stability Indicator/Materials to Avoid:YES

OXIDIZERS.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:CO*2, CARBON MONOXIDE.

Disposal

Waste Disposal Methods:RECOVER NONUSABLE FREE LIQ &/OR CONTAM WATER, &
DISPOSE OF IN APPRVD/PERMITTED TREATMENT SYS. REMOVE NONUSABLE
SOLID MATL &/OR CONTAM SOIL, FOR DISPOSAL IN APPRVD/PERMITTED
LANDFILL. DISCHARGE TO SEWE R REQUIRES APPROVAL OF PERMITTING (SEE
SUPP DATA)

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.