

3030 - 12/12 OZ FUEL INJECTOR CLEANER

MSDS Number

BKLSL

National Stock Number

2910-00B070061

Product Name

3030 - 12/12 OZ FUEL INJECTOR CLEANER

Manufacturer

GOLD EAGLE CO

Product Identification

Product ID:3030 - 12/12 OZ FUEL INJECTOR CLEANER

MSDS Date:07/30/1990

FSC:2910

NIIN:00B070061

MSDS Number: BKLSL

Responsible Party

GOLD EAGLE CO.

4400 S. KILDARE BLVD.

CHICAGO , IL 60632-4372

US

Emergency Phone: 800-535-5053 (INFOTRAC)

Info Phone: 312-376-4400

Cage: DO861

Contractor

GOLD EAGLE COMPANY

97267

CHICAGO, IL 60632-4372

US

773-376-4400

Cage: 2M612

Ingredients

KEROSENE

CAS: 8008-20-6

Fraction By Weight: 70-80%

PETROLEUM OIL

Fraction By Weight: 10-15%

PROPRIETARY ADDITIVE

Fraction By Weight: 0-5%

Hazards

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: LOW RISK OF IRRITATION UPON
SKIN CONTACT. SLIGHT MILD IRRITANT UPON EYE CONTACT. CHRONIC: NONE
SPECIFIED BY MANUFACTURER.
Effects of Overexposure:NONE SPECIFIED BY MANUFACTURER.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid

First Aid:INHALATION: REMOVE TO FRESH AIR, RESTORE/ SUPPORT BREATHING
AS REQUIRED. SEEK PROMPT MEDICAL ATTENTION. SKIN: WASH WITH SOAP
AND WATER. IF SKIN IRRITATION PERSISTS, SEEK MEDICAL ATTENTION.
EYES: FLUSH WITH WATER FOR 15 MIN., IF IRRITATION PERSISTS, SEEK
MEDICAL ATTENTION. INGESTION: DO NOT INDUCE VOMITTING, PETROLEUM
DISTILLATE.

Fire Fighting

Flash Point Method:TCC
Flash Point:125F,52C
Lower Limits:1.0
Extinguishing Media:CO2, DRY CHEMICAL, WATER FOG AND FOAM
Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS WITH A
FULL FACEPIECE OPERATED IN PRESSURE-DEMAND OR OTHER POSITIVE
PRESSURE MODE.
Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

Accidental Release

Spill Release Procedures:CONTAIN SPILL, TRANSFER TO SECURE CONTAINERS.
IN THE EVENT OF AN UNCONTROLLED MATERIAL RELEASE, THE USER SHOULD
DETERMINE IF RELEASE IS REPORTABLE UNDER APPLICABLE LAWS AND
REGULATIONS. ABSORB SMALL S PILLS WITH SUITABLE MATERIAL.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling

Handling and Storage Precautions:STORE IN A COOL (FROM STRONG OXIDIZERS.
Other Precautions:NONE SPECIFIED BY MANUFACTURER.

Exposure Controls

Respiratory Protection:USE A NIOSH/MSHA APPROVED RESPIRATOR IN AREAS
EXCEEDING OIL MIST PEL/TLV/TWA
Ventilation:PROVIDE PROPERLY ENGINEERED VENTILATION TO MAINTAIN OIL
MIST LEVELS BELOW OSHA PWL/TLV/TWA OF 5 MG/CUBIC METER
Protective Gloves:OIL RESISTANT GLOVES
Eye Protection:SAFETY GOGGLES OR SPLASH GOGGLES
Other Protective Equipment:OIL RESISTANT CLOTHING
Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.
Supplemental Safety and Health
NONE SPECIFIED BY MANUFACTURER.

Chemical Properties

HCC:F4
Boiling Pt:B.P. Text:>200F,>93C
Vapor Density:Spec Gravity:0.830
Evaporation Rate & Reference:Solubility in Water:NEGLIGIBLE
Appearance and Odor:AMBER LIQUID; NO ODOR SPECIFIED BY MANUFACTURER
Percent Volatiles by Volume:85.0

Stability

Stability Indicator/Materials to Avoid:YES
STRONG OXIDANTS
Stability Condition to Avoid:HEAT, OPEN FLAME, SOURCES OF IGNITION.
Hazardous Decomposition Products:CO2, CO
Conditions to Avoid Polymerization:HEAT, OPEN FLAME, SOURCES OF
IGNITION

Disposal

Waste Disposal Methods:DISPOSE OF PRODUCT IN ACCORDANCE WITH LOCAL,
STATE AND FEDERAL REGULATIONS. BEFORE ATTEMPTING CLEAN UP, REFER TO

OTHER SECTIONS OF MSDS FOR HAZARD CAUTION INFORMATION.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.